

# Package ‘AccSamplingDesign’

June 27, 2025

**Title** Acceptance Sampling Plans Design

**Version** 0.0.4

**Description** Provides tools for designing and analyzing Acceptance Sampling plans. Supports both Attributes Sampling (Binomial and Poisson distributions) and Variables Sampling (Normal and Beta distributions), enabling quality control for fractional and compositional data. Uses nonlinear programming for sampling plan optimization, minimizing sample size while controlling producer's and consumer's risks. Operating Characteristic curves are available for plan visualization.

**License** GPL-3

**Encoding** UTF-8

**Imports** stats, methods

**Suggests** knitr, rmarkdown

**VignetteBuilder** knitr

**URL** <https://github.com/vietha/AccSamplingDesign>

**BugReports** <https://github.com/vietha/AccSamplingDesign/issues>

**RoxygenNote** 7.3.2

**NeedsCompilation** no

**Author** Ha Truong [aut, cre, cph],  
Victor Miranda [ths, rev],  
Roger Kissling [ths, rev]

**Maintainer** Ha Truong <truongvietha87@gmail.com>

**Repository** CRAN

**Date/Publication** 2025-06-26 23:50:06 UTC

## Contents

|                            |   |
|----------------------------|---|
| accProb . . . . .          | 2 |
| muEst . . . . .            | 3 |
| OCdata . . . . .           | 4 |
| OCdata-accessors . . . . . | 6 |

|                            |    |
|----------------------------|----|
| optAttrPlan . . . . .      | 7  |
| optPlan . . . . .          | 8  |
| optVarPlan . . . . .       | 9  |
| plot.AttrPlan . . . . .    | 11 |
| plot.OCdata . . . . .      | 12 |
| plot.VarPlan . . . . .     | 13 |
| summary.AttrPlan . . . . . | 15 |
| summary.VarPlan . . . . .  | 15 |

## Index 17

---

|         |                               |
|---------|-------------------------------|
| accProb | <i>Acceptance Probability</i> |
|---------|-------------------------------|

---

### Description

Calculate the probability of acceptance for a given quality level.

### Usage

```
accProb(plan, p)
```

### Arguments

|      |   |
|------|---|
| plan | Acceptance plan object (AttrPlan/VarPlan).        |
| p    | True quality level (proportion of nonconforming). |

### Value

Numeric probability between 0 and 1.

### Author(s)

Ha Truong

### Examples

```
# Example for attribute plan
attr_plan <- optAttrPlan(PRQ = 0.01, CRQ = 0.1)
accProb(attr_plan, 0.05)

# Example for variable plan (normal distribution)
var_plan <- optVarPlan(
  PRQ = 0.025,      # Acceptable quality level (% nonconforming)
  CRQ = 0.1,       # Rejectable quality level (% nonconforming)
  alpha = 0.05,    # Producer's risk
  beta = 0.1,      # Consumer's risk
  distribution = "normal"
)
accProb(var_plan, 0.05)
```

muEst

*Estimate Mean  $\mu$  Based on Specification Limits and Probability***Description**

Computes the estimated mean  $\mu$  for a given level of quality and specification limit under either a normal or beta distribution.

**Usage**

```
muEst(p, USL = NULL, LSL = NULL,
      sigma = NULL, theta = NULL,
      dist = c("normal", "beta"))
```

**Arguments**

|       |  |
|-------|--|
| p     | Level of quality (numeric, between 0 and 1).   |
| USL   | Upper specification limit (numeric). Only one of USL or LSL should be provided.                              |
| LSL   | Lower specification limit (numeric). Only one of USL or LSL should be provided.                              |
| sigma | Standard deviation (numeric) for the normal distribution. Must be provided if <code>dist = "normal"</code> . |
| theta | Theta parameter (numeric) for the beta distribution. Must be provided if <code>dist = "beta"</code> .        |
| dist  | Distribution type. Either "normal" or "beta".  |

**Details**

The function estimates the mean  $\mu$  corresponding to a given tail probability  $p$ , assuming that the process output follows either a normal or beta distribution, and that the probability of being beyond the provided specification limit equals  $1 - p$ .

- For the normal distribution, the mean is calculated using the inverse cumulative distribution function (quantile function) of the normal distribution.
- For the beta distribution, the mean is solved numerically such that the CDF at the specified limit equals  $p$ , given the shape determined by `theta`.

Exactly one of USL or LSL must be provided to define whether the probability refers to the upper or lower tail.

**Value**

Returns the estimated mean  $\mu$  as a numeric value.

**Author(s)**

Ha Truong

## Examples

```
# Example for normal distribution with lower specification limit (LSL)
muEst(p = 0.95, LSL = 10, sigma = 2, dist = "normal")

# Example for beta distribution with upper specification limit (USL)
muEst(p = 0.95, USL = 0.7, theta = 500, dist = "beta")
```

---

 OCdata

*Generate OC Curve Data*


---

## Description

Computes and returns an object of class "OCdata", which contains the Operating Characteristic (OC) curve data. This includes the proportion of nonconforming items and the corresponding probability of acceptance, along with plan-related metadata. This function supports both optimal plan objects (e.g. found from "optPlan()" method) and custom plan parameter inputs.

Accessor functions paccept(), pd(), and process\_means() provide safe access to components of the OCdata object.

## Usage

```
OCdata(plan = NULL, pd = NULL,
       distribution = c("binomial", "poisson", "normal", "beta"),
       n = NULL, c = NULL, k = NULL,
       USL = NULL, LSL = NULL, sigma = NULL, theta = NULL,
       PRQ = NULL, CRQ = NULL, alpha = NULL, beta = NULL,
       sigma_type = c("known", "unknown"),
       theta_type = c("known", "unknown"))
```

## Arguments

|              |   |
|--------------|---|
| plan         | An optional acceptance plan object of class AttrPlan or VarPlan. If supplied, this overrides other individual parameter inputs. |
| pd           | An optional vector of proportions of nonconforming items. If NULL, the function generates a default sequence based on CRQ.      |
| distribution | Distribution type used for the plan. Options are "binomial", "poisson", "normal", or "beta". Required if plan is not provided.  |
| n            | Sample size.  |
| c            | Acceptance number (for Attributes Sampling).  |
| k            | Acceptability constant (for Variables Sampling).  |
| USL          | Upper Specification Limit (used for variable sampling plans). Only one of USL or LSL should be provided.                        |
| LSL          | Lower Specification Limit (used for variable sampling plans). Only one of USL or LSL should be provided.                        |

|            |   |
|------------|---|
| sigma      | Standard Deviation for Normal distribution. |
| theta      | Precision parameter for Beta distribution.  |
| PRQ        | Producer's Risk Quality level - optional.   |
| CRQ        | Consumer's Risk Quality level - optional.   |
| alpha      | Producer's risk - optional.                 |
| beta       | Consumer's risk - optional.                 |
| sigma_type | Whether sigma is "known" or "unknown".      |
| theta_type | Whether theta is "known" or "unknown".      |

### Details

The function evaluates the Operating Characteristic (OC) curve by computing the probability of acceptance across a range of proportions of nonconforming items (pd). This can be either directly specified or derived based on the plan inputs.

If a plan object is supplied, it overrides the other input parameters and uses stored plan details. If no plan is provided, a new one will be constructed from the inputs.

For:

- Binomial or Poisson distribution: n and c must be provided.
- Normal or Beta distribution: n (or m) and k are required. Either USL or LSL must be specified to compute process mean values using [muEst](#).

The resulting OC curve data includes acceptance probabilities at various quality levels and, for variable plans, optionally maps these probabilities to corresponding mean levels.

### Value

For OCdata: an object of class "OCdata" (a list) with components:

|               |  |
|---------------|--|
| pd            | Numeric vector of proportions of nonconforming items (defective).                            |
| paccept       | Numeric vector of probabilities of acceptance at each level of nonconformance.               |
| process_means | Numeric vector of estimated mean values (only for variable plans with specification limits). |
| dist          | Distribution type ("binomial", "poisson", "normal", or "beta").                              |
| n             | Sample size used in the plan.  |
| k             | Acceptability constant (if applicable).  |
| c             | Acceptance number (if applicable).   |

### Author(s)

Ha Truong

## Examples

```
# Example 1: Variables Sampling (Normal distribution)
plan <- optVarPlan(
  PRQ = 0.025,
  CRQ = 0.1,
  alpha = 0.05,
  beta = 0.1,
  distribution = "normal"
)

# Generate OC data from optimal plan
oc_data <- OCdata(plan, pd = seq(0, 0.15, by = 0.001))

# Plot the OC curve
plot(oc_data)

# Example 2: Attributes Sampling
# Generate OC data from custom plan
oc_data2 <- OCdata(n = 132, c = 5, distribution = "binomial",
  pd = seq(0, 0.15, by = 0.001))

# Plot the OC curve
plot(oc_data2)
```

---

OCdata-accessors

*Accessor Functions for OCdata Objects*

---

## Description

Accessor functions to retrieve components from OCdata objects, such as the acceptance probabilities, proportions nonconforming, and process mean estimates.

## Usage

```
paccept(x)
pd(x)
process_means(x)
```

## Arguments

x                    An object of class OCdata as returned by [OCdata](#).

## Details

These functions provide a clean interface to access key components of OCdata objects.

- `paccept(x)` returns the vector of probabilities of acceptance.
- `pd(x)` returns the vector of proportions nonconforming (defective).
- `process_means(x)` returns the estimated process means (only applicable for variable sampling plans).

**Value**

A numeric vector corresponding to the requested OCdata component.

**Author(s)**

Ha Truong

**Examples**

```
pdata <- OCdata(n = 125, c = 4, distribution = "binomial",
               pd = seq(0, 0.15, by = 0.005))
paccept(pdata)
pd(pdata)

# Variable plan with process means
vpdata <- OCdata(n = 50, k = 1.5, distribution = "normal", USL = 10,
                sigma = 2, pd = seq(0.01, 0.1, by = 0.01))
process_means(vpdata)
```

---

optAttrPlan

*Attribute Acceptance Sampling Plan*

---

**Description**

Designs binomial-based acceptance sampling plans using producer/consumer risk criteria.

**Usage**

```
optAttrPlan(PRQ, CRQ, alpha = 0.05, beta = 0.10,
            distribution = c("binomial", "poisson"))
```

**Arguments**

|              |   |
|--------------|---|
| PRQ          | Producer Risk Quality ( $0 < PRQ < 1$ )   |
| CRQ          | Consumer Risk Quality ( $PRQ < CRQ < 1$ ) |
| alpha        | Producer's risk (0.05 default)            |
| beta         | Consumer's risk (0.10 default)            |
| distribution | Support binomial and poisson distribution |

**Value**

AttrPlan object containing:

|              |                       |
|--------------|-----------------------|
| n            | Sample size           |
| c            | Acceptance number     |
| PRQ          | Input PRQ value       |
| CRQ          | Input CRQ value       |
| distribution | Selected distribution |

**Author(s)**

Ha Truong

**References**

ISO 2859-1:1999 - Sampling procedures for inspection by attributes

Schilling, E.G., & Neubauer, D.V. (2017). Acceptance Sampling in Quality Control (3rd ed.). Chapman and Hall/CRC. <https://doi.org/10.4324/9781315120744>**Examples**

```
plan <- optAttrPlan(PRQ = 0.01, CRQ = 0.1, alpha = 0.05, beta = 0.1,
  distribution = "binomial")
```

optPlan

*Optimal Acceptance Sampling Plan***Description**

Design optimal variable acceptance sampling plans based on specified parameters. Supports different distributions (binomial, normal, beta) and accommodates known or unknown standard deviation and process parameters.

**Usage**

```
optPlan(PRQ, CRQ, alpha = 0.05, beta = 0.10, USL = NULL, LSL = NULL,
  distribution = c("binomial", "poisson", "normal", "beta"),
  sigma_type = c("known", "unknown"),
  theta_type = c("known", "unknown"),
  sigma = NULL, theta = NULL)
```

**Arguments**

|              |   |
|--------------|---|
| PRQ          | Producer's risk quality level (e.g., acceptable quality level).             |
| CRQ          | Consumer's risk quality level (e.g., rejectable quality level).             |
| alpha        | Producer's risk (Type I error), default is 0.05.                            |
| beta         | Consumer's risk (Type II error), default is 0.10.                           |
| USL          | Upper Specification Limit. Required for variable sampling plans.            |
| LSL          | Lower Specification Limit. Required for variable sampling plans.            |
| distribution | Distribution type used in the plan. Can be "binomial", "normal", or "beta". |
| sigma_type   | Indicates if the standard deviation ( $\sigma$ ) is known or unknown.       |
| theta_type   | Indicates if the process parameter ( $\theta$ ) is known or unknown.        |
| sigma        | Known standard deviation of the process, if applicable.                     |
| theta        | Known process parameter (e.g., mean), if applicable.                        |



**Details**

This function designs optimal acceptance sampling plans by balancing producer's and consumer's risks under specified quality levels. It supports plans for attributes (binomial) and variables (normal or beta distributions), including cases with unknown standard deviation or distributional parameters.

**Value**

Returns a list or data frame with optimal sample size(s) and critical value(s) based on the specified parameters and distribution.

**Author(s)**

Ha Truong

**Examples**

```
# Example usage (normal distribution, known sigma):
optPlan(PRQ = 0.005, CRQ = 0.03, alpha = 0.05, beta = 0.10,
        distribution = "normal", sigma_type = "known")

# Example usage (beta distribution, unknown theta):
optPlan(PRQ = 0.025, CRQ = 0.10, alpha = 0.05, beta = 0.10,
        distribution = "beta", theta = 6.6e8,
        theta_type = "unknown", LSL = 5.65e-6)
```

---

|            |  |
|------------|--|
| optVarPlan | <i>Variable Acceptance Sampling Plan</i> |
|------------|--|

---

**Description**

Creates variable sampling plans for normal or beta distributed measurements.

**Usage**

```
optVarPlan(PRQ, CRQ, alpha = 0.05, beta = 0.10, USL = NULL, LSL = NULL,
           distribution = c("normal", "beta"), sigma_type = c("known", "unknown"),
           theta_type = c("known", "unknown"), sigma = NULL, theta = NULL)
```

**Arguments**

|       |   |
|-------|---|
| PRQ   | Producer Risk Quality (must be within valid range for the chosen distribution). |
| CRQ   | Consumer Risk Quality (must be greater than PRQ and within valid range).        |
| alpha | Producer's risk (numeric between 0 and 1).                                      |
| beta  | Consumer's risk (numeric between 0 and 1).                                      |
| USL   | Upper Specification Limit (numeric). Only one of USL or LSL should be provided. |

|              |  |
|--------------|--|
| LSL          | Lower Specification Limit (numeric). Only one of USL or LSL should be provided.            |
| distribution | Measurement distribution: "normal" or "beta".  |
| sigma_type   | Indicates whether sigma (population standard deviation) is "known" or "unknown".           |
| theta_type   | Indicates whether theta (population precision parameter for beta) is "known" or "unknown". |
| sigma        | Known standard deviation (used for normal distribution). Required if sigma_type = "known". |
| theta        | Dispersion parameter (used for beta distribution). Required if theta_type = "known".       |

### Details

The function generates variable acceptance sampling plans based on specified producer and consumer risks and either a normal or beta distribution model.

The specification limit must be defined via either USL (upper specification limit) or LSL (lower specification limit), depending on whether the one-sided quality criterion concerns the upper or lower tail. Only one limit should be provided.

The plan design accounts for known or unknown standard deviation in the normal case, and known or unknown dispersion parameter (theta) in the beta case. Measurement error, if any, can be incorporated via the measurement\_error argument.

### Value

A VarPlan object containing:

|              |   |
|--------------|---|
| distribution | Distribution used ("normal" or "beta").     |
| sample_size  | Final sample size after rounding (integer). |
| k            | Acceptability constant.                     |
| n            | Unrounded sample size.                      |

### Author(s)

Ha Truong

### References

ISO 3951-1:2013 - Sampling procedures for inspection by variables.

Wilrich, PT. (2004). Single Sampling Plans for Inspection by Variables under a Variance Component Situation. In: Lenz, HJ., Wilrich, PT. (eds) *Frontiers in Statistical Quality Control 7*. Physica, Heidelberg. doi:[10.1007/9783790826746\\_4](https://doi.org/10.1007/9783790826746_4)

K. Govindaraju and R. Kissling (2015). Sampling plans for Beta-distributed compositional fractions.

**Examples**

```

# Example for normal distribution plan
norm_plan <- optVarPlan(
  PRQ = 0.025,      # Acceptable quality level (% nonconforming)
  CRQ = 0.1,        # Rejectable quality level (% nonconforming)
  alpha = 0.05,     # Producer's risk
  beta = 0.1,       # Consumer's risk
  distribution = "normal",
  USL = 10
)
summary(norm_plan)

# Example for beta distribution plan
beta_plan <- optVarPlan(
  PRQ = 0.025,      # Target quality level (% nonconforming)
  CRQ = 0.1,        # Minimum quality level (% nonconforming)
  alpha = 0.05,     # Producer's risk
  beta = 0.1,       # Consumer's risk
  distribution = "beta",
  theta = 44000000, # Beta distribution parameter
  LSL = 0.00001
)
summary(beta_plan)

```

---

plot.AttrPlan

*Plot the OC Curve for Attribute Sampling Plans*


---

**Description**

Plots the Operating Characteristic (OC) curve for an attribute sampling plan object of class `AttrPlan`.

**Usage**

```

## S3 method for class 'AttrPlan'
plot(x, pd = NULL, ...)

```

**Arguments**

|                  |  |
|------------------|--|
| <code>x</code>   | An object of class <code>AttrPlan</code> representing an attribute acceptance sampling plan.                               |
| <code>pd</code>  | Optional vector of proportions of nonconforming items. If <code>NULL</code> (default), a range is automatically generated. |
| <code>...</code> | Additional graphical parameters passed to <code>plot()</code> .  |

**Details**

This method computes and visualizes the probability of acceptance ( $P(\text{accept})$ ) as a function of the proportion of nonconforming items in the population, based on the attribute sampling plan.

The plot also includes reference lines at the plan's producer and consumer quality levels (PRQ, CRQ) and their corresponding acceptance probabilities.

**Value**

A plot showing the OC curve for the given attribute sampling plan.

**Author(s)**

Ha Truong

**See Also**

[optAttrPlan](#), [accProb](#), [OCdata](#)

**Examples**

```
# Create attribute plan
plan <- optAttrPlan(PRQ = 0.01, CRQ = 0.1)

# Plot OC curve
plot(plan)

# With custom pd
plot(plan, pd = seq(0, 0.15, by = 0.001))
```

---

plot.OCdata

*Plot Method for OCdata Objects*

---

**Description**

Plots the Operating Characteristic (OC) curve from an object of class "OCdata", either by proportion nonconforming or process mean levels.

**Usage**

```
## S3 method for class 'OCdata'
plot(x, by = c("pd", "mean"), ...)
```

**Arguments**

|     |  |
|-----|--|
| x   | An object of class "OCdata", typically generated using OCdata().   |
| by  | A character string indicating the type of OC curve to plot. Options are:<br>"pd" (Default) Plot the OC curve by proportion nonconforming.<br>"mean" Plot the OC curve by estimated process mean levels (only available for variable sampling plans). |
| ... | Additional graphical parameters passed to the plot() function.   |

**Details**

This method visualizes the OC curve based on the content of the "OCdata" object.

By default, the curve is plotted against the proportion of nonconforming items (@pd). If by = "mean" is specified and the plan includes valid mean-level estimates (@process\_means), the curve is plotted against mean levels.

If by = "mean" is requested but no mean estimates are available (e.g., for attribute plans), a message will be shown and no plot will be drawn.

**Value**

A plot showing the OC curve for the given attribute/variable sampling plan.

**Author(s)**

Ha Truong

**See Also**

[OCdata](#), [optAttrPlan](#), [optVarPlan](#)

**Examples**

```
# Attribute plan
plan_attr <- optAttrPlan(PRQ = 0.01, CRQ = 0.05)
oc_attr <- OCdata(plan_attr)
plot(oc_attr) # OC curve by pd (default)
plot(oc_attr, by = "mean") # Will show message if not available

# Variable plan
plan_var <- optVarPlan(PRQ = 0.025, CRQ = 0.1, USL = 0.1,
                      distribution = "normal", sigma=0.01)
oc_var <- OCdata(plan_var)
plot(oc_var) # OC curve by pd
plot(oc_var, by = "mean") # OC curve by mean levels
```

---

plot.VarPlan

*Plot the OC Curve for Variable Sampling Plans*

---

**Description**

Plots the Operating Characteristic (OC) curve for an object of class VarPlan. Supports plotting against either the proportion of nonconforming items or the corresponding process mean levels, depending on availability.

**Usage**

```
## S3 method for class 'VarPlan'
plot(x, pd = NULL, by = c("pd", "mean"), ...)
```

**Arguments**

|     |  |
|-----|--|
| x   | An object of class VarPlan representing a variable acceptance sampling plan.   |
| pd  | Optional numeric vector of proportions of nonconforming items to evaluate. If NULL (default), a suitable range is generated automatically.   |
| by  | Character string indicating which x-axis to use for plotting. Either "pd" for proportion nonconforming (default) or "mean" for process mean levels. If "mean" is selected but the plan lacks specification limits, an error is raised. |
| ... | Additional graphical parameters passed to plot().  |

**Details**

This plotting method visualizes the probability of acceptance ( $P(\text{accept})$ ) against the desired metric, based on the parameters of a variable sampling plan.

If `by = "pd"`, the x-axis represents the proportion of nonconforming items. If `by = "mean"` and the plan defines `limit_type` and `spec_limit`, the function estimates corresponding process means using `muEst` and plots the OC curve by those mean values.

Reference lines for the Producer's Risk Quality (PRQ) and Consumer's Risk Quality (CRQ), along with their respective acceptance probabilities, are shown when plotting by proportion.

**Value**

A plot showing the OC curve for the given variable sampling plan, either by nonconforming proportion or mean level.

**Author(s)**

Ha Truong

**See Also**

[optVarPlan](#), [accProb](#), [muEst](#), [OCdata](#), [plot.OCdata](#)

**Examples**

```
# Variable sampling plan with specification limits
plan <- optVarPlan(
  PRQ = 0.025, CRQ = 0.1,
  alpha = 0.05, beta = 0.1,
  distribution = "normal",
  USL = 3, sigma = 0.1
)

# Plot by proportion nonconforming
plot(plan, by = "pd")

# Plot by estimated mean level (requires spec_limit and limit_type)
plot(plan, by = "mean")

# Custom pd vector
```

```
plot(plan, pd = seq(0.01, 0.15, by = 0.001))
```

---

|                  |  |
|------------------|--|
| summary.AttrPlan | <i>Summarize Attribute Acceptance Plan</i> |
|------------------|--|

---

**Description**

Detailed summaries for attribute acceptance plans.

**Usage**

```
## S3 method for class 'AttrPlan'  
summary(object, ...)
```

**Arguments**

|        |                                 |
|--------|---------------------------------|
| object | Plan object to summarize        |
| ...    | Additional parameters (ignored) |

**Value**

No return value. This function is called for its side effect of printing a formatted summary of the attribute sampling plan to the console.

**Author(s)**

Ha Truong

**Examples**

```
attr_plan <- optAttrPlan(PRQ = 0.01, CRQ = 0.1)  
summary(attr_plan)
```

---

|                 |   |
|-----------------|---|
| summary.VarPlan | <i>Summarize Variable Acceptance Plan</i> |
|-----------------|---|

---

**Description**

Detailed summaries for variable acceptance plans.

**Usage**

```
## S3 method for class 'VarPlan'  
summary(object, ...)
```

**Arguments**

|        |                                 |
|--------|---------------------------------|
| object | Plan object to summarize        |
| ...    | Additional parameters (ignored) |

**Value**

No return value. This function is called for its side effect of printing a formatted summary of the variable sampling plan to the console.

**Author(s)**

Ha Truong

**Examples**

```
var_plan <- optVarPlan(  
  PRQ = 0.025,      # Acceptable quality level (% nonconforming)  
  CRQ = 0.1,       # Rejectable quality level (% nonconforming)  
  alpha = 0.05,    # Producer's risk  
  beta = 0.1,      # Consumer's risk  
  distribution = "normal"  
)  
summary(var_plan)
```



# Index

`accProb`, [2](#), [12](#), [14](#)

`muEst`, [3](#), [5](#), [14](#)

`OCdata`, [4](#), [6](#), [12–14](#)

`OCdata-accessors`, [6](#)

`optAttrPlan`, [7](#), [12](#), [13](#)

`optPlan`, [8](#)

`optVarPlan`, [9](#), [13](#), [14](#)

`paccept` (`OCdata-accessors`), [6](#)

`pd` (`OCdata-accessors`), [6](#)

`plot.AttrPlan`, [11](#)

`plot.OCdata`, [12](#), [14](#)

`plot.VarPlan`, [13](#)

`process_means` (`OCdata-accessors`), [6](#)

`summary.AttrPlan`, [15](#)

`summary.VarPlan`, [15](#)