

# Package ‘BayesSurvival’

January 20, 2025

**Type** Package

**Title** Bayesian Survival Analysis for Right Censored Data

**Version** 0.2.0

**Author** Stephanie van der Pas [aut, cre],  
Ismael Castillo [aut]

**Maintainer** Stephanie van der Pas <s.l.vanderpas@amsterdamuc.nl>

**Description** Performs unadjusted Bayesian survival analysis for right censored time-to-event data. The main function, `BayesSurv()`, computes the posterior mean and a credible band for the survival function and for the cumulative hazard, as well as the posterior mean for the hazard, starting from a piecewise exponential (histogram) prior with Gamma distributed heights that are either independent, or have a Markovian dependence structure. A function, `PlotBayesSurv()`, is provided to easily create plots of the posterior means of the hazard, cumulative hazard and survival function, with a credible band accompanying the latter two. The priors and samplers are described in more detail in Castillo and Van der Pas (2020) “Multi-scale Bayesian survival analysis” <[arXiv:2005.02889](https://arxiv.org/abs/2005.02889)>. In that paper it is also shown that the credible bands for the survival function and the cumulative hazard can be considered confidence bands (under mild conditions) and thus offer reliable uncertainty quantification.

**Encoding** UTF-8

**License** GPL-3

**LazyData** false

**Depends** R (>= 3.6.0)

**Imports** survival, stats, ggplot2

**Suggests** simsurv, knitr, rmarkdown

**RoxygenNote** 7.1.0

**VignetteBuilder** knitr

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2021-03-12 21:00:13 UTC

## Contents

BayesSurv . . . . .	2
CumhazEval . . . . .	5
MCMCDepGammaFirst . . . . .	6
MCMCDepGammaIntermediate . . . . .	7
PlotBayesSurv . . . . .	8
RadiusCredibleSet . . . . .	10
ReshapeData . . . . .	11
SamplePosteriorDepGamma . . . . .	12
SamplePosteriorIndepGamma . . . . .	13
SurvEval . . . . .	15
SurvivalFromCumhaz . . . . .	16
<b>Index</b>	<b>17</b>

---

BayesSurv	<i>Compute the posterior mean and a credible band for the survival and cumulative hazard, and the posterior mean for the hazard.</i>
-----------	--

---

## Description

This is the main function of this package, computing relevant quantities for a Bayesian survival analysis of (possibly right-censored) time-to-event data. Starting with a piecewise exponential prior with dependent or independent Gamma heights (details below) on the hazard function, the function computes the posterior mean for the hazard, cumulative hazard and survival function, serving as an estimator for the true functions. In addition, for the cumulative hazard and survival function, the radius for a fixed-width credible band is computed. The interpretation of this credible band as a confidence band is justified in Castillo and Van der Pas (2020).

## Usage

```
BayesSurv(
  df,
  time = "time",
  event = "event",
  prior = c("Dependent", "Independent"),
  K = ceiling((dim(df)[1]/log(dim(df)[1]))^(1/2)),
  time.max = max(df[[time]]),
  alpha = 0.05,
  N = 1000,
  alpha.dep = 1,
  alpha0.dep = 1.5,
  beta0.dep = 1,
  alpha.indep = 1.5,
  beta.indep = 1,
  surv.factor = 10,
  surv.epsilon = 1e-10
)
```

**Arguments**

<code>df</code>	A dataframe, containing at minimum a column with follow-up times and a column with a status indicator (event observed or censored).
<code>time</code>	The name of the column in the dataframe containing the (possibly right-censored) follow-up times, that is, the minimum of the time of the event and the time of censoring. Input the name as character/string.
<code>event</code>	The name of the column in the dataframe containing the status indicator, which must be coded as: 0 = censored, 1 = event observed. Input the name as character/string.
<code>prior</code>	Select either dependent or independent Gamma heights for the piecewise exponential prior on the hazard. Dependent heights (with the Markov structure described below) is default.
<code>K</code>	The number of intervals to be used in the piecewise exponential (histogram) prior. Default is set to $K = (n/\log n)^{1/2}$ , with $n$ the number of observations, as recommended by Castillo and Van der Pas (2020).
<code>time.max</code>	The maximum follow-up time to consider, corresponding to the parameter $\tau$ in Castillo and Van der Pas (2020).
<code>alpha</code>	The function will compute (1-alpha)100% credible bands for the cumulative hazard and survival function.
<code>N</code>	The number of samples to draw from the posterior.
<code>alpha.dep</code>	For the dependent Gamma prior only. The main parameter $\alpha$ for the dependent Gamma prior, as described below. It is recommended to take <code>alpha.dep</code> smaller than <code>alpha0.dep</code> .
<code>alpha0.dep</code>	For the dependent Gamma prior only. The shape parameter for the Gamma prior on the histogram height for the first interval. It is recommended to take <code>alpha.dep</code> smaller than <code>alpha0.dep</code> .
<code>beta0.dep</code>	For the dependent Gamma prior only. The rate parameter for the Gamma prior on the histogram height for the first interval.
<code>alpha.indep</code>	For the independent Gamma prior only. The shape parameter for the Gamma prior on the histogram height for each interval.
<code>beta.indep</code>	For the independent Gamma prior only. The rate parameter for the Gamma prior on the histogram height for each interval.
<code>surv.factor</code>	The survival function is computed on an equispaced grid consisting of $K \times \text{surv.factor}$ (the number of intervals times this factor).
<code>surv.epsilon</code>	The survival function is computed on the interval $[0, \text{time.max} - \text{surv.epsilon}]$ .

**Details**

There are two options for the prior: a piecewise exponential (histogram) prior with dependent Gamma heights and a piecewise exponential (histogram) prior with independent Gamma heights. Both priors are described in detail in Castillo and Van der Pas (2020). The dependent prior has a Markov structure, where the height of each interval depends on the height of the previous interval. It implements the autoregressive idea of Arjas and Gasbarra (1994). With  $\lambda_k$  the histogram height

on interval  $k$  and  $\alpha$  a user-selected parameter, the structure is such that, with  $K$  the number of intervals:

$$E[\lambda_k | \lambda_{k-1}, \dots, \lambda_1] = \lambda_{k-1}, k = 2, \dots, K.$$

$$Var(\lambda_k | \lambda_{k-1}, \dots, \lambda_1) = (\lambda_{k-1})^2 / \alpha, k = 2, \dots, K.$$

In the independent Gamma prior, the prior draws for the  $\lambda_k$ 's are independent of each other and are taken from a Gamma distribution with user-specified shape and rate parameters.

The guideline for the number of intervals  $K$  suggested by Castillo and Van der Pas (2020) is

$$K = (n / \log n)^{1/(1+2\gamma)},$$

where  $n$  is the number of observations and  $\gamma$  is related to the smoothness of the true hazard function. In the absence of information about the smoothness, a default value of  $\gamma = 1/2$  is recommended and this is implemented as the default in this package. If this choice leads to many intervals with zero events, it is recommended to decrease the number of intervals.

The samplers used for the dependent and independent Gamma priors are described in the Supplement to Castillo and Van der Pas (2020).

## Value

<code>haz.post.mean</code>	The posterior mean for the hazard, given as the value on each of the $K$ intervals.
<code>cumhaz.post.mean</code>	The posterior mean for the cumulative hazard, given as the value at the end of each of the $K$ intervals. The cumulative hazard can be obtained from this by starting at 0 and linearly interpolating between each of the returned values.
<code>cumhaz.radius</code>	The radius for the credible set for the cumulative hazard.
<code>surv.post.mean</code>	The posterior mean for the survival, given at each value contained in the also returned <code>surv.eval.grid</code> .
<code>surv.radius</code>	The radius for the credible set for the survival.
<code>surv.eval.grid</code>	The grid on which the posterior mean for the survival has been computed. A finer grid can be obtained by increasing <code>surv.factor</code> in the function call.
<code>time.max</code>	The maximum follow-up time considered.

## References

- Castillo and Van der Pas (2020). Multiscale Bayesian survival analysis. <arXiv:2005.02889>.
- Arjas and Gasbarra (1994). Nonparametric Bayesian inference from right censored survival data, using the Gibbs sampler. *Statistica Sinica* 4(2):505-524.

## See Also

[PlotBayesSurv](#) for a function that takes the result from `BayesSurv()` and produces plots of the posterior mean of the hazard, the posterior mean and credible band for the cumulative hazard, and the posterior mean and credible band for the survival. To obtain direct samples from the posterior for the hazard, see [SamplePosteriorDepGamma](#) and [SamplePosteriorIndepGamma](#).

**Examples**

```
#Demonstration on a simulated data set
library(simsurv)
library(ggplot2)
hazard.true <- function(t,x, betas, ...){1.2*(5*(t+0.05)^3 - 10*(t+0.05)^2 + 5*(t+0.05) ) + 0.7}
sim.df <- data.frame(id = 1:1000)
df <- simsurv(x = sim.df, maxt = 1, hazard = hazard.true)

bs <- BayesSurv(df, "eventtime", "status")
PlotBayesSurv(bs, object = "survival")
PlotBayesSurv(bs, object = "cumhaz")
PlotBayesSurv(bs, object = "hazard")
```

---

CumhazEval	<i>Evaluate whether a true cumulative hazard function is contained in the credible set.</i>
------------	---

---

**Description**

This function is intended to evaluate the Bayesian procedure in a simulation study. To that end, this function can be used to check whether the true (user-defined) cumulative hazard function is contained in the credible set generated by the function [BayesSurv](#).

**Usage**

```
CumhazEval(time.grid, true.cumhaz, post.mean, radius)
```

**Arguments**

<code>time.grid</code>	The time grid on which to evaluate the cumulative hazard.
<code>true.cumhaz</code>	The true cumulative hazard function.
<code>post.mean</code>	The posterior mean of the cumulative hazard, given as a function.
<code>radius</code>	The radius of the credible set for the cumulative hazard.

**Value**

<code>covered</code>	Indicator whether the true cumulative hazard function is completely covered by the credible set on the times contained in <code>time.grid</code> . 0 = not completely covered, 1 = completely covered.
----------------------	--

**References**

Castillo and Van der Pas (2020). Multiscale Bayesian survival analysis. <arXiv:2005.02889>.

**See Also**

[BayesSurv](#), which computes the posterior mean of the cumulative hazard as well as the radius for its credible set.

**Examples**

```
#Demonstration on a simulated data set
library(simsurv)
library(ggplot2)
hazard.true <- function(t,x, betas, ...){1.2*(5*(t+0.05)^3 - 10*(t+0.05)^2 + 5*(t+0.05) ) + 0.7}
cumhaz.true <- Vectorize( function(t){integrate(hazard.true, 0, t)$value} )
sim.df <- data.frame(id = 1:1000)
df <- simsurv(x = sim.df, maxt = 1, hazard = hazard.true)

bs <- BayesSurv(df, "eventtime", "status")
K <- length(bs$haz.post.mean)
cumhaz.pm <- approxfun(c(0, (bs$time.max/K)*(1:K) ), c(0, cumsum(bs$haz.post.mean*bs$time.max/K)))
CumhazEval(bs$surv.eval.grid, cumhaz.true, cumhaz.pm, bs$cumhaz.radius)
```

---

MCMCDepGammaFirst	<i>Sampler for the first interval for the piecewise exponential prior with dependent Gamma heights.</i>
-------------------	---

---

**Description**

This is the sampler for the first interval in case the piecewise exponential prior with dependent Gamma heights is selected. The sampler is described in the Supplement to Castillo and Van der Pas (2020). Most users of the package will not work with this function directly, but instead use the main function [BayesSurv](#), in which this particular function is incorporated.

**Usage**

```
MCMCDepGammaFirst(
  current,
  next.haz,
  failure,
  exposure,
  alpha.dep = 1,
  alpha0.dep = 1.5,
  beta0.dep = 1
)
```

**Arguments**

current	The value of the height of the first interval from the previous iteration.
next.haz	The value of the height of the second interval from the previous iteration.
failure	The number of individuals who had an event during the first interval.
exposure	The total amount of time all individuals were exposed for during the first interval.

alpha.dep	The main parameter $\alpha$ for the dependent Gamma prior, as described in the documentation for <a href="#">BayesSurv</a> . It is recommended to take alpha.dep smaller than alpha0.dep.
alpha0.dep	The shape parameter for the Gamma prior on the histogram height for the first interval. It is recommended to take alpha.dep smaller than alpha0.dep.
beta0.dep	The rate parameter for the Gamma prior on the histogram height for the first interval.

**Value**

res                    A new sample of the histogram height of the first interval.

**References**

Castillo and Van der Pas (2020). Multiscale Bayesian survival analysis. <arXiv:2005.02889>.

**See Also**

[BayesSurv](#), which computes the posterior mean and credible bands for the cumulative hazard and survival functions, as well as the posterior mean for the hazard. Within [BayesSurv](#), the present function as well as [MCMCDepGammaIntermediate](#) is called through [SamplePosteriorDepGamma](#).

---

MCMCDepGammaIntermediate

*Sampler for the intermediate intervals for the piecewise exponential prior with dependent Gamma heights.*

---

**Description**

This is the sampler for the intermediate intervals (= all intervals except for the first and last one) in case the piecewise exponential prior with dependent Gamma heights is selected. The sampler is described in the Supplement to Castillo and Van der Pas (2020) and uses MCMC within Gibbs, with a Gamma proposal with shape parameter equal to the number of events in the interval plus some epsilon (to prevent proposals equal to zero if there are no events in an interval) and rate parameter equal to the parameter alpha (set by the user) divided by histogram height on the previous interval, plus the total amount of time all individuals were exposed during this interval. Most users of the package will not work with this function directly, but instead use the main function [BayesSurv](#), in which this particular function is incorporated.

**Usage**

```
MCMCDepGammaIntermediate(
  current,
  prev.haz,
  next.haz,
  failure,
  exposure,
  alpha.dep
)
```

**Arguments**

current	The value of the height of the first interval from the previous iteration.
prev.haz	The value of the height of the preceding interval from the previous iteration.
next.haz	The value of the height of the next interval from the previous iteration.
failure	The number of individuals who had an event during the first interval.
exposure	The total amount of time all individuals were exposed for during the first interval.
alpha.dep	The main parameter $\alpha$ for the dependent Gamma prior, as described in the documentation for <a href="#">BayesSurv</a> . It is recommended to take alpha.dep smaller than alpha0.dep.

**Value**

res	A new sample of the histogram height of the selected interval.
-----	--

**References**

Castillo and Van der Pas (2020). Multiscale Bayesian survival analysis. <arXiv:2005.02889>.

**See Also**

[BayesSurv](#), which computes the posterior mean and credible bands for the cumulative hazard and survival functions, as well as the posterior mean for the hazard. Within [BayesSurv](#), the present function as well as [MCMCDepGammaFirst](#) is called through [SamplePosteriorDepGamma](#).

---

PlotBayesSurv	<i>Plot the posterior mean with credible band for the survival function or cumulative hazard, or the posterior mean for the hazard</i>
---------------	--

---

**Description**

This function takes the output from [BayesSurv](#) and uses `ggplot2` to make plots of (1) the posterior mean of the survival function with credible band, or (2) the posterior mean of the cumulative hazard with credible band, or (3) the posterior mean of the cumulative hazard. Users can select some plotting options within this function. Further changes to the plot can be made by storing the plot and adding `ggplot2` syntax (see the examples).

**Usage**

```
PlotBayesSurv(
  bayes.surv.object,
  object = c("survival", "cumhaz", "hazard"),
  band = TRUE,
  color = "darkblue",
  plot.title = "",
```



```

xlab = "time",
ylab = "",
legend = TRUE,
alpha.band = 0.4
)

```

### Arguments

<code>bayes.surv.object</code>	The output from the function <a href="#">BayesSurv</a> .
<code>object</code>	The object to be plotted, the user may select "survival" for the survival function, "cumhaz" for the cumulative hazard, or "hazard" for the hazard function. Default is the survival function.
<code>band</code>	Indicator whether a credible band should be plotted (only possible for the survival function and the cumulative hazard).
<code>color</code>	The color to be used for the posterior mean and the credible band (if applicable).
<code>plot.title</code>	A title for the plot.
<code>xlab</code>	A label for the horizontal axis.
<code>ylab</code>	a label for the vertical axis.
<code>legend</code>	If TRUE, a legend saying 'Credible band' will be included.
<code>alpha.band</code>	The transparency of the credible band.

### Details

The posterior mean of the hazard and the posterior mean and credible band of the cumulative hazard are plotted exactly. The survival is plotted exactly at the points contained in the vector `surv.eval.grid` contained in the object created by [BayesSurv](#). Between these points, the survival is linearly interpolated. To evaluate the survival exactly at more points (and to obtain a smoother plot), increase the parameter `surv.factor` within [BayesSurv](#).

### Value

`gg` The plot, which may be edited further by adding `ggplot2` syntax.

### References

Castillo and Van der Pas (2020). Multiscale Bayesian survival analysis. <arXiv:2005.02889>.

### See Also

[BayesSurv](#) to create the required object for this plotting function.

### Examples

```

#Demonstration on a simulated data set
library(simsurv)
library(ggplot2)
hazard.true <- function(t,x, betas, ...){1.2*(5*(t+0.05)^3 - 10*(t+0.05)^2 + 5*(t+0.05) ) + 0.7}

```

```

sim.df <- data.frame(id = 1:1000)
df <- simsurv(x = sim.df, maxt = 1, hazard = hazard.true)

bs <- BayesSurv(df, "eventtime", "status")
PlotBayesSurv(bs, object = "survival")

cumhaz.plot <- PlotBayesSurv(bs, object = "cumhaz")
cumhaz.plot + labs(title = "Cumulative hazard")

```

---

RadiusCredibleSet	<i>Computes the radius of a fixed width credible set for the survival or the cumulative hazard</i>
-------------------	--

---

### Description

This function finds a radius such that  $(1-\alpha)100\%$  of posterior draws are within a distance of at most this radius to the posterior mean. Most users will not use this function directly, but instead use [BayesSurv](#), in which this function is used.

### Usage

```
RadiusCredibleSet(draws, post.mean, alpha = 0.05)
```

### Arguments

draws	A matrix of posterior draws of either the cumulative hazard or the survival. Each row contains a draw, the columns correspond to time points on which the cumulative hazard or survival is evaluated.
post.mean	The posterior mean of the cumulative hazard or survival function, evaluated at the same time points as the draws.
alpha	The credible band will be such that $(1-\alpha)100\%$ of draws is contained in it.

### Value

radius	The radius of the credible set.
--------	---------------------------------

### References

Castillo and Van der Pas (2020). Multiscale Bayesian survival analysis. <arXiv:2005.02889>.

### See Also

[BayesSurv](#), which computes the posterior mean and the radius of the credible band for the cumulative hazard function as well as the survival, and the posterior mean for the hazard. These objects can then be visualized by using [PlotBayesSurv](#).

---

ReshapeData	<i>Reshape right censored data to be used with a piecewise exponential prior.</i>
-------------	---

---

### Description

To draw from the posterior of the piecewise exponential priors implemented in this package, it is convenient to convert the data so that two vectors are obtained: one containing the total amount of time all individuals were under follow-up during each interval, and one containing the number of events that happened during each interval. This function takes a dataframe with a column of times (the minimum of the time of the event and the time of censoring) and a column indicating the status (0 if censored, 1 if the event was observed) and reshapes it into the desired format. Most users will not use this function directly, but will instead use the main function [BayesSurv](#), which uses the present function.

### Usage

```
ReshapeData(
  df,
  time = "time",
  event = "event",
  K = ceiling((dim(df)[1]/log(dim(df)[1]))^(1/2)),
  time.max = max(df[[time]])
)
```

### Arguments

df	A dataframe, containing at minimum a column with follow-up times and a column with a status indicator (event observed or censored).
time	The name of the column in the dataframe containing the (possibly right-censored) follow-up times, that is, the minimum of the time of the event and the time of censoring. Input the name as character/string.
event	The name of the column in the dataframe containing the status indicator, which must be coded as: 0 = censored, 1 = event observed. Input the name as character/string.
K	The number of intervals to be used in the piecewise exponential (histogram) prior. Default is set to $K = (n/\log n)^{1/2}$ , with $n$ the number of observations, as recommended by Castillo and Van der Pas (2020).
time.max	The maximum follow-up time to consider, corresponding to the parameter $\tau$ in Castillo and Van der Pas (2020).

### Value

failures	A vector of length $K$ , containing for each interval the number of individuals who had an event during that interval.
exposures	A vector of length $K$ , containing for each interval the total amount of time all individuals together were under follow-up during that interval.

## References

Castillo and Van der Pas (2020). Multiscale Bayesian survival analysis. <arXiv:2005.02889>.

## See Also

[BayesSurv](#), which computes the posterior mean and the radius of the credible band for the cumulative hazard function as well as the survival, and the posterior mean for the hazard. These objects can then be visualized by using [PlotBayesSurv](#).

---

SamplePosteriorDepGamma

*Draw samples from the posterior for the hazard, using the piecewise exponential (histogram) prior with dependent Gamma heights*

---

## Description

The sampler is described in the Supplement to Castillo and Van der Pas (2020) and uses MCMC within Gibbs, with a Gamma proposal with shape parameter equal to the number of events in each interval plus some epsilon (to prevent proposals equal to zero if there are no events in an interval) and rate parameter equal to the parameter alpha (set by the user) divided by histogram height on the previous interval, plus the total amount of time all individuals were exposed during this interval. Most users of the package will not work with this function directly, but instead use the main function [BayesSurv](#), in which this particular function is incorporated.

## Usage

```
SamplePosteriorDepGamma(
  failures,
  exposures,
  N = 1000,
  alpha.dep = 1,
  alpha0.dep = 1.5,
  beta0.dep = 1
)
```

## Arguments

failures	A vector of length $K$ (the total number of intervals), containing for each interval the number of individuals who had an event during that interval.
exposures	A vector of length $K$ (the total number of intervals), containing for each interval the total amount of time all individuals together were under follow-up during that interval.
N	The number of draws to take.
alpha.dep	The main parameter $\alpha$ for the dependent Gamma prior, as described in the documentation for <a href="#">BayesSurv</a> . It is recommended to take alpha.dep smaller than alpha0.dep.

alpha0.dep	The shape parameter for the Gamma prior on the histogram height for the first interval. It is recommended to take alpha.dep smaller than alpha0.dep.
beta0.dep	The rate parameter for the Gamma prior on the histogram height for the first interval.

### Details

The samples returned by this function are draws from the posterior for the hazard function. To obtain draws from the posterior for the cumulative hazard, one can use numerical integration. One way to achieve this is by first finding the values of the cumulative hazard at the end of each interval, e.g. by `t(apply(samples*time.max/K, 1, cumsum))`, where `samples` is the output from the present function and `time.max` and `K` are as described for [BayesSurv](#), and then using `approxfun()` to linearly interpolate in between. To obtain posterior samples from the survival, one could then use [SurvivalFromCumhaz](#).

### Value

samples	A $N$ by $K$ (the number of draws by the number of intervals) matrix, with each row containing a draw from the posterior for the hazard, based on a histogram prior with dependent Gamma heights.
---------	---

### References

Castillo and Van der Pas (2020). Multiscale Bayesian survival analysis. <arXiv:2005.02889>.

### See Also

[BayesSurv](#), which computes the posterior mean and credible bands for the cumulative hazard and survival functions, as well as the posterior mean for the hazard. Within [BayesSurv](#), the present function is called.

---

SamplePosteriorIndepGamma

*Draw samples from the posterior for the hazard, using the piecewise exponential (histogram) prior with independent Gamma heights*

---

### Description

The sampler is described in the Supplement to Castillo and Van der Pas (2020). Most users of the package will not work with this function directly, but instead use the main function [BayesSurv](#), in which this particular function is incorporated.

**Usage**

```
SamplePosteriorIndepGamma(
  failures,
  exposures,
  N = 1000,
  alpha.indep = 1.5,
  beta.indep = 1
)
```

**Arguments**

failures	A vector of length $K$ (the total number of intervals), containing for each interval the number of individuals who had an event during that interval.
exposures	A vector of length $K$ (the total number of intervals), containing for each interval the total amount of time all individuals together were under follow-up during that interval.
N	The number of draws to take.
alpha.indep	The shape parameter for the Gamma prior on the histogram height for each interval.
beta.indep	The rate parameter for the Gamma prior on the histogram height for each interval.

**Details**

The samples returned by this function are draws from the posterior for the hazard function. To obtain draws from the posterior for the cumulative hazard, one can use numerical integration. One way to achieve this is by first finding the values of the cumulative hazard at the end of each interval, e.g. by `t(apply(samples*time.max/K, 1, cumsum))`, where `samples` is the output from the present function and `time.max` and `K` are as described for [BayesSurv](#), and then using `approxfun()` to linearly interpolate in between. To obtain posterior samples from the survival, one could then use [SurvivalFromCumhaz](#).

**Value**

samples	A $N$ by $K$ (the number of draws by the number of intervals) matrix, with each row containing a draw from the posterior for the hazard, based on a histogram prior with independent Gamma heights.
---------	---

**References**

Castillo and Van der Pas (2020). Multiscale Bayesian survival analysis. <arXiv:2005.02889>.

**See Also**

[BayesSurv](#), which computes the posterior mean and credible bands for the cumulative hazard and survival functions, as well as the posterior mean for the hazard. Within [BayesSurv](#), the present function is called.

---

SurvEval	<i>Evaluate whether a true survival function is contained in the credible set.</i>
----------	--

---

### Description

This function is intended to evaluate the Bayesian procedure in a simulation study. To that end, this function can be used to check whether the true (user-defined) survival function is contained in the credible set generated by the function [BayesSurv](#).

### Usage

```
SurvEval(time.grid, true.surv, post.mean, radius)
```

### Arguments

<code>time.grid</code>	The time grid on which to evaluate the survival function.
<code>true.surv</code>	The true survival function.
<code>post.mean</code>	The posterior mean of the survival function, given as a function.
<code>radius</code>	The radius of the credible set for the survival function

### Value

<code>covered</code>	Indicator whether the true survival function is completely covered by the credible set on the times contained in <code>time.grid</code> . 0 = not completely covered, 1 = completely covered.
----------------------	---

### References

Castillo and Van der Pas (2020). Multiscale Bayesian survival analysis. <arXiv:2005.02889>.

### See Also

[BayesSurv](#), which computes the posterior mean of the survival function as well as the radius for its credible set.

### Examples

```
#Demonstration on a simulated data set
library(simsurv)
library(ggplot2)
hazard.true <- function(t,x,betas,...){1.2*(5*(t+0.05)^3 - 10*(t+0.05)^2 + 5*(t+0.05)) + 0.7}
cumhaz.true <- Vectorize( function(t){integrate(hazard.true, 0, t)$value} )
surv.true <- function(t){exp(-cumhaz.true(t))}

sim.df <- data.frame(id = 1:1000)
df <- simsurv(x = sim.df, maxt = 1, hazard = hazard.true)
```

```
bs <- BayesSurv(df, "eventtime", "status")
surv.pm <- approxfun(bs$surv.eval.grid, bs$surv.post.mean)
SurvEval(bs$surv.eval.grid, surv.true, surv.pm, bs$surv.radius)
```

---

SurvivalFromCumhaz      *Transform posterior draws from the cumulative hazard into posterior draws from the survival.*

---

### Description

Most users will not use this function directly, but will instead use the main function [BayesSurv](#), which calls this function. This function may be used to create posterior draws of the survival function, based on posterior draws of the cumulative hazard. It does so at a number of equispaced time points on the interval  $[0, \text{time.max} - \text{surv.epsilon}]$ , with the number equal to the product of the number of intervals used in the prior, and a user-defined factor.

### Usage

```
SurvivalFromCumhaz(cumhaz, time.max, surv.factor = 10, surv.epsilon = 1e-10)
```

### Arguments

cumhaz	A matrix containing posterior draws of the cumulative. Each row contains one draw, the columns correspond to each interval. The values in each draw are the values of the cumulative hazard at the end of the corresponding interval.
time.max	The maximum follow-up time to consider, corresponding to the parameter $\tau$ in Castillo and Van der Pas (2020).
surv.factor	The survival function is computed on an equispaced grid consisting of $K \times \text{surv.factor}$ (the number of intervals times this factor).
surv.epsilon	The survival function is computed on the interval $[0, \text{time.max} - \text{surv.epsilon}]$ .

### Value

surv(eval.vec)	A numeric vector containing the posterior mean of the survival function, evaluated at $K \times \text{surv.factor}$ (where $K$ is the number of intervals used in the prior) equidistant time points on the interval $[0, \text{time.max} - \text{surv.epsilon}]$ .
----------------	---

### References

Castillo and Van der Pas (2020). Multiscale Bayesian survival analysis. <arXiv:2005.02889>.

### See Also

[BayesSurv](#), which computes the posterior mean and the radius of the credible band for the cumulative hazard function as well as the survival, and the posterior mean for the hazard. These objects can then be visualized by using [PlotBayesSurv](#).



# Index

BayesSurv, [2](#), [5–16](#)

CumhazEval, [5](#)

MCMCDepGammaFirst, [6](#), [8](#)

MCMCDepGammaIntermediate, [7](#), [7](#)

PlotBayesSurv, [4](#), [8](#), [10](#), [12](#), [16](#)

RadiusCredibleSet, [10](#)

ReshapeData, [11](#)

SamplePosteriorDepGamma, [4](#), [7](#), [8](#), [12](#)

SamplePosteriorIndepGamma, [4](#), [13](#)

SurvEval, [15](#)

SurvivalFromCumhaz, [13](#), [14](#), [16](#)