

# Package ‘GoogleKnowledgeGraphR’

January 20, 2025

**Type** Package

**Title** Retrieve Information from 'Google Knowledge Graph' API

**Version** 0.1.0

**Author** Daniel Schmeh

**Maintainer** Daniel Schmeh <danielschmeh@gmail.com>

**Description** Allows you to retrieve information from the 'Google Knowledge Graph' API <<https://www.google.com/intl/bn/insidesearch/features/search/knowledge.html>> and process it in R in various forms. The 'Knowledge Graph Search' API lets you find entities in the 'Google Knowledge Graph'. The API uses standard 'schema.org' types and is compliant with the 'JSON-LD' specification.

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 6.0.1.9000

**Depends** jsonlite, curl

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2018-01-15 15:01:32 UTC

## Contents

gkg	2
gkg_raw	3

<b>Index</b>	<b>4</b>
--------------	----------

---

gkg	<i>Function to retrieve Data from Google Knowledge Graph API as a Data Frame output</i>
-----	---

---

### Description

This function allows you to get the Information for a specific Keyword you enter. The output is a Dataframe with the Data retrieved by the Google API.

### Usage

```
gkg(query, token = "AIzaSyDsxs2vKm33doRABnW4JoieK8RrDQvJwds",
    language = "en", limit = 1, types = "", prefix = FALSE,
    type_output = TRUE)
```

### Arguments

query	The keyword you want to get the information for
token	The token for your Google API Project. Please use your own token if you have a lot of queries. You can find additional information about the token here: <a href="https://developers.google.com/knowledge-graph/prereqs">https://developers.google.com/knowledge-graph/prereqs</a>
language	The list of language codes (defined in ISO 639) to run the query with. Default is "en"
limit	Limits the number of entities to be returned. The API-Limit is 20.
types	Restricts returned entities to those of the specified types. For example, you can specify Person (as defined in <a href="http://schema.org/Person">http://schema.org/Person</a> ) to restrict the results to entities representing people. If multiple types are specified, returned entities will contain one or more of these types. Default are all types.
prefix	Enables prefix (initial substring) match against names and aliases of entities. For example, a prefix Jung will match entities and aliases such as Jung, Jungle, and Jung-ho Kang. Default is FALSE.
type_output	In most cases, the API returns more than one type for a keyword. If type_output is set to TRUE, the types are placed in a cell. FALSE returns the list of types in a row. Default is TRUE. gkg()

### Examples

```
{
  gkg("beer")
}
```

---

`gkg_raw`*Function to retrieve Data from Google Knowledge Graph API*

---

**Description**

This function allows you to get the Information for a specific Keyword you enter.

**Usage**

```
gkg_raw(query, token = "AIzaSyDsxs2vKm33doRABnW4JoieK8RrDQvJwds",  
        language = "en", limit = 1, types = "", prefix = FALSE)
```

**Arguments**

<code>query</code>	The keyword you want to get the information for
<code>token</code>	The token for your Google API Project. Please use your own token if you have a lot of queries. You can find additional information about the token here: <a href="https://developers.google.com/knowledge-graph/prereqs">https://developers.google.com/knowledge-graph/prereqs</a>
<code>language</code>	The list of language codes (defined in ISO 639) to run the query with. Default is "en"
<code>limit</code>	Limits the number of entities to be returned. The API-Limit is 20.
<code>types</code>	Restricts returned entities to those of the specified types. For example, you can specify Person (as defined in <a href="http://schema.org/Person">http://schema.org/Person</a> ) to restrict the results to entities representing people. If multiple types are specified, returned entities will contain one or more of these types. Default are all types.
<code>prefix</code>	Enables prefix (initial substring) match against names and aliases of entities. For example, a prefix Jung will match entities and aliases such as Jung, Jungle, and Jung-ho Kang. Default is FALSE. <code>gkg_raw()</code>

**Examples**

```
{  
  gkg_raw("beer")  
}
```

# Index

gkg, [2](#)  
gkg\_raw, [3](#)