

Package ‘MTest’

January 20, 2025

Type Package

Title A Procedure for Multicollinearity Testing using Bootstrap

Version 1.0.2

Date 2023-10-06

Maintainer Víctor Morales-Oñate <victor.morales@uv.cl>

Description

Functions for detecting multicollinearity. This test gives statistical support to two of the most famous methods for detecting multicollinearity in applied work: Klein’s rule and Variance Inflation Factor (VIF). See the URL for the papers associated with this package, as for instance, Morales-Oñate and Morales-Oñate (2015) <[doi:10.33333/rp.vol51n2.05](https://doi.org/10.33333/rp.vol51n2.05)>.

Depends R (>= 4.1.0)

License GPL (>= 3)

Encoding UTF-8

Imports car, ggplot2, plotly

Repository CRAN

URL <https://github.com/vmoprojs/MTest>

BugReports <https://github.com/vmoprojs/MTest/issues>

LazyData true

NeedsCompilation no

Author Víctor Morales-Oñate [aut, cre]

(<<https://orcid.org/0000-0003-1922-6571>>),

Bolívar Morales-Oñate [aut] (<<https://orcid.org/0000-0003-4980-8759>>)

Date/Publication 2023-10-06 13:10:02 UTC

Contents

| | |
|--------------------------|---|
| MTest | 2 |
| pairwiseKStest | 3 |
| plot.MTest | 5 |
| simDataMTest | 5 |

| | |
|--------------|----------|
| Index | 7 |
|--------------|----------|

MTest

MTest

Description

MTest is a nonparametric test based on bootstrap for detecting multicollinearity. This test gives statistical support to two of the most famous methods for detecting multicollinearity in applied work: Klein's rule and Variance Inflation Factor (VIF for essential multicollinearity).

Usage

```
MTest(object, nboot = 100,
       nsam = NULL, trace = FALSE, seed = NULL,
       valor_vif = 0.9)
```

Arguments

| | |
|-----------|--|
| object | an object representing a model of an appropriate class (mainly "lm"). This is used as the model in MTest. |
| nboot | Numeric; number of bootstrap iterations to obtain the probability distribution of R squared (global and auxiliar). |
| nsam | Numeric; sample size for bootstrap samples. |
| trace | Logical; prints iteration process. |
| seed | Numeric; seed value for the bootstrap in nboot parameter. |
| valor_vif | Numeric; value to be compared in kleins rule. |

Details

MTest generates a bootstrap distribution for the coefficient of determination which lets the researcher assess multicollinearity by setting a statistical significance α , or more precisely, an achieved significance level (ASL) for a given threshold.

Consider the regression model

$$Y_i = \beta_0 X_{0i} + \beta_1 X_{1i} + \cdots + \beta_p X_{pi} + u_i$$

where $i = 1, \dots, n$, $X_{j,i}$ are the predictors with $j = 1, \dots, p$, $X_0 = 1$ for all i and u_i is the gaussian error term.

In order to describe Klein's rule and VIF methods, we need to define *auxiliary regressions* associated to model. An example of an auxiliary regressions is:

$$X_{2i} = \gamma_1 X_{1i} + \gamma_3 X_{3i} + \cdots + \gamma_p X_{pi} + u_i.$$

In general, there are p auxiliary regressions and the dependent variable is omitted in each auxiliary regression. Let R_g^2 be the coefficient of determination of the model and R_j^2 the j th coefficient of determination of the j th auxiliary regression.

Value

Returns an object of class MTest. An object of class MTest is a list containing at most the following components:

| | |
|------------|---|
| pval_vif | p values for vif test; |
| pval_klein | p values for klein test; |
| Bvals | A $nboot \times (p + 1)$ matrix where rows are the number of bootstrap samples and the columns are R_{gboot}^2 and R_{jboot}^2 which are estimates of estimates of R_g^2 and R_j^2 , see Section Details |
| vif.tot | Observed VIF values; |
| R.tot | Observed R_g^2 and R_j^2 values; |
| nsam | sample size used in bootstrap procedure. |

Author(s)

Víctor Morales Oñate, <victor.morales@uv.cl>, <https://sites.google.com/site/moralesonatevictor/>, <https://www.linkedin.com/in/vmoralesonate/> Bolívar Morales Oñate, <bmoralesonate@gmail.com>, <https://sites.google.com/site/moralesonatevictor/>

References

Morales-Oñate, V., and Morales-Oñate, B. (2023). *MTest: a Bootstrap Test for Multicollinearity*. Revista Politécnica, 51(2), 53–62. doi:10.33333/rp.vol51n2.05

Examples

```
library(MTest)
data(simDataMTest)
m1 <- lm(y~.,data = simDataMTest)

boot.sol <- MTest(m1,trace=FALSE,seed = 1,nboot = 50)
boot.sol$pval_vif
boot.sol$pval_klein
head(boot.sol$Bvals)
print(boot.sol)
```

pairwiseKStest

pairwiseKStest

Description

Returns the p -value of the columns of X (pairwisely).

Usage

```
pairwiseKStest(X,alternative="greater")
```

Arguments

| | |
|-------------|--|
| X | Numeric; a matrix (Bvals output from MTest function) whose columns are to be compared. |
| alternative | String; letter of the value, but the argument name must be given in full. See 'ks.test' for the meanings of the possible values. |

Details

Using a pairwise Kolmogorov-Smirnov (KS) test of a given matrix X . In particular, if X is the Bvals output from MTest function, pairwiseKStest establishes a guide for an educated removal of variables that are causing multicollinearity.

Note that the matrix $B_{n_{boot} \times (p+1)}$ (which is Bvals output from MTest function) allow us to inspect results in detail and make further tests such as boxplots, pairwise Kolmogorov-Smirnov (KS) of the predictors and so on.

Value

Returns an object of class pairwiseKStest. An object of class pairwiseKStest is a list containing at most the following components:

| | |
|-------------|---|
| KSpwMatrix | p -values matrix of pairwise KS testing; |
| alternative | Character; indicates the alternative hypothesis. |
| Suggestion | Character; indicates row sums (or col sums) of KSpwMatrix suggesting the removal order in case that is the strategy for dealing with multicollinearity. |

Author(s)

Víctor Morales Oñate, <victor.morales@uv.cl>, <https://sites.google.com/site/moralesonatevictor/>, <https://www.linkedin.com/in/vmoralesonate/> Bolívar Morales Oñate, <bmoralesonate@gmail.com>, <https://sites.google.com/site/moralesonatevictor/>

References

Morales-Oñate, V., and Morales-Oñate, B. (2023). *MTest: a Bootstrap Test for Multicollinearity*. Revista Politécnica, 51(2), 53–62. doi:10.33333/rp.vol51n2.05

Examples

```
library(MTest)
data(simDataMTest)
pairwiseKStest(X=simDataMTest)
```

| | |
|------------|---|
| plot.MTest | <i>Plot density or empirical cumulative distribution from MTest</i> |
|------------|---|

Description

Plot density or empirical cumulative distribution from Bvals in [MTest](#) output.

Usage

```
## S3 method for class 'MTest'  
plot(x, type=1, plotly = FALSE, ...)
```

Arguments

| | |
|--------|---|
| x | an object of the class "MTest" |
| type | Numeric; 1 if density, 2 if ecdf plot is returned |
| plotly | Logical; if FALSE, a ggplotly plot is returned |
| ... | other arguments to be passed to the function ggplot |

Details

This function plots density or empirical cumulative distribution function from MTest bootstrap replications.

Value

Produces a plot. No values are returned.

See Also

[MTest](#) for procedure and examples.

| | |
|--------------|---------------------------------|
| simDataMTest | <i>Simulated data for MTest</i> |
|--------------|---------------------------------|

Description

This data set helps testing functions in MTest package, the generating process is documented in the reference.

Usage

```
simDataMTest
```

Format

A dataframe containing 10000 observations and four columns.

References

Morales-Oñate, V., and Morales-Oñate, B. (2023). *MTest: a Bootstrap Test for Multicollinearity*. *Revista Politécnica*, 51(2), 53–62. doi:[10.33333/rp.vol51n2.05](https://doi.org/10.33333/rp.vol51n2.05)

Index

- * **KS**
 - pairwiseKStest, 3
- * **MTest**
 - plot.MTest, 5
- * **Multicollinearity**
 - MTest, 2
- * **datasets**
 - simDataMTest, 5

ggplot, 5

MTest, 2, 5

pairwiseKStest, 3

plot.MTest, 5

simDataMTest, 5