

Package ‘RcppCGAL’

January 20, 2025

Type Package

Title 'Rcpp' Integration for 'CGAL'

Version 6.0.1

Date 2025-01-08

Description Creates a header only package to link to the 'CGAL' (Computational Geometry Algorithms Library) header files in 'Rcpp'. There are a variety of potential uses for the software such as Hilbert sorting, K-D Tree nearest neighbors, and convex hull algorithms. For more information about how to use the header files, see the 'CGAL' documentation at <https://www.cgal.org>. Currently downloads version 6.0.1 of the 'CGAL' header files.

License GPL-3

Imports Rcpp, utils, knitr, rmarkdown

Suggests spelling, testthat (>= 3.0.0)

BugReports <https://github.com/ericdunipace/RcppCGAL/issues>

NeedsCompilation no

RoxygenNote 7.3.2

Encoding UTF-8

VignetteBuilder knitr

Biarch TRUE

Language en-US

URL <https://github.com/ericdunipace/RcppCGAL>

Config/testthat/edition 3

Author Eric Dunipace [aut, cre] (<https://orcid.org/0000-0001-8909-213X>),
Tyler Morgan-Wall [ctb],
The CGAL Project [cph]

Maintainer Eric Dunipace <edunipace@mail.harvard.edu>

Repository CRAN

Date/Publication 2025-01-09 03:20:02 UTC

Contents

RcppCGAL-package	2
cgal_is_installed	3
cgal_version	3
set_cgal	4
unset_cgal	4
Index	6

RcppCGAL-package	<i>RcppCGAL: 'Rcpp' Integration for 'CGAL'</i>
------------------	--

Description

Creates a header only package to link to the 'CGAL' (Computational Geometry Algorithms Library) header files in 'Rcpp'. There are a variety of potential uses for the software such as Hilbert sorting, K-D Tree nearest neighbors, and convex hull algorithms. For more information about how to use the header files, see the 'CGAL' documentation at <https://www.cgal.org>. Currently downloads version 6.0.1 of the 'CGAL' header files.

Author(s)

Maintainer: Eric Dunipace <edunipace@mail.harvard.edu> ([ORCID](#))

Other contributors:

- Tyler Morgan-Wall <tylermw@gmail.com> [contributor]
- The CGAL Project [copyright holder]

References

The CGAL Project. (2023). CGAL User and Reference Manual. Retrieved from <https://doc.cgal.org/latest/Manual/index.html>

See Also

Useful links:

- <https://github.com/ericdunipace/RcppCGAL>
- Report bugs at <https://github.com/ericdunipace/RcppCGAL/issues>

cgal_is_installed	<i>Check if CGAL header files exist in RcppCGAL package</i>
-------------------	---

Description

Check if CGAL header files exist in RcppCGAL package

Usage

```
cgal_is_installed()
```

Details

This function will perform a very simple check to see if the CGAL folder exists in the include directory and that it is non-empty. If the folder exists and is non-empty, the function returns TRUE; otherwise the function returns FALSE.

Value

logical value

Examples

```
cgal_is_installed()
```

cgal_version	<i>Return CGAL version</i>
--------------	----------------------------

Description

Return CGAL version

Usage

```
cgal_version()
```

Value

prints the CGAL version of the package

Examples

```
cgal_version()
```

set_cgal	<i>Set the CGAL header file directory</i>
----------	---

Description

This package will set the CGAL_DIR environmental variable if you don't know how. Then you can re-install the RcppCGAL package and the installation should use your preferred source of the CGAL library. Note the cleaner functions will run automatically and replace the calls to std::err and exit in the C code. They have been tested on CGAL 5.6 so are not guaranteed to work with other versions of the CGAL headers.

Usage

```
set_cgal(path)
```

Arguments

path character vector. either a URL or system path

Value

Invisibly returns TRUE if the CGAL_DIR variable was successfully set or or FALSE if it was not.

See Also

[unset_cgal\(\)](#)

Examples

```
## Not run:  
set_cgal("path/to/include/CGAL")  
  
## End(Not run)
```

unset_cgal	<i>Unset the CGAL header file directory</i>
------------	---

Description

This package will remove the CGAL_DIR environmental variable.

Usage

```
unset_cgal(...)
```

Arguments

... Not used at this time

Value

Invisibly returns TRUE if the CGAL_DIR variable was successfully removed or FALSE if it was not.

See Also

[unset_cgal\(\)](#)

Examples

```
## Not run:  
unset_cgal()  
  
## End(Not run)
```

Index

`cgal_is_installed`, 3
`cgal_version`, 3

RcppCGAL (RcppCGAL-package), 2
RcppCGAL-package, 2

`set_cgal`, 4

`unset_cgal`, 4
`unset_cgal()`, 4, 5