

Package ‘SaturnCoefficient’

February 14, 2025

Title Statistical Evaluation of UMAP Dimensionality Reductions

Version 1.4

Description A metric expressing the quality of a UMAP layout. This is a package that contains the `SaturnCoefficient()` function that reads an input matrix, its dimensionality reduction produced by UMAP, and evaluates the quality of this dimensionality reduction by producing a real value in the $[0; 1]$ interval. We call this real value Saturn coefficient. A higher value means better dimensionality reduction; a lower value means worse dimensionality reduction.
Reference: Davide Chicco et al. ``The Saturn coefficient for evaluating the quality of UMAP dimensionality reduction results" (2025, in preparation).

License GPL-3

URL https://github.com/davidechicco/SaturnCoefficient_R_package

BugReports https://github.com/davidechicco/SaturnCoefficient_R_package/issues

Depends R ($\geq 4.0.0$)

Imports MatrixCorrelation, ProjectionBasedClustering, stats, umap

Suggests knitr, rmarkdown, testthat ($\geq 3.0.0$)

VignetteBuilder knitr

Config/testthat/edition 3

Encoding UTF-8

RoxygenNote 7.3.2

NeedsCompilation no

Author Davide Chicco [aut, cre] (<<https://orcid.org/0000-0001-9655-7142>>)

Maintainer Davide Chicco <davidechicco@davidechicco.it>

Repository CRAN

Date/Publication 2025-02-14 15:20:01 UTC

Contents

calculatesSaturnContinuityTrustworthiness	2
continuity_score	3
Saturn_coefficient	4
trustworthiness_score	5
Index	7

calculatesSaturnContinuityTrustworthiness

Function that calculates the Saturn coefficient, trustworthiness score, and the continuity score of a UMAP dimensionality reduction

Description

Function that calculates the Saturn coefficient, trustworthiness score, and the continuity score of a UMAP dimensionality reduction

Usage

```
calculatesSaturnContinuityTrustworthiness(
  original_matrix,
  umap_output_layout,
  VERBOSE
)
```

Arguments

```
original_matrix      input matrix
umap_output_layout  output matrix of UMAP applied to original_matrix
VERBOSE             prints some intermediate message to standard output or not
```

Value

a dataframe containing the Saturn coefficient, the trustworthiness score, and the continuity score

Examples

```
this_nrows <- 200
this_ncols <- 100
this_min <- 0
this_max <- 10000
noise_random_matrix <- matrix(runif(n = this_nrows * this_ncols,
  min = this_min, max = this_max), nrow = this_nrows)
input_matrix <- as.matrix(noise_random_matrix)
these_nearest_neighbors <- 15
```

```

this_min_dist <- 0.05

library("umap")
custom.settings <- umap::umap.defaults
custom.settings$"n_neighbors" <- these_nearest_neighbors
custom.settings$"min_dist" <- this_min_dist

x_umap <- umap::umap(input_matrix, config=custom.settings)

this_verbose <- FALSE
theseThreeMetrics <- calculatesSaturnContinuityTrustworthiness(input_matrix,
  x_umap$"layout", this_verbose)
print(theseThreeMetrics)

```

continuity_score	<i>Function that calculates the continuity score of a UMAP dimensionality reduction</i>
------------------	---

Description

Function that calculates the continuity score of a UMAP dimensionality reduction

Usage

```
continuity_score(original_matrix, umap_output_layout, VERBOSE)
```

Arguments

original_matrix	input matrix
umap_output_layout	output matrix of UMAP applied to original_matrix
VERBOSE	prints some intermediate message to standard output or not

Value

a real value containing the continuity score

Examples

```

this_nrows <- 200
this_ncols <- 100
this_min <- 0
this_max <- 10000
noise_random_matrix <- matrix(runif(n = this_nrows * this_ncols,
  min = this_min, max = this_max), nrow = this_nrows)
input_matrix <- as.matrix(noise_random_matrix)
these_nearest_neighbors <- 15
this_min_dist <- 0.05

```

```

library("umap")
custom.settings <- umap::umap.defaults
custom.settings$"n_neighbors" <- these_nearest_neighbors
custom.settings$"min_dist" <- this_min_dist

x_umap <- umap::umap(input_matrix, config=custom.settings)

this_verbose <- FALSE
thisCon <- continuity_score(input_matrix, x_umap$"layout", this_verbose)
cat("continuity = ", thisCon, "\n", sep="")

```

Saturn_coefficient *Function that calculates the Saturn coefficient to quantify the quality of a UMAP dimensionality reduction*

Description

Function that calculates the Saturn coefficient to quantify the quality of a UMAP dimensionality reduction

Usage

```
Saturn_coefficient(original_matrix, umap_output_layout, VERBOSE)
```

Arguments

```

original_matrix
                input matrix
umap_output_layout
                output matrix of UMAP applied to original_matrix
VERBOSE
                prints some intermediate message to standard output or not

```

Value

a real value containing the Saturn coefficient

Examples

```

this_nrows <- 200
this_ncols <- 100
this_min <- 0
this_max <- 10000
noise_random_matrix <- matrix(runif(n = this_nrows * this_ncols,
                                   min = this_min, max = this_max), nrow = this_nrows)
input_matrix <- as.matrix(noise_random_matrix)
these_nearest_neighbors <- 15
this_min_dist <- 0.05

```

```
library("umap")
custom.settings <- umap::umap.defaults
custom.settings$"n_neighbors" <- these_nearest_neighbors
custom.settings$"min_dist" <- this_min_dist

x_umap <- umap::umap(input_matrix, config=custom.settings)

this_verbose <- FALSE
thisSaturn <- Saturn_coefficient(input_matrix, x_umap$"layout", this_verbose)
cat("Saturn coefficient = ", thisSaturn, "\n", sep="")
```

`trustworthiness_score` *Function that calculates the trustworthiness score of a UMAP dimensionality reduction*

Description

Function that calculates the trustworthiness score of a UMAP dimensionality reduction

Usage

```
trustworthiness_score(original_matrix, umap_output_layout, VERBOSE)
```

Arguments

<code>original_matrix</code>	input matrix
<code>umap_output_layout</code>	output matrix of UMAP applied to <code>original_matrix</code>
<code>VERBOSE</code>	prints some intermediate message to standard output or not

Value

a real value containing the trustworthiness score

Examples

```
this_nrows <- 200
this_ncols <- 100
this_min <- 0
this_max <- 10000
noise_random_matrix <- matrix(runif(n = this_nrows * this_ncols,
  min = this_min, max = this_max), nrow = this_nrows)
input_matrix <- as.matrix(noise_random_matrix)
these_nearest_neighbors <- 15
this_min_dist <- 0.05

library("umap")
custom.settings <- umap::umap.defaults
```

```
custom.settings$"n_neighbors" <- these_nearest_neighbors
custom.settings$"min_dist" <- this_min_dist

x_umap <- umap(input_matrix, config=custom.settings)

this_verbose <- FALSE
thisTW <- trustworthiness_score(input_matrix, x_umap$"layout", this_verbose)
cat("trustworthiness = ", thisTW, "\n", sep="")
```

Index

calculatesSaturnContinuityTrustworthiness,

[2](#)

continuity_score, [3](#)

Saturn_coefficient, [4](#)

trustworthiness_score, [5](#)