

Package ‘modeltime’

October 22, 2024

Title The Tidymodels Extension for Time Series Modeling

Version 1.3.1

Description The time series forecasting framework for use with the 'tidymodels' ecosystem. Models include ARIMA, Exponential Smoothing, and additional time series models from the 'forecast' and 'prophet' packages. Refer to ``Forecasting Principles & Practice, Second edition" (<<https://otexts.com/fpp2/>>). Refer to ``Prophet: forecasting at scale" (<<https://research.facebook.com/blog/2017/02/prophet-forecasting-at-scale/>>).

URL <https://github.com/business-science/modeltime>,
<https://business-science.github.io/modeltime/>

BugReports <https://github.com/business-science/modeltime/issues>

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Depends R (>= 3.5.0)

Imports StanHeaders, timetk (>= 2.8.1), parsnip (>= 0.2.1), dials, yardstick (>= 0.0.8), workflows (>= 1.0.0), hardhat (>= 1.0.0), rlang (>= 0.1.2), glue, plotly, reactable, gt, ggplot2, tibble, tidyr, dplyr (>= 1.1.0), purrr, stringr, forcats, scales, janitor, parallel, parallelly, doParallel, foreach, magrittr, forecast, xgboost (>= 1.2.0.1), prophet, methods, cli, tidymodels

Suggests rstan, slider, sparklyr, workflowsets, recipes, rsample, tune (>= 0.2.0), lubridate, testthat, kernlab, glmnet, thief, smooth, greybox, earth, randomForest, trelliscopejs, knitr, rmarkdown (>= 2.9), webshot, qpdf, TSrepr

VignetteBuilder knitr

RoxygenNote 7.3.2

NeedsCompilation no

Author Matt Dancho [aut, cre],
Business Science [cph]

Maintainer Matt Dancho <mdancho@business-science.io>

Repository CRAN

Date/Publication 2024-10-22 20:10:02 UTC

Contents

adam_params	3
adam_reg	6
add_modeltime_model	11
arima_boost	12
arima_params	18
arima_reg	19
combine_modeltime_tables	23
control_modeltime	25
create_model_grid	27
create_xreg_recipe	28
drop_modeltime_model	30
exp_smoothing	31
exp_smoothing_params	37
get_arima_description	38
get_model_description	39
get_tstats_description	40
log_extractors	40
m750	41
m750_models	42
m750_splits	42
m750_training_resamples	43
maape	44
maape_vec	44
metric_sets	45
modeltime_accuracy	46
modeltime_calibrate	48
modeltime_fit_workflowset	50
modeltime_forecast	52
modeltime_nested_fit	56
modeltime_nested_forecast	57
modeltime_nested_refit	59
modeltime_nested_select_best	59
modeltime_refit	60
modeltime_residuals	62
modeltime_residuals_test	63
modeltime_table	65
naive_reg	67
new_modeltime_bridge	70
nnetar_params	71

nnetar_reg	72
panel_tail	75
parallel_start	76
parse_index	77
plot_modeltime_forecast	78
plot_modeltime_residuals	80
pluck_modeltime_model	82
prep_nested	83
prophet_boost	85
prophet_params	91
prophet_reg	93
pull_modeltime_residuals	97
pull_parsnip_preprocessor	98
recipe_helpers	98
recursive	99
seasonal_reg	103
summarize_accuracy_metrics	107
table_modeltime_accuracy	108
temporal_hierarchy	110
temporal_hierarchy_params	113
time_series_params	113
update_modeltime_model	114
update_model_description	115
window_reg	116

Index**121**

adam_params

*Tuning Parameters for ADAM Models***Description**

Tuning Parameters for ADAM Models

Usage

```
ets_model(values = c("ZZZ", "XXX", "YYY", "CCC", "PPP", "FFF"))
```

```
loss(
  values = c("likelihood", "MSE", "MAE", "HAM", "LASSO", "RIDGE", "TMSE", "GTMSE",
            "MSEh", "MSCE")
)
```

```
use_constant(values = c(FALSE, TRUE))
```

```
regressors_treatment(values = c("use", "select", "adapt"))
```

```
outliers_treatment(values = c("ignore", "use", "select"))
```

```

probability_model(
  values = c("none", "auto", "fixed", "general", "odds-ratio", "inverse-odds-ratio",
            "direct")
)

distribution(
  values = c("default", "dnorm", "dlaplace", "ds", "dgnorm", "dlnorm", "dinvgauss",
            "dgamma")
)

information_criteria(values = c("AICc", "AIC", "BICc", "BIC"))

select_order(values = c(FALSE, TRUE))

```

Arguments

`values` A character string of possible values.

Details

The main parameters for ADAM models are:

- `ets_model`:
 - `model="ZZZ"` means that the model will be selected based on the chosen information criteria type. The Branch and Bound is used in the process.
 - `model="XXX"` means that only additive components are tested, using Branch and Bound.
 - `model="YYY"` implies selecting between multiplicative components.
 - `model="CCC"` triggers the combination of forecasts of models using information criteria weights (Kolassa, 2011).
 - combinations between these four and the classical components are also accepted. For example, `model="CAY"` will combine models with additive trend and either none or multiplicative seasonality.
 - `model="PPP"` will produce the selection between pure additive and pure multiplicative models. "P" stands for "Pure". This cannot be mixed with other types of components.
 - `model="FFF"` will select between all the 30 types of models. "F" stands for "Full". This cannot be mixed with other types of components.
 - The parameter `model` can also be a vector of names of models for a finer tuning (pool of models). For example, `model=c("ANN","AAA")` will estimate only two models and select the best of them.
- `loss`:
 - likelihood - the model is estimated via the maximization of the likelihood of the function specified in distribution;
 - MSE (Mean Squared Error),
 - MAE (Mean Absolute Error),
 - HAM (Half Absolute Moment),
 - LASSO - use LASSO to shrink the parameters of the model;

- RIDGE - use RIDGE to shrink the parameters of the model;
- TMSE - Trace Mean Squared Error,
- GTMSE - Geometric Trace Mean Squared Error,
- MSEh - optimisation using only h-steps ahead error,
- MSCE - Mean Squared Cumulative Error.
- non_seasonal_ar: The order of the non-seasonal auto-regressive (AR) terms.
- non_seasonal_differences: The order of integration for non-seasonal differencing.
- non_seasonal_ma: The order of the non-seasonal moving average (MA) terms.
- seasonal_ar: The order of the seasonal auto-regressive (SAR) terms.
- seasonal_differences: The order of integration for seasonal differencing.
- seasonal_ma: The order of the seasonal moving average (SMA) terms.
- use_constant: Logical, determining, whether the constant is needed in the model or not.
- regressors_treatment: The variable defines what to do with the provided explanatory variables.
- outliers_treatment: Defines what to do with outliers.
- probability_model: The type of model used in probability estimation.
- distribution: What density function to assume for the error term.
- information_criteria: The information criterion to use in the model selection / combination procedure.
- select_order: If TRUE, then the function will select the most appropriate order.

Value

A dials parameter
 A parameter
 A parameter
 A parameter
 A parameter
 A parameter
 A parameter
 A parameter
 A parameter
 A parameter

Examples

```
use_constant()

regressors_treatment()

distribution()
```

adam_reg

*General Interface for ADAM Regression Models***Description**

adam_reg() is a way to generate a *specification* of an ADAM model before fitting and allows the model to be created using different packages. Currently the only package is smooth.

Usage

```
adam_reg(
  mode = "regression",
  ets_model = NULL,
  non_seasonal_ar = NULL,
  non_seasonal_differences = NULL,
  non_seasonal_ma = NULL,
  seasonal_ar = NULL,
  seasonal_differences = NULL,
  seasonal_ma = NULL,
  use_constant = NULL,
  regressors_treatment = NULL,
  outliers_treatment = NULL,
  outliers_ci = NULL,
  probability_model = NULL,
  distribution = NULL,
  loss = NULL,
  information_criteria = NULL,
  seasonal_period = NULL,
  select_order = NULL
)
```

Arguments

mode	A single character string for the type of model. The only possible value for this model is "regression".
ets_model	The type of ETS model. The first letter stands for the type of the error term ("A" or "M"), the second (and sometimes the third as well) is for the trend ("N", "A", "Ad", "M" or "Md"), and the last one is for the type of seasonality ("N", "A" or "M").
non_seasonal_ar	The order of the non-seasonal auto-regressive (AR) terms. Often denoted "p" in pdq-notation.
non_seasonal_differences	The order of integration for non-seasonal differencing. Often denoted "d" in pdq-notation.

non_seasonal_ma	The order of the non-seasonal moving average (MA) terms. Often denoted "q" in pdq-notation.
seasonal_ar	The order of the seasonal auto-regressive (SAR) terms. Often denoted "P" in PDQ-notation.
seasonal_differences	The order of integration for seasonal differencing. Often denoted "D" in PDQ-notation.
seasonal_ma	The order of the seasonal moving average (SMA) terms. Often denoted "Q" in PDQ-notation.
use_constant	Logical, determining, whether the constant is needed in the model or not. This is mainly needed for ARIMA part of the model, but can be used for ETS as well.
regressors_treatment	The variable defines what to do with the provided explanatory variables: "use" means that all of the data should be used, while "select" means that a selection using ic should be done, "adapt" will trigger the mechanism of time varying parameters for the explanatory variables.
outliers_treatment	Defines what to do with outliers: "ignore", so just returning the model, "detect" outliers based on specified level and include dummies for them in the model, or detect and "select" those of them that reduce ic value.
outliers_ci	What confidence level to use for detection of outliers. Default is 99%.
probability_model	The type of model used in probability estimation. Can be "none" - none, "fixed" - constant probability, "general" - the general Beta model with two parameters, "odds-ratio" - the Odds-ratio model with b=1 in Beta distribution, "inverse-odds-ratio" - the model with a=1 in Beta distribution, "direct" - the TSB-like (Teunter et al., 2011) probability update mechanism a+b=1, "auto" - the automatically selected type of occurrence model.
distribution	what density function to assume for the error term. The full name of the distribution should be provided, starting with the letter "d" - "density".
loss	The type of Loss Function used in optimization.
information_criteria	The information criterion to use in the model selection / combination procedure.
seasonal_period	A seasonal frequency. Uses "auto" by default. A character phrase of "auto" or time-based phrase of "2 weeks" can be used if a date or date-time variable is provided. See Fit Details below.
select_order	If TRUE, then the function will select the most appropriate order. The values list(ar=...,i=...,ma=...) specify the maximum orders to check in this case.

Details

The data given to the function are not saved and are only used to determine the *mode* of the model. For `adam_reg()`, the mode will always be "regression".

The model can be created using the `fit()` function using the following *engines*:

- "auto_adam" (default) - Connects to `smooth::auto.adam()`
- "adam" - Connects to `smooth::adam()`

Main Arguments

The main arguments (tuning parameters) for the model are:

- `seasonal_period`: The periodic nature of the seasonality. Uses "auto" by default.
- `non_seasonal_ar`: The order of the non-seasonal auto-regressive (AR) terms.
- `non_seasonal_differences`: The order of integration for non-seasonal differencing.
- `non_seasonal_ma`: The order of the non-seasonal moving average (MA) terms.
- `seasonal_ar`: The order of the seasonal auto-regressive (SAR) terms.
- `seasonal_differences`: The order of integration for seasonal differencing.
- `seasonal_ma`: The order of the seasonal moving average (SMA) terms.
- `ets_model`: The type of ETS model.
- `use_constant`: Logical, determining, whether the constant is needed in the model or not.
- `regressors_treatment`: The variable defines what to do with the provided explanatory variables.
- `outliers_treatment`: Defines what to do with outliers.
- `probability_model`: The type of model used in probability estimation.
- `distribution`: what density function to assume for the error term.
- `loss`: The type of Loss Function used in optimization.
- `information_criteria`: The information criterion to use in the model selection / combination procedure.

These arguments are converted to their specific names at the time that the model is fit.

Other options and argument can be set using `set_engine()` (See Engine Details below).

If parameters need to be modified, `update()` can be used in lieu of recreating the object from scratch.

auto_adam (default engine)

The engine uses `smooth::auto.adam()`.

Function Parameters:

```
#> function (data, model = "ZXZ", lags = c(frequency(data)), orders = list(ar = c(3,
#>   3), i = c(2, 1), ma = c(3, 3), select = TRUE), formula = NULL, regressors = c("use",
#>   "select", "adapt"), occurrence = c("none", "auto", "fixed", "general",
#>   "odds-ratio", "inverse-odds-ratio", "direct"), distribution = c("dnorm",
#>   "dlaplace", "ds", "dgnorm", "dlnorm", "dinvgauss", "dgamma"), outliers = c("ignore",
#>   "use", "select"), level = 0.99, h = 0, holdout = FALSE, persistence = NULL,
#>   phi = NULL, initial = c("optimal", "backcasting", "complete"), arma = NULL,
#>   ic = c("AICc", "AIC", "BIC", "BICc"), bounds = c("usual", "admissible",
#>   "none"), silent = TRUE, parallel = FALSE, ...)
```


The *MAXIMUM* nonseasonal ARIMA terms (max.p, max.d, max.q) and seasonal ARIMA terms (max.P, max.D, max.Q) are provided to `forecast::auto.arima()` via `arima_reg()` parameters. Other options and argument can be set using `set_engine()`.

Parameter Notes:

- All values of nonseasonal pdq and seasonal PDQ are maximums. The `smooth::auto.adam()` model will select a value using these as an upper limit.
- `xreg` - This is supplied via the `parsnip / modeltime fit()` interface (so don't provide this manually). See Fit Details (below).

adam

The engine uses `smooth::adam()`.

Function Parameters:

```
#> function (data, model = "ZXZ", lags = c(frequency(data)), orders = list(ar = c(0),
#>   i = c(0), ma = c(0), select = FALSE), constant = FALSE, formula = NULL,
#>   regressors = c("use", "select", "adapt"), occurrence = c("none", "auto",
#>     "fixed", "general", "odds-ratio", "inverse-odds-ratio", "direct"),
#>   distribution = c("default", "dnorm", "dlaplace", "ds", "dgnorm", "dlnorm",
#>     "dinvgauss", "dgamma"), loss = c("likelihood", "MSE", "MAE", "HAM",
#>     "LASSO", "RIDGE", "MSEh", "TMSE", "GTMSE", "MSCE"), outliers = c("ignore",
#>     "use", "select"), level = 0.99, h = 0, holdout = FALSE, persistence = NULL,
#>   phi = NULL, initial = c("optimal", "backcasting", "complete"), arma = NULL,
#>   ic = c("AICc", "AIC", "BIC", "BICc"), bounds = c("usual", "admissible",
#>     "none"), silent = TRUE, ...)
```

The nonseasonal ARIMA terms (orders) and seasonal ARIMA terms (orders) are provided to `smooth::adam()` via `adam_reg()` parameters. Other options and argument can be set using `set_engine()`.

Parameter Notes:

- `xreg` - This is supplied via the `parsnip / modeltime fit()` interface (so don't provide this manually). See Fit Details (below).

Fit Details

Date and Date-Time Variable

It's a requirement to have a date or date-time variable as a predictor. The `fit()` interface accepts date and date-time features and handles them internally.

- `fit(y ~ date)`

Seasonal Period Specification

The period can be non-seasonal (`seasonal_period = 1` or `"none"`) or yearly seasonal (e.g. For monthly time stamps, `seasonal_period = 12`, `seasonal_period = "12 months"`, or `seasonal_period = "yearly"`). There are 3 ways to specify:

1. `seasonal_period = "auto"`: A seasonal period is selected based on the periodicity of the data (e.g. 12 if monthly)

2. `seasonal_period = 12`: A numeric frequency. For example, 12 is common for monthly data
3. `seasonal_period = "1 year"`: A time-based phrase. For example, "1 year" would convert to 12 for monthly data.

Univariate (No xregs, Exogenous Regressors):

For univariate analysis, you must include a date or date-time feature. Simply use:

- Formula Interface (recommended): `fit(y ~ date)` will ignore `xreg`'s.

Multivariate (xregs, Exogenous Regressors)

The `xreg` parameter is populated using the `fit()` function:

- Only factor, ordered factor, and numeric data will be used as `xregs`.
- Date and Date-time variables are not used as `xregs`
- character data should be converted to factor.

Xreg Example: Suppose you have 3 features:

1. `y` (target)
2. `date` (time stamp),
3. `month.lbl` (labeled month as a ordered factor).

The `month.lbl` is an exogenous regressor that can be passed to the `arima_reg()` using `fit()`:

- `fit(y ~ date + month.lbl)` will pass `month.lbl` on as an exogenous regressor.

Note that date or date-time class values are excluded from `xreg`.

See Also

`fit.model_spec()`, `set_engine()`

Examples

```
library(dplyr)
library(parsnip)
library(rsample)
library(timetk)
library(smooth)

# Data
m750 <- m4_monthly %>% filter(id == "M750")
m750

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.8)

# ---- AUTO ADAM ----
```

```

# Model Spec
model_spec <- adam_reg() %>%
  set_engine("auto_adam")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit

# ---- STANDARD ADAM ----

# Model Spec
model_spec <- adam_reg(
  seasonal_period      = 12,
  non_seasonal_ar     = 3,
  non_seasonal_differences = 1,
  non_seasonal_ma     = 3,
  seasonal_ar         = 1,
  seasonal_differences = 0,
  seasonal_ma         = 1
) %>%
  set_engine("adam")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit

```

add_modeltime_model *Add a Model into a Modeltime Table*

Description

Add a Model into a Modeltime Table

Usage

```
add_modeltime_model(object, model, location = "bottom")
```

Arguments

object	Multiple Modeltime Tables (class <code>mdl_time_tbl</code>)
model	A model of class <code>model_fit</code> or a fitted workflow object
location	Where to add the model. Either "top" or "bottom". Default: "bottom".

See Also

- `combine_modeltime_tables()`: Combine 2 or more Modeltime Tables together
- `add_modeltime_model()`: Adds a new row with a new model to a Modeltime Table
- `drop_modeltime_model()`: Drop one or more models from a Modeltime Table
- `update_modeltime_description()`: Updates a description for a model inside a Modeltime Table
- `update_modeltime_model()`: Updates a model inside a Modeltime Table
- `pull_modeltime_model()`: Extracts a model from a Modeltime Table

Examples

```
library(tidymodels)

model_fit_ets <- exp_smoothing() %>%
  set_engine("ets") %>%
  fit(value ~ date, training(m750_splits))

m750_models %>%
  add_modeltime_model(model_fit_ets)
```

arima_boost

General Interface for "Boosted" ARIMA Regression Models

Description

`arima_boost()` is a way to generate a *specification* of a time series model that uses boosting to improve modeling errors (residuals) on Exogenous Regressors. It works with both "automated" ARIMA (`auto.arima`) and standard ARIMA (`arima`). The main algorithms are:

- Auto ARIMA + XGBoost Errors (`engine = auto_arima_xgboost`, default)
- ARIMA + XGBoost Errors (`engine = arima_xgboost`)

Usage

```
arima_boost(
  mode = "regression",
  seasonal_period = NULL,
  non_seasonal_ar = NULL,
  non_seasonal_differences = NULL,
  non_seasonal_ma = NULL,
  seasonal_ar = NULL,
  seasonal_differences = NULL,
  seasonal_ma = NULL,
  mtry = NULL,
```

```

    trees = NULL,
    min_n = NULL,
    tree_depth = NULL,
    learn_rate = NULL,
    loss_reduction = NULL,
    sample_size = NULL,
    stop_iter = NULL
)

```

Arguments

mode	A single character string for the type of model. The only possible value for this model is "regression".
seasonal_period	A seasonal frequency. Uses "auto" by default. A character phrase of "auto" or time-based phrase of "2 weeks" can be used if a date or date-time variable is provided. See Fit Details below.
non_seasonal_ar	The order of the non-seasonal auto-regressive (AR) terms. Often denoted "p" in pdq-notation.
non_seasonal_differences	The order of integration for non-seasonal differencing. Often denoted "d" in pdq-notation.
non_seasonal_ma	The order of the non-seasonal moving average (MA) terms. Often denoted "q" in pdq-notation.
seasonal_ar	The order of the seasonal auto-regressive (SAR) terms. Often denoted "P" in PDQ-notation.
seasonal_differences	The order of integration for seasonal differencing. Often denoted "D" in PDQ-notation.
seasonal_ma	The order of the seasonal moving average (SMA) terms. Often denoted "Q" in PDQ-notation.
mtry	A number for the number (or proportion) of predictors that will be randomly sampled at each split when creating the tree models (specific engines only).
trees	An integer for the number of trees contained in the ensemble.
min_n	An integer for the minimum number of data points in a node that is required for the node to be split further.
tree_depth	An integer for the maximum depth of the tree (i.e. number of splits) (specific engines only).
learn_rate	A number for the rate at which the boosting algorithm adapts from iteration-to-iteration (specific engines only). This is sometimes referred to as the shrinkage parameter.
loss_reduction	A number for the reduction in the loss function required to split further (specific engines only).

sample_size	number for the number (or proportion) of data that is exposed to the fitting routine.
stop_iter	The number of iterations without improvement before stopping (xgboost only).

Details

The data given to the function are not saved and are only used to determine the *mode* of the model. For `arima_boost()`, the mode will always be "regression".

The model can be created using the `fit()` function using the following *engines*:

- "auto_arima_xgboost" (default) - Connects to `forecast::auto.arima()` and `xgboost::xgb.train`
- "arima_xgboost" - Connects to `forecast::Arima()` and `xgboost::xgb.train`

Main Arguments

The main arguments (tuning parameters) for the **ARIMA model** are:

- `seasonal_period`: The periodic nature of the seasonality. Uses "auto" by default.
- `non_seasonal_ar`: The order of the non-seasonal auto-regressive (AR) terms.
- `non_seasonal_differences`: The order of integration for non-seasonal differencing.
- `non_seasonal_ma`: The order of the non-seasonal moving average (MA) terms.
- `seasonal_ar`: The order of the seasonal auto-regressive (SAR) terms.
- `seasonal_differences`: The order of integration for seasonal differencing.
- `seasonal_ma`: The order of the seasonal moving average (SMA) terms.

The main arguments (tuning parameters) for the model **XGBoost model** are:

- `mtry`: The number of predictors that will be randomly sampled at each split when creating the tree models.
- `trees`: The number of trees contained in the ensemble.
- `min_n`: The minimum number of data points in a node that are required for the node to be split further.
- `tree_depth`: The maximum depth of the tree (i.e. number of splits).
- `learn_rate`: The rate at which the boosting algorithm adapts from iteration-to-iteration.
- `loss_reduction`: The reduction in the loss function required to split further.
- `sample_size`: The amount of data exposed to the fitting routine.
- `stop_iter`: The number of iterations without improvement before stopping.

These arguments are converted to their specific names at the time that the model is fit.

Other options and argument can be set using `set_engine()` (See Engine Details below).

If parameters need to be modified, `update()` can be used in lieu of recreating the object from scratch.

Engine Details

The standardized parameter names in `modeltime` can be mapped to their original names in each engine:

Model 1: ARIMA:

<code>modeltime</code>	<code>forecast::auto.arima</code>	<code>forecast::Arima</code>
<code>seasonal_period</code>	<code>ts(frequency)</code>	<code>ts(frequency)</code>
<code>non_seasonal_ar, non_seasonal_differences, non_seasonal_ma</code>	<code>max.p(5), max.d(2), max.q(5)</code>	<code>order = c(p(0), d(0), q(0))</code>
<code>seasonal_ar, seasonal_differences, seasonal_ma</code>	<code>max.P(2), max.D(1), max.Q(2)</code>	<code>seasonal = c(P(0), D(0), Q(0))</code>

Model 2: XGBoost:

<code>modeltime</code>	<code>xgboost::xgb.train</code>
<code>tree_depth</code>	<code>max_depth (6)</code>
<code>trees</code>	<code>nrounds (15)</code>
<code>learn_rate</code>	<code>eta (0.3)</code>
<code>mtry</code>	<code>colsample_bynode (1)</code>
<code>min_n</code>	<code>min_child_weight (1)</code>
<code>loss_reduction</code>	<code>gamma (0)</code>
<code>sample_size</code>	<code>subsample (1)</code>
<code>stop_iter</code>	<code>early_stop</code>

Other options can be set using `set_engine()`.

auto_arima_xgboost (default engine)

Model 1: Auto ARIMA (`forecast::auto.arima`):

```
#> function (y, d = NA, D = NA, max.p = 5, max.q = 5, max.P = 2, max.Q = 2,
#>   max.order = 5, max.d = 2, max.D = 1, start.p = 2, start.q = 2, start.P = 1,
#>   start.Q = 1, stationary = FALSE, seasonal = TRUE, ic = c("aicc", "aic",
#>   "bic"), stepwise = TRUE, nmodels = 94, trace = FALSE, approximation = (length(x) >
#>   150 | frequency(x) > 12), method = NULL, truncate = NULL, xreg = NULL,
#>   test = c("kpss", "adf", "pp"), test.args = list(), seasonal.test = c("seas",
#>   "ocsb", "hegy", "ch"), seasonal.test.args = list(), allowdrift = TRUE,
#>   allowmean = TRUE, lambda = NULL, biasadj = FALSE, parallel = FALSE,
#>   num.cores = 2, x = y, ...)
```

Parameter Notes:

- All values of nonseasonal pdq and seasonal PDQ are maximums. The `auto.arima` will select a value using these as an upper limit.
- `xreg` - This should not be used since XGBoost will be doing the regression

Model 2: XGBoost (`xgboost::xgb.train`):

```
#> function (params = list(), data, nrounds, watchlist = list(), obj = NULL,
#>   feval = NULL, verbose = 1, print_every_n = 1L, early_stopping_rounds = NULL,
#>   maximize = NULL, save_period = NULL, save_name = "xgboost.model", xgb_model = NULL,
#>   callbacks = list(), ...)
```

Parameter Notes:

- XGBoost uses a `params = list()` to capture. Parsnip / Modeltime automatically sends any args provided as `...` inside of `set_engine()` to the `params = list(...)`.

Fit Details

Date and Date-Time Variable

It's a requirement to have a date or date-time variable as a predictor. The `fit()` interface accepts date and date-time features and handles them internally.

- `fit(y ~ date)`

Seasonal Period Specification

The period can be non-seasonal (`seasonal_period = 1`) or seasonal (e.g. `seasonal_period = 12` or `seasonal_period = "12 months"`). There are 3 ways to specify:

1. `seasonal_period = "auto"`: A period is selected based on the periodicity of the data (e.g. 12 if monthly)
2. `seasonal_period = 12`: A numeric frequency. For example, 12 is common for monthly data
3. `seasonal_period = "1 year"`: A time-based phrase. For example, "1 year" would convert to 12 for monthly data.

Univariate (No xregs, Exogenous Regressors):

For univariate analysis, you must include a date or date-time feature. Simply use:

- Formula Interface (recommended): `fit(y ~ date)` will ignore `xreg`'s.
- XY Interface: `fit_xy(x = data[, "date"], y = data$y)` will ignore `xreg`'s.

Multivariate (xregs, Exogenous Regressors)

The `xreg` parameter is populated using the `fit()` or `fit_xy()` function:

- Only factor, ordered factor, and numeric data will be used as `xregs`.
- Date and Date-time variables are not used as `xregs`
- character data should be converted to factor.

Xreg Example: Suppose you have 3 features:

1. `y` (target)
2. `date` (time stamp),
3. `month.lbl` (labeled month as a ordered factor).

The `month.lbl` is an exogenous regressor that can be passed to the `arima_boost()` using `fit()`:

- `fit(y ~ date + month.lbl)` will pass `month.lbl` on as an exogenous regressor.
- `fit_xy(data[,c("date", "month.lbl")], y = data$y)` will pass `x`, where `x` is a data frame containing `month.lbl` and the date feature. Only `month.lbl` will be used as an exogenous regressor.

Note that date or date-time class values are excluded from `xreg`.

See Also

`fit.model_spec()`, `set_engine()`

Examples

```
library(dplyr)
library(lubridate)
library(parsnip)
library(rsample)
library(timetk)

# Data
m750 <- m4_monthly %>% filter(id == "M750")

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.9)

# MODEL SPEC ----

# Set engine and boosting parameters
model_spec <- arima_boost(

  # ARIMA args
  seasonal_period = 12,
  non_seasonal_ar = 0,
  non_seasonal_differences = 1,
  non_seasonal_ma = 1,
  seasonal_ar = 0,
  seasonal_differences = 1,
  seasonal_ma = 1,

  # XGBoost Args
  tree_depth = 6,
  learn_rate = 0.1
) %>%
  set_engine(engine = "arima_xgboost")

# FIT ----

# Boosting - Happens by adding numeric date and month features
# model_fit_boosted <- model_spec %>%
#   fit(value ~ date + as.numeric(date) + month(date, label = TRUE),
#       data = training(splits))
```

```
# model_fit_boosted
```

arima_params

Tuning Parameters for ARIMA Models

Description

Tuning Parameters for ARIMA Models

Usage

```
non_seasonal_ar(range = c(0L, 5L), trans = NULL)
```

```
non_seasonal_differences(range = c(0L, 2L), trans = NULL)
```

```
non_seasonal_ma(range = c(0L, 5L), trans = NULL)
```

```
seasonal_ar(range = c(0L, 2L), trans = NULL)
```

```
seasonal_differences(range = c(0L, 1L), trans = NULL)
```

```
seasonal_ma(range = c(0L, 2L), trans = NULL)
```

Arguments

range	A two-element vector holding the <i>defaults</i> for the smallest and largest possible values, respectively. If a transformation is specified, these values should be in the <i>transformed units</i> .
trans	A trans object from the scales package, such as scales::transform_log10() or scales::transform_reciprocal(). If not provided, the default is used which matches the units used in range. If no transformation, NULL.

Details

The main parameters for ARIMA models are:

- non_seasonal_ar: The order of the non-seasonal auto-regressive (AR) terms.
- non_seasonal_differences: The order of integration for non-seasonal differencing.
- non_seasonal_ma: The order of the non-seasonal moving average (MA) terms.
- seasonal_ar: The order of the seasonal auto-regressive (SAR) terms.
- seasonal_differences: The order of integration for seasonal differencing.
- seasonal_ma: The order of the seasonal moving average (SMA) terms.

Examples

```
ets_model()

non_seasonal_ar()

non_seasonal_differences()

non_seasonal_ma()
```

arima_reg

General Interface for ARIMA Regression Models

Description

arima_reg() is a way to generate a *specification* of an ARIMA model before fitting and allows the model to be created using different packages. Currently the only package is forecast.

Usage

```
arima_reg(
  mode = "regression",
  seasonal_period = NULL,
  non_seasonal_ar = NULL,
  non_seasonal_differences = NULL,
  non_seasonal_ma = NULL,
  seasonal_ar = NULL,
  seasonal_differences = NULL,
  seasonal_ma = NULL
)
```

Arguments

mode	A single character string for the type of model. The only possible value for this model is "regression".
seasonal_period	A seasonal frequency. Uses "auto" by default. A character phrase of "auto" or time-based phrase of "2 weeks" can be used if a date or date-time variable is provided. See Fit Details below.
non_seasonal_ar	The order of the non-seasonal auto-regressive (AR) terms. Often denoted "p" in pdq-notation.
non_seasonal_differences	The order of integration for non-seasonal differencing. Often denoted "d" in pdq-notation.

non_seasonal_ma	The order of the non-seasonal moving average (MA) terms. Often denoted "q" in pdq-notation.
seasonal_ar	The order of the seasonal auto-regressive (SAR) terms. Often denoted "P" in PDQ-notation.
seasonal_differences	The order of integration for seasonal differencing. Often denoted "D" in PDQ-notation.
seasonal_ma	The order of the seasonal moving average (SMA) terms. Often denoted "Q" in PDQ-notation.

Details

The data given to the function are not saved and are only used to determine the *mode* of the model. For `arima_reg()`, the mode will always be "regression".

The model can be created using the `fit()` function using the following *engines*:

- "auto_arima" (default) - Connects to `forecast::auto.arima()`
- "arima" - Connects to `forecast::Arima()`

Main Arguments

The main arguments (tuning parameters) for the model are:

- `seasonal_period`: The periodic nature of the seasonality. Uses "auto" by default.
- `non_seasonal_ar`: The order of the non-seasonal auto-regressive (AR) terms.
- `non_seasonal_differences`: The order of integration for non-seasonal differencing.
- `non_seasonal_ma`: The order of the non-seasonal moving average (MA) terms.
- `seasonal_ar`: The order of the seasonal auto-regressive (SAR) terms.
- `seasonal_differences`: The order of integration for seasonal differencing.
- `seasonal_ma`: The order of the seasonal moving average (SMA) terms.

These arguments are converted to their specific names at the time that the model is fit.

Other options and argument can be set using `set_engine()` (See Engine Details below).

If parameters need to be modified, `update()` can be used in lieu of recreating the object from scratch.

Engine Details

The standardized parameter names in `modeltime` can be mapped to their original names in each engine:

modeltime	forecast::auto.arima	forecast::Arima
<code>seasonal_period</code>	<code>ts(frequency)</code>	<code>ts(frequency)</code>
<code>non_seasonal_ar, non_seasonal_differences, non_seasonal_ma</code>	<code>max.p(5), max.d(2), max.q(5)</code>	<code>order = c(p(0), d(0), q(0))</code>
<code>seasonal_ar, seasonal_differences, seasonal_ma</code>	<code>max.P(2), max.D(1), max.Q(2)</code>	<code>seasonal = c(P(0), D(0), Q(0))</code>

Other options can be set using `set_engine()`.

auto_arima (default engine)

The engine uses `forecast::auto.arima()`.

Function Parameters:

```
#> function (y, d = NA, D = NA, max.p = 5, max.q = 5, max.P = 2, max.Q = 2,
#>   max.order = 5, max.d = 2, max.D = 1, start.p = 2, start.q = 2, start.P = 1,
#>   start.Q = 1, stationary = FALSE, seasonal = TRUE, ic = c("aicc", "aic",
#>   "bic"), stepwise = TRUE, nmodels = 94, trace = FALSE, approximation = (length(x) >
#>   150 | frequency(x) > 12), method = NULL, truncate = NULL, xreg = NULL,
#>   test = c("kpss", "adf", "pp"), test.args = list(), seasonal.test = c("seas",
#>   "ocsb", "hegy", "ch"), seasonal.test.args = list(), allowdrift = TRUE,
#>   allowmean = TRUE, lambda = NULL, biasadj = FALSE, parallel = FALSE,
#>   num.cores = 2, x = y, ...)
```

The *MAXIMUM* nonseasonal ARIMA terms (`max.p`, `max.d`, `max.q`) and seasonal ARIMA terms (`max.P`, `max.D`, `max.Q`) are provided to `forecast::auto.arima()` via `arima_reg()` parameters. Other options and argument can be set using `set_engine()`.

Parameter Notes:

- All values of nonseasonal pdq and seasonal PDQ are maximums. The `forecast::auto.arima()` model will select a value using these as an upper limit.
- `xreg` - This is supplied via the `parsnip / modeltime fit()` interface (so don't provide this manually). See Fit Details (below).

arima

The engine uses `forecast::Arima()`.

Function Parameters:

```
#> function (y, order = c(0, 0, 0), seasonal = c(0, 0, 0), xreg = NULL, include.mean = TRUE,
#>   include.drift = FALSE, include.constant, lambda = model$lambda, biasadj = FALSE,
#>   method = c("CSS-ML", "ML", "CSS"), model = NULL, x = y, ...)
```

The nonseasonal ARIMA terms (`order`) and seasonal ARIMA terms (`seasonal`) are provided to `forecast::Arima()` via `arima_reg()` parameters. Other options and argument can be set using `set_engine()`.

Parameter Notes:

- `xreg` - This is supplied via the `parsnip / modeltime fit()` interface (so don't provide this manually). See Fit Details (below).
- `method` - The default is set to "ML" (Maximum Likelihood). This method is more robust at the expense of speed and possible selections may fail unit root inversion testing. Alternatively, you can add `method = "CSS-ML"` to evaluate Conditional Sum of Squares for starting values, then Maximum Likelihood.

Fit Details

Date and Date-Time Variable

It's a requirement to have a date or date-time variable as a predictor. The `fit()` interface accepts date and date-time features and handles them internally.

- `fit(y ~ date)`

Seasonal Period Specification

The period can be non-seasonal (`seasonal_period = 1` or `"none"`) or yearly seasonal (e.g. For monthly time stamps, `seasonal_period = 12`, `seasonal_period = "12 months"`, or `seasonal_period = "yearly"`). There are 3 ways to specify:

1. `seasonal_period = "auto"`: A seasonal period is selected based on the periodicity of the data (e.g. 12 if monthly)
2. `seasonal_period = 12`: A numeric frequency. For example, 12 is common for monthly data
3. `seasonal_period = "1 year"`: A time-based phrase. For example, "1 year" would convert to 12 for monthly data.

Univariate (No xregs, Exogenous Regressors):

For univariate analysis, you must include a date or date-time feature. Simply use:

- Formula Interface (recommended): `fit(y ~ date)` will ignore `xreg`'s.
- XY Interface: `fit_xy(x = data[, "date"], y = data$y)` will ignore `xreg`'s.

Multivariate (xregs, Exogenous Regressors)

The `xreg` parameter is populated using the `fit()` or `fit_xy()` function:

- Only factor, ordered factor, and numeric data will be used as `xregs`.
- Date and Date-time variables are not used as `xregs`
- character data should be converted to factor.

Xreg Example: Suppose you have 3 features:

1. `y` (target)
2. `date` (time stamp),
3. `month.lbl` (labeled month as a ordered factor).

The `month.lbl` is an exogenous regressor that can be passed to the `arima_reg()` using `fit()`:

- `fit(y ~ date + month.lbl)` will pass `month.lbl` on as an exogenous regressor.
- `fit_xy(data[, c("date", "month.lbl")], y = data$y)` will pass `x`, where `x` is a data frame containing `month.lbl` and the date feature. Only `month.lbl` will be used as an exogenous regressor.

Note that date or date-time class values are excluded from `xreg`.

See Also

`fit.model_spec()`, `set_engine()`

Examples

```
library(dplyr)
library(parsnip)
library(rsample)
library(timetk)

# Data
m750 <- m4_monthly %>% filter(id == "M750")
m750

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.8)

# ---- AUTO ARIMA ----

# Model Spec
model_spec <- arima_reg() %>%
  set_engine("auto_arima")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit

# ---- STANDARD ARIMA ----

# Model Spec
model_spec <- arima_reg(
  seasonal_period      = 12,
  non_seasonal_ar     = 3,
  non_seasonal_differences = 1,
  non_seasonal_ma     = 3,
  seasonal_ar         = 1,
  seasonal_differences = 0,
  seasonal_ma         = 1
) %>%
  set_engine("arima")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit
```

combine_modeltime_tables

Combine multiple Modeltime Tables into a single Modeltime Table

Description

Combine multiple Modeltime Tables into a single Modeltime Table

Usage

```
combine_modeltime_tables(...)
```

Arguments

... Multiple Modeltime Tables (class `mdl_time_tbl`)

Details

This function combines multiple Modeltime Tables.

- The `.model_id` will automatically be renumbered to ensure each model has a unique ID.
- Only the `.model_id`, `.model`, and `.model_desc` columns will be returned.

Re-Training Models on the Same Datasets

One issue can arise if your models are trained on different datasets. If your models have been trained on different datasets, you can run `modeltime_refit()` to train all models on the same data.

Re-Calibrating Models

If your data has been calibrated using `modeltime_calibrate()`, the `.test` and `.calibration_data` columns will be removed. To re-calibrate, simply run `modeltime_calibrate()` on the newly combined Modeltime Table.

See Also

- `combine_modeltime_tables()`: Combine 2 or more Modeltime Tables together
- `add_modeltime_model()`: Adds a new row with a new model to a Modeltime Table
- `drop_modeltime_model()`: Drop one or more models from a Modeltime Table
- `update_modeltime_description()`: Updates a description for a model inside a Modeltime Table
- `update_modeltime_model()`: Updates a model inside a Modeltime Table
- `pull_modeltime_model()`: Extracts a model from a Modeltime Table

Examples

```
library(tidymodels)
library(timetk)
library(dplyr)
library(lubridate)

# Setup
m750 <- m4_monthly %>% filter(id == "M750")

splits <- time_series_split(m750, assess = "3 years", cumulative = TRUE)
```



```
model_fit_arma <- arima_reg() %>%
  set_engine("auto_arma") %>%
  fit(value ~ date, training(splits))

model_fit_prophet <- prophet_reg() %>%
  set_engine("prophet") %>%
  fit(value ~ date, training(splits))

# Multiple Modeltime Tables
model_tbl_1 <- modeltime_table(model_fit_arma)
model_tbl_2 <- modeltime_table(model_fit_prophet)

# Combine
combine_modeltime_tables(model_tbl_1, model_tbl_2)
```

control_modeltime	<i>Control aspects of the training process</i>
-------------------	--

Description

These functions are matched to the associated training functions:

- `control_refit()`: Used with `modeltime_refit()`
- `control_fit_workflowset()`: Used with `modeltime_fit_workflowset()`
- `control_nested_fit()`: Used with `modeltime_nested_fit()`
- `control_nested_refit()`: Used with `modeltime_nested_refit()`
- `control_nested_forecast()`: Used with `modeltime_nested_forecast()`

Usage

```
control_refit(verbose = FALSE, allow_par = FALSE, cores = 1, packages = NULL)
```

```
control_fit_workflowset(
  verbose = FALSE,
  allow_par = FALSE,
  cores = 1,
  packages = NULL
)
```

```
control_nested_fit(
  verbose = FALSE,
  allow_par = FALSE,
  cores = 1,
  packages = NULL
)
```

```
control_nested_refit(
  verbose = FALSE,
  allow_par = FALSE,
  cores = 1,
  packages = NULL
)

control_nested_forecast(
  verbose = FALSE,
  allow_par = FALSE,
  cores = 1,
  packages = NULL
)
```

Arguments

verbose	Logical to control printing.
allow_par	Logical to allow parallel computation. Default: FALSE (single threaded).
cores	Number of cores for computation. If -1, uses all available physical cores. Default: 1.
packages	An optional character string of additional R package names that should be loaded during parallel processing. <ul style="list-style-type: none"> • Packages in your namespace are loaded by default • Key Packages are loaded by default: tidymodels, parsnip, modeltime, dplyr, stats, lubridate and timetk.

Value

A List with the control settings.

See Also

- Setting Up Parallel Processing: [parallel_start\(\)](#), [[parallel_stop\(\)](#)]
- Training Functions: [[modeltime_refit\(\)](#)], [[modeltime_fit_workflowset\(\)](#)], [[modeltime_nested_fit\(\)](#)], [[modeltime_nested_refit\(\)](#)]

[[parallel_stop\(\)](#)]: R:parallel_stop() [[modeltime_refit\(\)](#)]: R:modeltime_refit() [[modeltime_fit_workflowset\(\)](#)]: R:modeltime_fit_workflowset() [[modeltime_nested_fit\(\)](#)]: R:modeltime_nested_fit() [[modeltime_nested_refit\(\)](#)]: R:modeltime_nested_refit()

Examples

```
# No parallel processing by default
control_refit()

# Allow parallel processing and use all cores
control_refit(allow_par = TRUE, cores = -1)

# Set verbosity to show additional training information
```

```
control_refit(verbose = TRUE)

# Add additional packages used during modeling in parallel processing
# - This is useful if your namespace does not load all needed packages
#   to run models.
# - An example is if I use `temporal_hierarchy()`, which depends on the `thief` package
control_refit(allow_par = TRUE, packages = "thief")
```

create_model_grid *Helper to make parsnip model specs from a dials parameter grid*

Description

Helper to make parsnip model specs from a dials parameter grid

Usage

```
create_model_grid(grid, f_model_spec, engine_name, ..., engine_params = list())
```

Arguments

grid	A tibble that forms a grid of parameters to adjust
f_model_spec	A function name (quoted or unquoted) that specifies a parsnip model specification function
engine_name	A name of an engine to use. Gets passed to <code>parsnip::set_engine()</code> .
...	Static parameters that get passed to the <code>f_model_spec</code>
engine_params	A list of additional parameters that can be passed to the engine via <code>parsnip::set_engine(...)</code> .

Details

This is a helper function that combines `dials` grids with `parsnip` model specifications. The intent is to make it easier to generate `workflowset` objects for forecast evaluations with `modeltime_fit_workflowset()`.

The process follows:

1. Generate a grid (hyperparameter combination)
2. Use `create_model_grid()` to apply the parameter combinations to a `parsnip` model spec and engine.

The output contains ".model" column that can be used as a list of models inside the `workflow_set()` function.

Value

Tibble with a new column named `.models`

See Also

- `dials::grid_regular()`: For making parameter grids.
- `workflowsets::workflow_set()`: For creating a workflowset from the `.models` list stored in the `".models"` column.
- `modeltime_fit_workflowset()`: For fitting a workflowset to forecast data.

Examples

```
library(tidymodels)

# Parameters that get optimized
grid_tbl <- grid_regular(
  learn_rate(),
  levels = 3
)

# Generate model specs
grid_tbl %>%
  create_model_grid(
    f_model_spec = boost_tree,
    engine_name = "xgboost",
    # Static boost_tree() args
    mode = "regression",
    # Static set_engine() args
    engine_params = list(
      max_depth = 5
    )
  )
```

`create_xreg_recipe` *Developer Tools for preparing XREGS (Regressors)*

Description

These functions are designed to assist developers in extending the `modeltime` package. `create_xregs_recipe()` makes it simple to automate conversion of raw un-encoded features to machine-learning ready features.

Usage

```
create_xreg_recipe(
  data,
  prepare = TRUE,
  clean_names = TRUE,
  dummy_encode = TRUE,
  one_hot = FALSE
)
```

Arguments

data	A data frame
prepare	Whether or not to run <code>recipes::prep()</code> on the final recipe. Default is to prepare. User can set this to <code>FALSE</code> to return an unprepared recipe.
clean_names	Uses <code>janitor::clean_names()</code> to process the names and improve robustness to failure during dummy (one-hot) encoding step.
dummy_encode	Should factors (categorical data) be
one_hot	If <code>dummy_encode = TRUE</code> , should the encoding return one column for each feature or one less column than each feature. Default is <code>FALSE</code> .

Details

The default recipe contains steps to:

1. Remove date features
2. Clean the column names removing spaces and bad characters
3. Convert ordered factors to regular factors
4. Convert factors to dummy variables
5. Remove any variables that have zero variance

Value

A recipe in either prepared or un-prepared format.

Examples

```
library(dplyr)
library(timetk)
library(recipes)
library(lubridate)

predictors <- m4_monthly %>%
  filter(id == "M750") %>%
  select(-value) %>%
  mutate(month = month(date, label = TRUE))
predictors

# Create default recipe
xreg_recipe_spec <- create_xreg_recipe(predictors, prepare = TRUE)

# Extracts the preprocessed training data from the recipe (used in your fit function)
juice_xreg_recipe(xreg_recipe_spec)

# Applies the prepared recipe to new data (used in your predict function)
bake_xreg_recipe(xreg_recipe_spec, new_data = predictors)
```

drop_modeltime_model *Drop a Model from a Modeltime Table*

Description

Drop a Model from a Modeltime Table

Usage

```
drop_modeltime_model(object, .model_id)
```

Arguments

object	A Modeltime Table (class mdl_time_tbl)
.model_id	A numeric value matching the .model_id that you want to drop

See Also

- [combine_modeltime_tables\(\)](#): Combine 2 or more Modeltime Tables together
- [add_modeltime_model\(\)](#): Adds a new row with a new model to a Modeltime Table
- [drop_modeltime_model\(\)](#): Drop one or more models from a Modeltime Table
- [update_modeltime_description\(\)](#): Updates a description for a model inside a Modeltime Table
- [update_modeltime_model\(\)](#): Updates a model inside a Modeltime Table
- [pull_modeltime_model\(\)](#): Extracts a model from a Modeltime Table

Examples

```
library(tidymodels)

m750_models %>%
  drop_modeltime_model(.model_id = c(2,3))
```

Description

exp_smoothing() is a way to generate a *specification* of an Exponential Smoothing model before fitting and allows the model to be created using different packages. Currently the only package is forecast. Several algorithms are implemented:

- ETS - Automated Exponential Smoothing
- CROSTON - Croston's forecast is a special case of Exponential Smoothing for intermittent demand
- Theta - A special case of Exponential Smoothing with Drift that performed well in the M3 Competition

Usage

```
exp_smoothing(
  mode = "regression",
  seasonal_period = NULL,
  error = NULL,
  trend = NULL,
  season = NULL,
  damping = NULL,
  smooth_level = NULL,
  smooth_trend = NULL,
  smooth_seasonal = NULL
)
```

Arguments

mode	A single character string for the type of model. The only possible value for this model is "regression".
seasonal_period	A seasonal frequency. Uses "auto" by default. A character phrase of "auto" or time-based phrase of "2 weeks" can be used if a date or date-time variable is provided. See Fit Details below.
error	The form of the error term: "auto", "additive", or "multiplicative". If the error is multiplicative, the data must be non-negative.
trend	The form of the trend term: "auto", "additive", "multiplicative" or "none".
season	The form of the seasonal term: "auto", "additive", "multiplicative" or "none".
damping	Apply damping to a trend: "auto", "damped", or "none".
smooth_level	This is often called the "alpha" parameter used as the base level smoothing factor for exponential smoothing models.

`smooth_trend` This is often called the "beta" parameter used as the trend smoothing factor for exponential smoothing models.

`smooth_seasonal` This is often called the "gamma" parameter used as the seasonal smoothing factor for exponential smoothing models.

Details

Models can be created using the following *engines*:

- "ets" (default) - Connects to `forecast::ets()`
- "croston" - Connects to `forecast::croston()`
- "theta" - Connects to `forecast::thetaf()`
- "smooth_es" - Connects to `smooth::es()`

Engine Details

The standardized parameter names in `modeltime` can be mapped to their original names in each engine:

<code>modeltime</code>	<code>forecast::ets</code>	<code>forecast::croston()</code>	<code>forecast::thetaf()</code>	<code>smooth::es()</code>
<code>seasonal_period()</code>	<code>ts(frequency)</code>	<code>ts(frequency)</code>	<code>ts(frequency)</code>	<code>ts(frequency)</code>
<code>error(), trend(), season()</code>	<code>model('ZZZ')</code>	NA	NA	<code>model('ZZZ')</code>
<code>damping()</code>	<code>damped(NULL)</code>	NA	NA	<code>phi</code>
<code>smooth_level()</code>	<code>alpha(NULL)</code>	<code>alpha(0.1)</code>	NA	<code>persistence(alpha)</code>
<code>smooth_trend()</code>	<code>beta(NULL)</code>	NA	NA	<code>persistence(beta)</code>
<code>smooth_seasonal()</code>	<code>gamma(NULL)</code>	NA	NA	<code>persistence(gamma)</code>

Other options can be set using `set_engine()`.

ets (default engine)

The engine uses `forecast::ets()`.

Function Parameters:

```
#> function (y, model = "ZZZ", damped = NULL, alpha = NULL, beta = NULL, gamma = NULL,
#>   phi = NULL, additive.only = FALSE, lambda = NULL, biasadj = FALSE,
#>   lower = c(rep(1e-04, 3), 0.8), upper = c(rep(0.9999, 3), 0.98), opt.crit = c("lik",
#>     "amse", "mse", "sigma", "mae"), nmse = 3, bounds = c("both", "usual",
#>     "admissible"), ic = c("aicc", "aic", "bic"), restrict = TRUE, allow.multiplicative.trend = FALSE,
#>   use.initial.values = FALSE, na.action = c("na.contiguous", "na.interp",
#>     "na.fail"), ...)
```

The main arguments are `model` and `damped` are defined using:

- `error()` = "auto", "additive", and "multiplicative" are converted to "Z", "A", and "M"
- `trend()` = "auto", "additive", "multiplicative", and "none" are converted to "Z", "A", "M" and "N"

- `season()` = "auto", "additive", "multiplicative", and "none" are converted to "Z", "A", "M" and "N"
- `damping()` - "auto", "damped", "none" are converted to NULL, TRUE, FALSE
- `smooth_level()`, `smooth_trend()`, and `smooth_seasonal()` are automatically determined if not provided. They are mapped to "alpha", "beta" and "gamma", respectively.

By default, all arguments are set to "auto" to perform automated Exponential Smoothing using *in-sample data* following the underlying forecast::ets() automation routine.

Other options and argument can be set using `set_engine()`.

Parameter Notes:

- `xreg` - This model is not set up to use exogenous regressors. Only univariate models will be fit.

croston

The engine uses `forecast::croston()`.

Function Parameters:

```
#> function (y, h = 10, alpha = 0.1, x = y)
```

The main arguments are defined using:

- `smooth_level()`: The "alpha" parameter

Parameter Notes:

- `xreg` - This model is not set up to use exogenous regressors. Only univariate models will be fit.

theta

The engine uses `forecast::thetaf()`

Parameter Notes:

- `xreg` - This model is not set up to use exogenous regressors. Only univariate models will be fit.

smooth_es

The engine uses `smooth::es()`.

Function Parameters:

```
#> function (y, model = "ZZZ", lags = c(frequency(y)), persistence = NULL,
#>   phi = NULL, initial = c("optimal", "backcasting", "complete"), initialSeason = NULL,
#>   ic = c("AICc", "AIC", "BIC", "BICc"), loss = c("likelihood", "MSE",
#>     "MAE", "HAM", "MSEh", "TMSE", "GTMSE", "MSCE"), h = 10, holdout = FALSE,
#>   bounds = c("usual", "admissible", "none"), silent = TRUE, xreg = NULL,
#>   regressors = c("use", "select"), initialX = NULL, ...)
```

The main arguments `model` and `phi` are defined using:

- `error()` = "auto", "additive" and "multiplicative" are converted to "Z", "A" and "M"
- `trend()` = "auto", "additive", "multiplicative", "additive_damped", "multiplicative_damped" and "none" are converted to "Z", "A", "M", "Ad", "Md" and "N".
- `season()` = "auto", "additive", "multiplicative", and "none" are converted "Z", "A", "M" and "N"
- `damping()` - Value of damping parameter. If NULL, then it is estimated.
- `smooth_level()`, `smooth_trend()`, and `smooth_seasonal()` are automatically determined if not provided. They are mapped to "persistence" ("alpha", "beta" and "gamma", respectively).

By default, all arguments are set to "auto" to perform automated Exponential Smoothing using *in-sample data* following the underlying `smooth::es()` automation routine.

Other options and argument can be set using `set_engine()`.

Parameter Notes:

- `xreg` - This is supplied via the `parsnip / modeltime fit()` interface (so don't provide this manually). See Fit Details (below).

Fit Details

Date and Date-Time Variable

It's a requirement to have a date or date-time variable as a predictor. The `fit()` interface accepts date and date-time features and handles them internally.

- `fit(y ~ date)`

Seasonal Period Specification

The period can be non-seasonal (`seasonal_period = 1` or "none") or seasonal (e.g. `seasonal_period = 12` or `seasonal_period = "12 months"`). There are 3 ways to specify:

1. `seasonal_period = "auto"`: A period is selected based on the periodicity of the data (e.g. 12 if monthly)
2. `seasonal_period = 12`: A numeric frequency. For example, 12 is common for monthly data
3. `seasonal_period = "1 year"`: A time-based phrase. For example, "1 year" would convert to 12 for monthly data.

Univariate:

For univariate analysis, you must include a date or date-time feature. Simply use:

- Formula Interface (recommended): `fit(y ~ date)` will ignore `xreg`'s.
- XY Interface: `fit_xy(x = data[, "date"], y = data$y)` will ignore `xreg`'s.

Multivariate (xregs, Exogenous Regressors)

Just for smooth engine.

The `xreg` parameter is populated using the `fit()` or `fit_xy()` function:

- Only factor, ordered factor, and numeric data will be used as `xregs`.
- Date and Date-time variables are not used as `xregs`

- character data should be converted to factor.

Xreg Example: Suppose you have 3 features:

1. y (target)
2. date (time stamp),
3. month.lbl (labeled month as a ordered factor).

The month.lbl is an exogenous regressor that can be passed to the `arima_reg()` using `fit()`:

- `fit(y ~ date + month.lbl)` will pass month.lbl on as an exogenous regressor.
- `fit_xy(data[,c("date", "month.lbl")], y = data$y)` will pass x, where x is a data frame containing month.lbl and the date feature. Only month.lbl will be used as an exogenous regressor.

Note that date or date-time class values are excluded from xreg.

See Also

`fit.model_spec()`, `set_engine()`

Examples

```
library(dplyr)
library(parsnip)
library(rsample)
library(timetk)
library(smooth)

# Data
m750 <- m4_monthly %>% filter(id == "M750")
m750

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.8)

# ---- AUTO ETS ----

# Model Spec - The default parameters are all set
# to "auto" if none are provided
model_spec <- exp_smoothing() %>%
  set_engine("ets")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit

# ---- STANDARD ETS ----

# Model Spec
```

```

model_spec <- exp_smoothing(
  seasonal_period = 12,
  error           = "multiplicative",
  trend          = "additive",
  season         = "multiplicative"
) %>%
  set_engine("ets")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit

# ---- CROSTON ----

# Model Spec
model_spec <- exp_smoothing(
  smooth_level = 0.2
) %>%
  set_engine("croston")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit

# ---- THETA ----

#' # Model Spec
model_spec <- exp_smoothing() %>%
  set_engine("theta")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit

#' # ---- SMOOTH ----

#' # Model Spec
model_spec <- exp_smoothing(
  seasonal_period = 12,
  error           = "multiplicative",
  trend          = "additive_damped",
  season         = "additive"
) %>%
  set_engine("smooth")

```

```

    ) %>%
    set_engine("smooth_es")

# Fit Spec
model_fit <- model_spec %>%
  fit(value ~ date, data = training(splits))
model_fit

```

exp_smoothing_params *Tuning Parameters for Exponential Smoothing Models*

Description

Tuning Parameters for Exponential Smoothing Models

Usage

```

error(values = c("additive", "multiplicative"))

trend(values = c("additive", "multiplicative", "none"))

trend_smooth(
  values = c("additive", "multiplicative", "none", "additive_damped",
            "multiplicative_damped")
)

season(values = c("additive", "multiplicative", "none"))

damping(values = c("none", "damped"))

damping_smooth(range = c(0, 2), trans = NULL)

smooth_level(range = c(0, 1), trans = NULL)

smooth_trend(range = c(0, 1), trans = NULL)

smooth_seasonal(range = c(0, 1), trans = NULL)

```

Arguments

values	A character string of possible values.
range	A two-element vector holding the <i>defaults</i> for the smallest and largest possible values, respectively. If a transformation is specified, these values should be in the <i>transformed units</i> .
trans	A trans object from the scales package, such as <code>scales::transform_log10()</code> or <code>scales::transform_reciprocal()</code> . If not provided, the default is used which matches the units used in range. If no transformation, NULL.

Details

The main parameters for Exponential Smoothing models are:

- `error`: The form of the error term: "additive", or "multiplicative". If the error is multiplicative, the data must be non-negative.
- `trend`: The form of the trend term: "additive", "multiplicative" or "none".
- `season`: The form of the seasonal term: "additive", "multiplicative" or "none".
- `damping`: Apply damping to a trend: "damped", or "none".
- `smooth_level`: This is often called the "alpha" parameter used as the base level smoothing factor for exponential smoothing models.
- `smooth_trend`: This is often called the "beta" parameter used as the trend smoothing factor for exponential smoothing models.
- `smooth_seasonal`: This is often called the "gamma" parameter used as the seasonal smoothing factor for exponential smoothing models.

Examples

```
error()
```

```
trend()
```

```
season()
```

`get_arma_description` *Get model descriptions for Arima objects*

Description

Get model descriptions for Arima objects

Usage

```
get_arma_description(object, padding = FALSE)
```

Arguments

<code>object</code>	Objects of class Arima
<code>padding</code>	Whether or not to include padding

Source

- Forecast R Package, `forecast:::arma.string()`

Examples

```
library(forecast)

arima_fit <- forecast::Arima(1:10)

get_arima_description(arima_fit)
```

get_model_description *Get model descriptions for parsnip, workflows & modeltime objects*

Description

Get model descriptions for parsnip, workflows & modeltime objects

Usage

```
get_model_description(object, indicate_training = FALSE, upper_case = TRUE)
```

Arguments

object	Parsnip or workflow objects
indicate_training	Whether or not to indicate if the model has been trained
upper_case	Whether to return upper or lower case model descriptions

Examples

```
library(dplyr)
library(timetk)
library(parsnip)

# Model Specification ----

arima_spec <- arima_reg() %>%
  set_engine("auto_arima")

get_model_description(arima_spec, indicate_training = TRUE)

# Fitted Model ----

m750 <- m4_monthly %>% filter(id == "M750")

arima_fit <- arima_spec %>%
  fit(value ~ date, data = m750)

get_model_description(arima_fit, indicate_training = TRUE)
```

get_tbats_description *Get model descriptions for TBATS objects*

Description

Get model descriptions for TBATS objects

Usage

```
get_tbats_description(object)
```

Arguments

object Objects of class tbats

Source

- Forecast R Package, forecast:::as.character.tbats()

log_extractors *Log Extractor Functions for Modeltime Nested Tables*

Description

Extract logged information calculated during the modeltime_nested_fit(), modeltime_nested_select_best(), and modeltime_nested_refit() processes.

Usage

```
extract_nested_test_accuracy(object)

extract_nested_test_forecast(object, .include_actual = TRUE, .id_subset = NULL)

extract_nested_error_report(object)

extract_nested_best_model_report(object)

extract_nested_future_forecast(
  object,
  .include_actual = TRUE,
  .id_subset = NULL
)

extract_nested_modeltime_table(object, .row_id = 1)

extract_nested_train_split(object, .row_id = 1)

extract_nested_test_split(object, .row_id = 1)
```


Arguments

object	A nested modeltime table
.include_actual	Whether or not to include the actual data in the extracted forecast. Default: TRUE.
.id_subset	Can supply a vector of id's to extract forecasts for one or more id's, rather than extracting all forecasts. If NULL, extracts forecasts for all id's.
.row_id	The row number to extract from the nested data.

m750

The 750th Monthly Time Series used in the M4 Competition

Description

The 750th Monthly Time Series used in the M4 Competition

Usage

m750

Format

A tibble with 306 rows and 3 variables:

- id Factor. Unique series identifier
- date Date. Timestamp information. Monthly format.
- value Numeric. Value at the corresponding timestamp.

Source

- M4 Competition Website: <https://www.unic.ac.cy/iff/research/forecasting/m-competitions/m4/>

Examples

m750

`m750_models`*Three (3) Models trained on the M750 Data (Training Set)*

Description

Three (3) Models trained on the M750 Data (Training Set)

Usage

```
m750_models
```

Format

An `time_series_cv` object with 6 slices of Time Series Cross Validation resamples made on the `training(m750_splits)`

Details

```
m750_models <- modeltime_table(  
  wflw_fit_arima,  
  wflw_fit_prophet,  
  wflw_fit_glmnet  
)
```

Examples

```
m750_models
```

`m750_splits`*The results of train/test splitting the M750 Data*

Description

The results of train/test splitting the M750 Data

Usage

```
m750_splits
```

Format

An `rsplit` object split into approximately 23.5-years of training data and 2-years of testing data

Details

```
library(timetk)  
m750_splits <- time_series_split(m750, assess = "2 years", cumulative = TRUE)
```

Examples

```
library(rsample)

m750_splits

training(m750_splits)
```

m750_training_resamples

The Time Series Cross Validation Resamples the M750 Data (Training Set)

Description

The Time Series Cross Validation Resamples the M750 Data (Training Set)

Usage

```
m750_training_resamples
```

Format

An `time_series_cv` object with 6 slices of Time Series Cross Validation resamples made on the `training(m750_splits)`

Details

```
library(timetk)
m750_training_resamples <- time_series_cv(
  data      = training(m750_splits),
  assess   = "2 years",
  skip     = "2 years",
  cumulative = TRUE,
  slice_limit = 6
)
```

Examples

```
library(rsample)

m750_training_resamples
```

maape	<i>Mean Arctangent Absolute Percentage Error</i>
-------	--

Description

Useful when MAPE returns Inf typically due to intermittent data containing zeros. This is a wrapper to the function of TSrepr::maape().

Usage

```
maape(data, ...)
```

Arguments

data	A data.frame containing the truth and estimate columns.
...	Not currently in use.

maape_vec	<i>Mean Arctangent Absolute Percentage Error</i>
-----------	--

Description

This is basically a wrapper to the function of TSrepr::maape().

Usage

```
maape_vec(truth, estimate, na_rm = TRUE, ...)
```

Arguments

truth	The column identifier for the true results (that is numeric).
estimate	The column identifier for the predicted results (that is also numeric).
na_rm	Not in use... NA values managed by TSrepr::maape()
...	Not currently in use

Description

This is a wrapper for `metric_set()` with several common forecast / regression accuracy metrics included. These are the default time series accuracy metrics used with `modeltime_accuracy()`.

Usage

```
default_forecast_accuracy_metric_set(...)
```

```
extended_forecast_accuracy_metric_set(...)
```

Arguments

... Add additional yardstick metrics

Default Forecast Accuracy Metric Set

The primary purpose is to use the default accuracy metrics to calculate the following forecast accuracy metrics using `modeltime_accuracy()`:

- MAE - Mean absolute error, `mae()`
- MAPE - Mean absolute percentage error, `mape()`
- MASE - Mean absolute scaled error, `mase()`
- SMAPE - Symmetric mean absolute percentage error, `smape()`
- RMSE - Root mean squared error, `rmse()`
- RSQ - R-squared, `rsq()`

Adding additional metrics is possible via

Extended Forecast Accuracy Metric Set

Extends the default metric set by adding:

- MAAPE - Mean Arctangent Absolute Percentage Error, `maape()`. MAAPE is designed for intermittent data where MAPE returns Inf.

See Also

- `yardstick::metric_tweak()` - For modifying yardstick metrics

Examples

```

library(tibble)
library(dplyr)
library(timetk)
library(yardstick)

fake_data <- tibble(
  y = c(1:12, 2*1:12),
  yhat = c(1 + 1:12, 2*1:12 - 1)
)

# ---- HOW IT WORKS ----

# Default Forecast Accuracy Metric Specification
default_forecast_accuracy_metric_set()

# Create a metric summarizer function from the metric set
calc_default_metrics <- default_forecast_accuracy_metric_set()

# Apply the metric summarizer to new data
calc_default_metrics(fake_data, y, yhat)

# ---- ADD MORE PARAMETERS ----

# Can create a version of mase() with seasonality = 12 (monthly)
mase12 <- metric_tweak(.name = "mase12", .fn = mase, m = 12)

# Add it to the default metric set
my_metric_set <- default_forecast_accuracy_metric_set(mase12)
my_metric_set

# Apply the newly created metric set
my_metric_set(fake_data, y, yhat)

```

modeltime_accuracy *Calculate Accuracy Metrics*

Description

This is a wrapper for yardstick that simplifies time series regression accuracy metric calculations from a fitted workflow (trained workflow) or model_fit (trained parsnip model).

Usage

```

modeltime_accuracy(
  object,
  new_data = NULL,

```

```

  metric_set = default_forecast_accuracy_metric_set(),
  acc_by_id = FALSE,
  quiet = TRUE,
  ...
)

```

Arguments

object	A Modeltime Table
new_data	A tibble to predict and calculate residuals on. If provided, overrides any calibration data.
metric_set	A yardstick::metric_set() that is used to summarize one or more forecast accuracy (regression) metrics.
acc_by_id	Should a global or local model accuracy be produced? (Default: FALSE) <ul style="list-style-type: none"> • When FALSE, a global model accuracy is provided. • If TRUE, a local accuracy is provided group-wise for each time series ID. To enable local accuracy, an id must be provided during modeltime_calibrate().
quiet	Hide errors (TRUE, the default), or display them as they occur?
...	If new_data is provided, these parameters are passed to modeltime_calibrate()

Details

The following accuracy metrics are included by default via `default_forecast_accuracy_metric_set()`:

- MAE - Mean absolute error, `mae()`
- MAPE - Mean absolute percentage error, `mape()`
- MASE - Mean absolute scaled error, `mase()`
- SMAPE - Symmetric mean absolute percentage error, `smape()`
- RMSE - Root mean squared error, `rmse()`
- RSQ - R-squared, `rsq()`

Value

A tibble with accuracy estimates.

Examples

```

library(tidymodels)
library(dplyr)
library(lubridate)
library(timetk)

# Data
m750 <- m4_monthly %>% filter(id == "M750")

# Split Data 80/20

```

```

splits <- initial_time_split(m750, prop = 0.8)

# --- MODELS ---

# Model 1: prophet ----
model_fit_prophet <- prophet_reg() %>%
  set_engine(engine = "prophet") %>%
  fit(value ~ date, data = training(splits))

# ---- MODELTIME TABLE ----

models_tbl <- modeltime_table(
  model_fit_prophet
)

# ---- ACCURACY ----

models_tbl %>%
  modeltime_calibrate(new_data = testing(splits)) %>%
  modeltime_accuracy(
    metric_set = metric_set(mae, rmse, rsq)
  )

```

modeltime_calibrate *Preparation for forecasting*

Description

Calibration sets the stage for accuracy and forecast confidence by computing predictions and residuals from out of sample data.

Usage

```
modeltime_calibrate(object, new_data, id = NULL, quiet = TRUE, ...)
```

Arguments

object	A fitted model object that is either: <ol style="list-style-type: none"> 1. A modeltime table that has been created using <code>modeltime_table()</code> 2. A workflow that has been fit by <code>fit.workflow()</code> or 3. A parsnip model that has been fit using <code>fit.model_spec()</code>
new_data	A test data set tibble containing future information (timestamps and actual values).
id	A quoted column name containing an identifier column identifying time series that are grouped.

quiet Hide errors (TRUE, the default), or display them as they occur?
 ... Additional arguments passed to `modeltime_forecast()`.

Details

The results of calibration are used for:

- **Forecast Confidence Interval Estimation:** The out of sample residual data is used to calculate the confidence interval. Refer to `modeltime_forecast()`.
- **Accuracy Calculations:** The out of sample actual and prediction values are used to calculate performance metrics. Refer to `modeltime_accuracy()`

The calibration steps include:

1. If not a Modeltime Table, objects are converted to Modeltime Tables internally
2. Two Columns are added:
 - `.type`: Indicates the sample type. This is:
 - "Test" if predicted, or
 - "Fitted" if residuals were stored during modeling.
 - `.calibration_data`:
 - Contains a tibble with Timestamps, Actual Values, Predictions and Residuals calculated from `new_data` (Test Data)
 - If `id` is provided, will contain a 5th column that is the identifier variable.

Value

A Modeltime Table (`mdl_time_tbl`) with nested `.calibration_data` added

Examples

```
library(dplyr)
library(lubridate)
library(timetk)
library(parsnip)
library(rsample)

# Data
m750 <- m4_monthly %>% filter(id == "M750")

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.8)

# --- MODELS ---

# Model 1: prophet ----
model_fit_prophet <- prophet_reg() %>%
  set_engine(engine = "prophet") %>%
  fit(value ~ date, data = training(splits))
```

```
# ---- MODELTIME TABLE ----

models_tbl <- modeltime_table(
  model_fit_prophet
)

# ---- CALIBRATE ----

calibration_tbl <- models_tbl %>%
  modeltime_calibrate(
    new_data = testing(splits)
  )

# ---- ACCURACY ----

calibration_tbl %>%
  modeltime_accuracy()

# ---- FORECAST ----

calibration_tbl %>%
  modeltime_forecast(
    new_data = testing(splits),
    actual_data = m750
  )
```

modeltime_fit_workflowset

Fit a workflowset object to one or multiple time series

Description

This is a wrapper for `fit()` that takes a workflowset object and fits each model on one or multiple time series either sequentially or in parallel.

Usage

```
modeltime_fit_workflowset(
  object,
  data,
  ...,
  control = control_fit_workflowset()
)
```

Arguments

object	A workflow_set object, generated with the workflowsets::workflow_set function.
data	A tibble that contains data to fit the models.
...	Not currently used.
control	An object used to modify the fitting process. See control_fit_workflowset() .

Value

A Modeltime Table containing one or more fitted models.

See Also

[control_fit_workflowset\(\)](#)

Examples

```
library(tidymodels)
library(workflowsets)
library(dplyr)
library(lubridate)
library(timetk)

data_set <- m4_monthly

# SETUP WORKFLOWSETS

rec1 <- recipe(value ~ date + id, data_set) %>%
  step_mutate(date_num = as.numeric(date)) %>%
  step_mutate(month_lbl = lubridate::month(date, label = TRUE)) %>%
  step_dummy(all_nominal(), one_hot = TRUE)

mod1 <- linear_reg() %>% set_engine("lm")

mod2 <- prophet_reg() %>% set_engine("prophet")

wfsets <- workflowsets::workflow_set(
  preproc = list(rec1 = rec1),
  models = list(
    mod1 = mod1,
    mod2 = mod2
  ),
  cross = TRUE
)

# FIT WORKFLOWSETS
# - Returns a Modeltime Table with fitted workflowsets

wfsets %>% modeltime_fit_workflowset(data_set)
```

modeltime_forecast *Forecast future data*

Description

The goal of `modeltime_forecast()` is to simplify the process of forecasting future data.

Usage

```
modeltime_forecast(
  object,
  new_data = NULL,
  h = NULL,
  actual_data = NULL,
  conf_interval = 0.95,
  conf_by_id = FALSE,
  conf_method = "conformal_default",
  keep_data = FALSE,
  arrange_index = FALSE,
  ...
)
```

Arguments

<code>object</code>	A Modeltime Table
<code>new_data</code>	A tibble containing future information to forecast. If NULL, forecasts the calibration data.
<code>h</code>	The forecast horizon (can be used instead of <code>new_data</code> for time series with no exogenous regressors). Extends the calibration data <code>h</code> periods into the future.
<code>actual_data</code>	Reference data that is combined with the output tibble and given a <code>.key = "actual"</code>
<code>conf_interval</code>	An estimated confidence interval based on the calibration data. This is designed to estimate future confidence from <i>out-of-sample prediction error</i> .
<code>conf_by_id</code>	Whether or not to produce confidence interval estimates by an ID feature. <ul style="list-style-type: none"> • When FALSE, a global model confidence interval is provided. • If TRUE, a local confidence interval is provided group-wise for each time series ID. To enable local confidence interval, an <code>id</code> must be provided during <code>modeltime_calibrate()</code>.
<code>conf_method</code>	Algorithm used to produce confidence intervals. All CI's are Conformal Predictions. Choose one of: <ul style="list-style-type: none"> • <code>conformal_default</code>: Uses <code>qnorm()</code> to compute quantiles from out-of-sample (test set) residuals. • <code>conformal_split</code>: Uses the split method split conformal inference method described by Lei <i>et al</i> (2018)

keep_data	Whether or not to keep the new_data and actual_data as extra columns in the results. This can be useful if there is an important feature in the new_data and actual_data needed when forecasting. Default: FALSE.
arrange_index	Whether or not to sort the index in rowwise chronological order (oldest to newest) or to keep the original order of the data. Default: FALSE.
...	Not currently used

Details

The `modeltime_forecast()` function prepares a forecast for visualization with `plot_modeltime_forecast()`. The forecast is controlled by `new_data` or `h`, which can be combined with existing data (controlled by `actual_data`). Confidence intervals are included if the incoming Modeltime Table has been calibrated using `modeltime_calibrate()`. Otherwise confidence intervals are not estimated.

New Data

When forecasting you can specify future data using `new_data`. This is a future tibble with date column and columns for xregs extending the trained dates and exogenous regressors (xregs) if used.

- **Forecasting Evaluation Data:** By default, the `new_data` will use the `.calibration_data` if `new_data` is not provided. This is the equivalent of using `rsample::testing()` for getting test data sets.
- **Forecasting Future Data:** See `timetk::future_frame()` for creating future tibbles.
- **Xregs:** Can be used with this method

H (Horizon)

When forecasting, you can specify `h`. This is a phrase like "1 year", which extends the `.calibration_data` (1st priority) or the `actual_data` (2nd priority) into the future.

- **Forecasting Future Data:** All forecasts using `h` are **extended after the calibration data or actual_data**.
- **Extending .calibration_data** - Calibration data is given 1st priority, which is desirable *after refitting* with `modeltime_refit()`. Internally, a call is made to `timetk::future_frame()` to expedite creating new data using the date feature.
- **Extending actual_data** - If `h` is provided, and the modeltime table has not been calibrated, the "actual_data" will be extended into the future. This is useful in situations where you want to go directly from `modeltime_table()` to `modeltime_forecast()` without calibrating or refitting.
- **Xregs:** Cannot be used because future data must include new xregs. If xregs are desired, build a future data frame and use `new_data`.

Actual Data

This is reference data that contains the true values of the time-stamp data. It helps in visualizing the performance of the forecast vs the actual data.

When `h` is used and the Modeltime Table has *not been calibrated*, then the actual data is extended into the future periods that are defined by `h`.

Confidence Interval Estimation

Confidence intervals (`.conf_lo`, `.conf_hi`) are estimated based on the normal estimation of the testing errors (out of sample) from `modeltime_calibrate()`. The out-of-sample error estimates are then carried through and applied to any future forecasts.

The confidence interval can be adjusted with the `conf_interval` parameter. The algorithm used to produce confidence intervals can be changed with the `conf_method` parameter.

Conformal Default Method:

When `conf_method = "conformal_default"` (default), this method uses `qnorm()` to produce a 95% confidence interval by default. It estimates a normal (Gaussian distribution) based on the out-of-sample errors (residuals).

The confidence interval is *mean-adjusted*, meaning that if the mean of the residuals is non-zero, the confidence interval is adjusted to widen the interval to capture the difference in means.

Conformal Split Method:

When `conf_method = "conformal_split"`, this method uses the split conformal inference method described by Lei *et al* (2018). This is also implemented in the probably R package's `int_conformal_split()` function.

What happens to the confidence interval after refitting models?

Refitting has no affect on the confidence interval since this is calculated independently of the refitted model. New observations typically improve future accuracy, which in most cases makes the out-of-sample confidence intervals conservative.

Keep Data

Include the new data (and actual data) as extra columns with the results of the model forecasts. This can be helpful when the new data includes information useful to the forecasts. An example is when forecasting *Panel Data* and the new data contains ID features related to the time series group that the forecast belongs to.

Arrange Index

By default, `modeltime_forecast()` keeps the original order of the data. If desired, the user can sort the output by `.key`, `.model_id` and `.index`.

Value

A tibble with predictions and time-stamp data. For ease of plotting and calculations, the column names are transformed to:

- `.key`: Values labeled either "prediction" or "actual"
- `.index`: The timestamp index.
- `.value`: The value being forecasted.

Additionally, if the Modeltime Table has been previously calibrated using `modeltime_calibrate()`, you will gain confidence intervals.

- `.conf_lo`: The lower limit of the confidence interval.
- `.conf_hi`: The upper limit of the confidence interval.

Additional descriptive columns are included:

- `.model_id`: Model ID from the Modeltime Table

- .model_desc: Model Description from the Modeltime Table

Unnecessary columns are *dropped* to save space:

- .model
- .calibration_data

References

Lei, Jing, et al. "Distribution-free predictive inference for regression." *Journal of the American Statistical Association* 113.523 (2018): 1094-1111.

Examples

```
library(dplyr)
library(timetk)
library(parsnip)
library(rsample)

# Data
m750 <- m4_monthly %>% filter(id == "M750")

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.9)

# --- MODELS ---

# Model 1: prophet ----
model_fit_prophet <- prophet_reg() %>%
  set_engine(engine = "prophet") %>%
  fit(value ~ date, data = training(splits))

# ---- MODELTIME TABLE ----

models_tbl <- modeltime_table(
  model_fit_prophet
)

# ---- CALIBRATE ----

calibration_tbl <- models_tbl %>%
  modeltime_calibrate(new_data = testing(splits))

# ---- ACCURACY ----

calibration_tbl %>%
  modeltime_accuracy()

# ---- FUTURE FORECAST ----

calibration_tbl %>%
  modeltime_forecast(
```

```

    new_data    = testing(splits),
    actual_data = m750
  )

# ---- ALTERNATIVE: FORECAST WITHOUT CONFIDENCE INTERVALS ----
# Skips Calibration Step, No Confidence Intervals

models_tbl %>%
  modeltime_forecast(
    new_data    = testing(splits),
    actual_data = m750
  )

# ---- KEEP NEW DATA WITH FORECAST ----
# Keeps the new data. Useful if new data has information
# like ID features that should be kept with the forecast data

calibration_tbl %>%
  modeltime_forecast(
    new_data    = testing(splits),
    keep_data   = TRUE
  )

```

modeltime_nested_fit *Fit Tidymodels Workflows to Nested Time Series*

Description

Fits one or more tidymodels workflow objects to nested time series data using the following process:

1. Models are iteratively fit to training splits.
2. Accuracy is calculated on testing splits and is logged. Accuracy results can be retrieved with [extract_nested_test_accuracy\(\)](#)
3. Any model that returns an error is logged. Error logs can be retrieved with [extract_nested_error_report\(\)](#)
4. Forecast is predicted on testing splits and is logged. Forecast results can be retrieved with [extract_nested_test_forecast\(\)](#)

Usage

```

modeltime_nested_fit(
  nested_data,
  ...,
  model_list = NULL,
  metric_set = default_forecast_accuracy_metric_set(),
  conf_interval = 0.95,
  conf_method = "conformal_default",
  control = control_nested_fit()
)

```


Arguments

nested_data	Nested time series data
...	Tidymodels workflow objects that will be fit to the nested time series data.
model_list	Optionally, a list() of Tidymodels workflow objects can be provided
metric_set	A yardstick::metric_set() that is used to summarize one or more forecast accuracy (regression) metrics.
conf_interval	An estimated confidence interval based on the calibration data. This is designed to estimate future confidence from <i>out-of-sample prediction error</i> .
conf_method	Algorithm used to produce confidence intervals. All CI's are Conformal Predictions. Choose one of: <ul style="list-style-type: none"> • conformal_default: Uses qnorm() to compute quantiles from out-of-sample (test set) residuals. • conformal_split: Uses the split method split conformal inference method described by Lei <i>et al</i> (2018)
control	Used to control verbosity and parallel processing. See control_nested_fit() .

Details

Preparing Data for Nested Forecasting:

Use [extend_timeseries\(\)](#), [nest_timeseries\(\)](#), and [split_nested_timeseries\(\)](#) for preparing data for Nested Forecasting. The structure must be a nested data frame, which is supplied in `modeltime_nested_fit(nested_data)`.

Fitting Models:

Models must be in the form of tidymodels workflow objects. The models can be provided in two ways:

1. Using ... (dots): The workflow objects can be provided as dots.
2. Using model_list parameter: You can supply one or more workflow objects that are wrapped in a list().

Controlling the fitting process:

A control object can be provided during fitting to adjust the verbosity and parallel processing. See [control_nested_fit\(\)](#).

modeltime_nested_forecast

Modeltime Nested Forecast

Description

Make a new forecast from a Nested Modeltime Table.

Usage

```

modeltime_nested_forecast(
  object,
  h = NULL,
  include_actual = TRUE,
  conf_interval = 0.95,
  conf_method = "conformal_default",
  id_subset = NULL,
  control = control_nested_forecast()
)

```

Arguments

object	A Nested Modeltime Table
h	The forecast horizon. Extends the "trained on" data "h" periods into the future.
include_actual	Whether or not to include the ".actual_data" as part of the forecast. If FALSE, just returns the forecast predictions.
conf_interval	An estimated confidence interval based on the calibration data. This is designed to estimate future confidence from <i>out-of-sample prediction error</i> .
conf_method	Algorithm used to produce confidence intervals. All CI's are Conformal Predictions. Choose one of: <ul style="list-style-type: none"> • conformal_default: Uses <code>qnorm()</code> to compute quantiles from out-of-sample (test set) residuals. • conformal_split: Uses the split method split conformal inference method described by Lei <i>et al</i> (2018)
id_subset	A sequence of ID's from the modeltime table to subset the forecasting process. This can speed forecasts up.
control	Used to control verbosity and parallel processing. See control_nested_forecast() .

Details

This function is designed to help users that want to make new forecasts other than those that are created during the logging process as part of the Nested Modeltime Workflow.

Logged Forecasts:

The logged forecasts can be extracted using:

- [extract_nested_future_forecast\(\)](#): Extracts the future forecast created after refitting with `modeltime_nested_refit()`.
- [extract_nested_test_forecast\(\)](#): Extracts the test forecast created after initial fitting with `modeltime_nested_fit()`.

The problem is that these forecasts are static. The user would need to redo the fitting, model selection, and refitting process to obtain new forecasts. This is why `modeltime_nested_forecast()` exists. So you can create a new forecast without retraining any models.

Nested Forecasts:

The main arguments is `h`, which is a horizon that specifies how far into the future to make the new forecast.

- If `h = NULL`, a logged forecast will be returned
- If `h = 12`, a new forecast will be generated that extends each series 12-periods into the future.
- If `h = "2 years"`, a new forecast will be generated that extends each series 2-years into the future.

Use the `id_subset` to filter the Nested Modeltime Table object to just the time series of interest. Use the `conf_interval` to override the logged confidence interval. Note that this will have no effect if `h = NULL` as logged forecasts are returned. So be sure to provide `h` if you want to update the confidence interval.

Use the `control` argument to apply verbosity during the forecasting process and to run forecasts in parallel. Generally, `parallel` is better if many forecasts are being generated.

modeltime_nested_refit

Refits a Nested Modeltime Table

Description

Refits a Nested Modeltime Table to actual data using the following process:

1. Models are iteratively refit to `.actual_data`.
2. Any model that returns an error is logged. Errors can be retrieved with `extract_nested_error_report()`
3. Forecast is predicted on `future_data` and is logged. Forecast can be retrieved with `extract_nested_future_forecast()`

Usage

`modeltime_nested_refit(object, control = control_nested_refit())`

Arguments

`object` A Nested Modeltime Table
`control` Used to control verbosity and parallel processing. See `control_nested_refit()`.

modeltime_nested_select_best

Select the Best Models from Nested Modeltime Table

Description

Finds the best models for each time series group in a Nested Modeltime Table using a metric that the user specifies.

- Logs the best results, which can be accessed with `extract_nested_best_model_report()`
- If `filter_test_forecasts = TRUE`, updates the test forecast log, which can be accessed `extract_nested_test_forecast()`

Usage

```
modeltime_nested_select_best(
  object,
  metric = "rmse",
  minimize = TRUE,
  filter_test_forecasts = TRUE
)
```

Arguments

object	A Nested Modeltime Table
metric	A metric to minimize or maximize. By default available metrics are: <ul style="list-style-type: none"> • "rmse" (default) • "mae" • "mape" • "mase" • "smape" • "rsq"
minimize	Whether to minimize or maximize. Default: TRUE (minimize).
filter_test_forecasts	Whether or not to update the test forecast log to filter only the best forecasts. Default: TRUE.

modeltime_refit	<i>Refit one or more trained models to new data</i>
-----------------	---

Description

This is a wrapper for `fit()` that takes a Modeltime Table and retrains each model on *new data* re-using the parameters and preprocessing steps used during the training process.

Usage

```
modeltime_refit(object, data, ..., control = control_refit())
```

Arguments

object	A Modeltime Table
data	A tibble that contains data to retrain the model(s) using.
...	Additional arguments to control refitting.
	Ensemble Model Spec (<code>modeltime.ensemble</code>):
	When making a meta-learner with <code>modeltime.ensemble::ensemble_model_spec()</code> , used to pass <code>resamples</code> argument containing results from <code>modeltime.resample::modeltime_fit_resa</code>
control	Used to control verbosity and parallel processing. See control_refit() .

Details

Refitting is an important step prior to forecasting time series models. The `modeltime_refit()` function makes it easy to recycle models, retraining on new data.

Recycling Parameters

Parameters are recycled during retraining using the following criteria:

- **Automated models** (e.g. "auto arima") will have parameters recalculated.
- **Non-automated models** (e.g. "arima") will have parameters preserved.
- All preprocessing steps will be reused on the data

Refit

The `modeltime_refit()` function is used to retrain models trained with `fit()`.

Refit XY

The XY format is not supported at this time.

Value

A Modeltime Table containing one or more re-trained models.

See Also

[control_refit\(\)](#)

Examples

```
library(dplyr)
library(lubridate)
library(timetk)
library(parsnip)
library(rsample)

# Data
m750 <- m4_monthly %>% filter(id == "M750")

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.9)

# --- MODELS ---

model_fit_prophet <- prophet_reg() %>%
  set_engine(engine = "prophet") %>%
  fit(value ~ date, data = training(splits))

# ---- MODELTIME TABLE ----

models_tbl <- modeltime_table(
  model_fit_prophet
)
```

```
# ---- CALIBRATE ----  
# - Calibrate on training data set  
  
calibration_tbl <- models_tbl %>%  
  modeltime_calibrate(new_data = testing(splits))  
  
# ---- REFIT ----  
# - Refit on full data set  
  
refit_tbl <- calibration_tbl %>%  
  modeltime_refit(m750)
```

modeltime_residuals *Extract Residuals Information*

Description

This is a convenience function to unnest model residuals

Usage

```
modeltime_residuals(object, new_data = NULL, quiet = TRUE, ...)
```

Arguments

object	A Modeltime Table
new_data	A tibble to predict and calculate residuals on. If provided, overrides any calibration data.
quiet	Hide errors (TRUE, the default), or display them as they occur?
...	Not currently used.

Value

A tibble with residuals.

Examples

```
library(dplyr)  
library(lubridate)  
library(timetk)  
library(parsnip)  
library(rsample)  
  
# Data
```

```

m750 <- m4_monthly %>% filter(id == "M750")

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.9)

# --- MODELS ---

# Model 1: prophet ----
model_fit_prophet <- prophet_reg() %>%
  set_engine(engine = "prophet") %>%
  fit(value ~ date, data = training(splits))

# ---- MODELTIME TABLE ----

models_tbl <- modeltime_table(
  model_fit_prophet
)

# ---- RESIDUALS ----

# In-Sample
models_tbl %>%
  modeltime_calibrate(new_data = training(splits)) %>%
  modeltime_residuals() %>%
  plot_modeltime_residuals(.interactive = FALSE)

# Out-of-Sample
models_tbl %>%
  modeltime_calibrate(new_data = testing(splits)) %>%
  modeltime_residuals() %>%
  plot_modeltime_residuals(.interactive = FALSE)

```

modeltime_residuals_test

Apply Statistical Tests to Residuals

Description

This is a convenience function to calculate some statistical tests on the residuals models. Currently, the following statistics are calculated: the shapiro.test to check the normality of the residuals, the box-pierce and ljung-box tests and the durbin watson test to check the autocorrelation of the residuals. In all cases the p-values are returned.

Usage

```
modeltime_residuals_test(object, new_data = NULL, lag = 1, fitdf = 0, ...)
```

Arguments

object	A tibble extracted from <code>modeltime::modeltime_residuals()</code> .
new_data	A tibble to predict and calculate residuals on. If provided, overrides any calibration data.
lag	The statistic will be based on lag autocorrelation coefficients. Default: 1 (Applies to Box-Pierce, Ljung-Box, and Durbin-Watson Tests)
fitdf	Number of degrees of freedom to be subtracted. Default: 0 (Applies Box-Pierce and Ljung-Box Tests)
...	Not currently used

Details**Shapiro-Wilk Test**

The Shapiro-Wilk tests the Normality of the residuals. The Null Hypothesis is that the residuals are normally distributed. A low P-Value below a given significance level indicates the values are NOT Normally Distributed.

If the **p-value > 0.05 (good)**, this implies that the distribution of the data are not significantly different from normal distribution. In other words, we can assume the normality.

Box-Pierce and Ljung-Box Tests Tests

The Ljung-Box and Box-Pierce tests are methods that test for the absence of autocorrelation in residuals. A low p-value below a given significance level indicates the values are autocorrelated.

If the **p-value > 0.05 (good)**, this implies that the residuals of the data are independent. In other words, we can assume the residuals are not autocorrelated.

For more information about the parameters associated with the Box Pierce and Ljung Box tests check `?Box.Test`

Durbin-Watson Test

The Durbin-Watson test is a method that tests for the absence of autocorrelation in residuals. The Durbin Watson test reports a test statistic, with a value from 0 to 4, where:

- **2 is no autocorrelation (good)**
- From 0 to <2 is positive autocorrelation (common in time series data)
- From >2 to 4 is negative autocorrelation (less common in time series data)

Value

A tibble with with the p-values of the calculated statistical tests.

See Also

[stats::shapiro.test\(\)](#), [stats::Box.test\(\)](#)

Examples

```
library(dplyr)
library(timetk)
library(parsnip)
library(rsample)

# Data
m750 <- m4_monthly %>% filter(id == "M750")

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.9)

# --- MODELS ---

# Model 1: prophet ----
model_fit_prophet <- prophet_reg() %>%
  set_engine(engine = "prophet") %>%
  fit(value ~ date, data = training(splits))

# ---- MODELTIME TABLE ----

models_tbl <- modeltime_table(
  model_fit_prophet
)

# ---- RESIDUALS ----

# In-Sample
models_tbl %>%
  modeltime_calibrate(new_data = training(splits)) %>%
  modeltime_residuals() %>%
  modeltime_residuals_test()

# Out-of-Sample
models_tbl %>%
  modeltime_calibrate(new_data = testing(splits)) %>%
  modeltime_residuals() %>%
  modeltime_residuals_test()
```

Description

Designed to perform forecasts at scale using models created with `modeltime`, `parsnip`, `workflows`, and regression modeling extensions in the `tidymodels` ecosystem.

Usage

```
modeltime_table(...)  
  
as_modeltime_table(.l)
```

Arguments

```
...           Fitted parsnip model or workflow objects  
.l           A list containing fitted parsnip model or workflow objects
```

Details

```
modeltime_table():
```

1. Creates a table of models
2. Validates that all objects are models (parsnip or workflows objects) and all models have been fitted (trained)
3. Provides an ID and Description of the models

```
as_modeltime_table():
```

Converts a list of models to a modeltime table. Useful if programatically creating Modeltime Tables from models stored in a list.

Examples

```
library(dplyr)  
library(timetk)  
library(parsnip)  
library(rsample)  
  
# Data  
m750 <- m4_monthly %>% filter(id == "M750")  
  
# Split Data 80/20  
splits <- initial_time_split(m750, prop = 0.9)  
  
# --- MODELS ---  
  
# Model 1: prophet ----  
model_fit_prophet <- prophet_reg() %>%  
  set_engine(engine = "prophet") %>%  
  fit(value ~ date, data = training(splits))  
  
# ---- MODELTIME TABLE ----  
  
# Make a Modeltime Table  
models_tbl <- modeltime_table(  
  model_fit_prophet  
)
```

```

# Can also convert a list of models
list(model_fit_prophet) %>%
  as_modeltime_table()

# ---- CALIBRATE ----

calibration_tbl <- models_tbl %>%
  modeltime_calibrate(new_data = testing(splits))

# ---- ACCURACY ----

calibration_tbl %>%
  modeltime_accuracy()

# ---- FORECAST ----

calibration_tbl %>%
  modeltime_forecast(
    new_data = testing(splits),
    actual_data = m750
  )

```

naive_reg

General Interface for NAIVE Forecast Models

Description

`naive_reg()` is a way to generate a *specification* of an NAIVE or SNAIVE model before fitting and allows the model to be created using different packages.

Usage

```
naive_reg(mode = "regression", id = NULL, seasonal_period = NULL)
```

Arguments

<code>mode</code>	A single character string for the type of model. The only possible value for this model is "regression".
<code>id</code>	An optional quoted column name (e.g. "id") for identifying multiple time series (i.e. panel data).
<code>seasonal_period</code>	SNAIVE only. A seasonal frequency. Uses "auto" by default. A character phrase of "auto" or time-based phrase of "2 weeks" can be used if a date or date-time variable is provided. See Fit Details below.

Details

The data given to the function are not saved and are only used to determine the *mode* of the model. For `naive_reg()`, the mode will always be "regression".

The model can be created using the `fit()` function using the following *engines*:

- "naive" (default) - Performs a NAIVE forecast
- "snaive" - Performs a Seasonal NAIVE forecast

Engine Details

naive (default engine)

- The engine uses `naive_fit_impl()`
- The NAIVE implementation uses the last observation and forecasts this value forward.
- The `id` can be used to distinguish multiple time series contained in the data
- The `seasonal_period` is not used but provided for consistency with the SNAIVE implementation

snaive (default engine)

- The engine uses `snaive_fit_impl()`
- The SNAIVE implementation uses the last seasonal series in the data and forecasts this sequence of observations forward
- The `id` can be used to distinguish multiple time series contained in the data
- The `seasonal_period` is used to determine how far back to define the repeated series. This can be a numeric value (e.g. 28) or a period (e.g. "1 month")

Fit Details

Date and Date-Time Variable

It's a requirement to have a date or date-time variable as a predictor. The `fit()` interface accepts date and date-time features and handles them internally.

- `fit(y ~ date)`

ID features (Multiple Time Series, Panel Data)

The `id` parameter is populated using the `fit()` or `fit_xy()` function:

ID Example: Suppose you have 3 features:

1. `y` (target)
2. `date` (time stamp),
3. `series_id` (a unique identifier that identifies each time series in your data).

The `series_id` can be passed to the `naive_reg()` using `fit()`:

- `naive_reg(id = "series_id")` specifies that the `series_id` column should be used to identify each time series.

- `fit(y ~ date + series_id)` will pass `series_id` on to the underlying naive or snaive functions.

Seasonal Period Specification (snaive)

The period can be non-seasonal (`seasonal_period = 1` or `"none"`) or yearly seasonal (e.g. For monthly time stamps, `seasonal_period = 12`, `seasonal_period = "12 months"`, or `seasonal_period = "yearly"`). There are 3 ways to specify:

1. `seasonal_period = "auto"`: A seasonal period is selected based on the periodicity of the data (e.g. 12 if monthly)
2. `seasonal_period = 12`: A numeric frequency. For example, 12 is common for monthly data
3. `seasonal_period = "1 year"`: A time-based phrase. For example, "1 year" would convert to 12 for monthly data.

External Regressors (Xregs)

These models are univariate. No xregs are used in the modeling process.

See Also

`fit.model_spec()`, `set_engine()`

Examples

```
library(dplyr)
library(parsnip)
library(rsample)
library(timetk)

# Data
m750 <- m4_monthly %>% filter(id == "M750")
m750

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.8)

# ---- NAIVE ----

# Model Spec
model_spec <- naive_reg() %>%
  set_engine("naive")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit

# ---- SEASONAL NAIVE ----

# Model Spec
model_spec <- naive_reg(
```

```

      id = "id",
      seasonal_period = 12
    ) %>%
    set_engine("snaive")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date + id, data = training(splits))
model_fit

```

new_modeltime_bridge *Constructor for creating modeltime models*

Description

These functions are used to construct new modeltime bridge functions that connect the tidymodels infrastructure to time-series models containing date or date-time features.

Usage

```
new_modeltime_bridge(class, models, data, extras = NULL, desc = NULL)
```

Arguments

class	A class name that is used for creating custom printing messages
models	A list containing one or more models
data	A data frame (or tibble) containing 4 columns: (date column with name that matches input data), .actual, .fitted, and .residuals.
extras	An optional list that is typically used for transferring preprocessing recipes to the predict method.
desc	An optional model description to appear when printing your modeltime objects

Examples

```

library(dplyr)
library(lubridate)
library(timetk)

lm_model <- lm(value ~ as.numeric(date) + hour(date) + wday(date, label = TRUE),
  data = taylor_30_min)

data = tibble(
  date      = taylor_30_min$date, # Important - The column name must match the modeled data
  # These are standardized names: .actual, .fitted, .residuals
  .actual   = taylor_30_min$value,
  .fitted   = lm_model$fitted.values %>% as.numeric(),
  .residuals = lm_model$residuals %>% as.numeric()
)

```

```

)

new_modeltime_bridge(
  class = "lm_time_series_impl",
  models = list(model_1 = lm_model),
  data = data,
  extras = NULL
)

```

nnetar_params

Tuning Parameters for NNETAR Models

Description

Tuning Parameters for NNETAR Models

Usage

```
num_networks(range = c(1L, 100L), trans = NULL)
```

Arguments

range	A two-element vector holding the <i>defaults</i> for the smallest and largest possible values, respectively. If a transformation is specified, these values should be in the <i>transformed units</i> .
trans	A trans object from the scales package, such as <code>scales::transform_log10()</code> or <code>scales::transform_reciprocal()</code> . If not provided, the default is used which matches the units used in range. If no transformation, NULL.

Details

The main parameters for NNETAR models are:

- `non_seasonal_ar`: Number of non-seasonal auto-regressive (AR) lags. Often denoted "p" in pdq-notation.
- `seasonal_ar`: Number of seasonal auto-regressive (SAR) lags. Often denoted "P" in PDQ-notation.
- `hidden_units`: An integer for the number of units in the hidden model.
- `num_networks`: Number of networks to fit with different random starting weights. These are then averaged when producing forecasts.
- `penalty`: A non-negative numeric value for the amount of weight decay.
- `epochs`: An integer for the number of training iterations.

See Also

[non_seasonal_ar\(\)](#), [seasonal_ar\(\)](#), [dials::hidden_units\(\)](#), [dials::penalty\(\)](#), [dials::epochs\(\)](#)

Examples

```
num_networks()
```

nnetar_reg

General Interface for NNETAR Regression Models

Description

nnetar_reg() is a way to generate a *specification* of an NNETAR model before fitting and allows the model to be created using different packages. Currently the only package is forecast.

Usage

```
nnetar_reg(
  mode = "regression",
  seasonal_period = NULL,
  non_seasonal_ar = NULL,
  seasonal_ar = NULL,
  hidden_units = NULL,
  num_networks = NULL,
  penalty = NULL,
  epochs = NULL
)
```

Arguments

mode	A single character string for the type of model. The only possible value for this model is "regression".
seasonal_period	A seasonal frequency. Uses "auto" by default. A character phrase of "auto" or time-based phrase of "2 weeks" can be used if a date or date-time variable is provided. See Fit Details below.
non_seasonal_ar	The order of the non-seasonal auto-regressive (AR) terms. Often denoted "p" in pdq-notation.
seasonal_ar	The order of the seasonal auto-regressive (SAR) terms. Often denoted "P" in PDQ-notation.
hidden_units	An integer for the number of units in the hidden model.
num_networks	Number of networks to fit with different random starting weights. These are then averaged when producing forecasts.
penalty	A non-negative numeric value for the amount of weight decay.
epochs	An integer for the number of training iterations.

Details

The data given to the function are not saved and are only used to determine the *mode* of the model. For `nnetar_reg()`, the mode will always be "regression".

The model can be created using the `fit()` function using the following *engines*:

- "nnetar" (default) - Connects to `forecast::nnetar()`

Main Arguments

The main arguments (tuning parameters) for the model are the parameters in `nnetar_reg()` function. These arguments are converted to their specific names at the time that the model is fit.

Other options and argument can be set using `set_engine()` (See Engine Details below).

If parameters need to be modified, `update()` can be used in lieu of recreating the object from scratch.

Engine Details

The standardized parameter names in `modeltime` can be mapped to their original names in each engine:

<code>modeltime</code>	<code>forecast::nnetar</code>
<code>seasonal_period</code>	<code>ts(frequency)</code>
<code>non_seasonal_ar</code>	<code>p (1)</code>
<code>seasonal_ar</code>	<code>P (1)</code>
<code>hidden_units</code>	<code>size (10)</code>
<code>num_networks</code>	<code>repeats (20)</code>
<code>epochs</code>	<code>maxit (100)</code>
<code>penalty</code>	<code>decay (0)</code>

Other options can be set using `set_engine()`.

nnetar

The engine uses `forecast::nnetar()`.

Function Parameters:

```
#> function (y, p, P = 1, size, repeats = 20, xreg = NULL, lambda = NULL,
#>   model = NULL, subset = NULL, scale.inputs = TRUE, x = y, ...)
```

Parameter Notes:

- `xreg` - This is supplied via the `parsnip / modeltime fit()` interface (so don't provide this manually). See Fit Details (below).
- `size` - Is set to 10 by default. This differs from the `forecast` implementation
- `p` and `P` - Are set to 1 by default.
- `maxit` and `decay` are `nnet::nnet` parameters that are exposed in the `nnetar_reg()` interface. These are key tuning parameters.

Fit Details

Date and Date-Time Variable

It's a requirement to have a date or date-time variable as a predictor. The `fit()` interface accepts date and date-time features and handles them internally.

- `fit(y ~ date)`

Seasonal Period Specification

The period can be non-seasonal (`seasonal_period = 1` or `"none"`) or yearly seasonal (e.g. For monthly time stamps, `seasonal_period = 12`, `seasonal_period = "12 months"`, or `seasonal_period = "yearly"`). There are 3 ways to specify:

1. `seasonal_period = "auto"`: A seasonal period is selected based on the periodicity of the data (e.g. 12 if monthly)
2. `seasonal_period = 12`: A numeric frequency. For example, 12 is common for monthly data
3. `seasonal_period = "1 year"`: A time-based phrase. For example, "1 year" would convert to 12 for monthly data.

Univariate (No xregs, Exogenous Regressors):

For univariate analysis, you must include a date or date-time feature. Simply use:

- Formula Interface (recommended): `fit(y ~ date)` will ignore `xreg`'s.
- XY Interface: `fit_xy(x = data[, "date"], y = data$y)` will ignore `xreg`'s.

Multivariate (xregs, Exogenous Regressors)

The `xreg` parameter is populated using the `fit()` or `fit_xy()` function:

- Only factor, ordered factor, and numeric data will be used as `xregs`.
- Date and Date-time variables are not used as `xregs`
- character data should be converted to factor.

Xreg Example: Suppose you have 3 features:

1. `y` (target)
2. `date` (time stamp),
3. `month.lbl` (labeled month as a ordered factor).

The `month.lbl` is an exogenous regressor that can be passed to the `nnetar_reg()` using `fit()`:

- `fit(y ~ date + month.lbl)` will pass `month.lbl` on as an exogenous regressor.
- `fit_xy(data[, c("date", "month.lbl")], y = data$y)` will pass `x`, where `x` is a data frame containing `month.lbl` and the date feature. Only `month.lbl` will be used as an exogenous regressor.

Note that date or date-time class values are excluded from `xreg`.

See Also

`fit.model_spec()`, `set_engine()`

Examples

```
library(dplyr)
library(parsnip)
library(rsample)
library(timetk)

# Data
m750 <- m4_monthly %>% filter(id == "M750")
m750

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.8)

# ---- NNETAR ----

# Model Spec
model_spec <- nnetar_reg() %>%
  set_engine("nnetar")

# Fit Spec
set.seed(123)
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit
```

panel_tail

Filter the last N rows (Tail) for multiple time series

Description

Filter the last N rows (Tail) for multiple time series

Usage

```
panel_tail(data, id, n)
```

Arguments

data	A data frame
id	An "id" feature indicating which column differentiates the time series panels
n	The number of rows to filter

Value

A data frame

See Also

- [recursive\(\)](#) - used to generate recursive autoregressive models

Examples

```
library(timetk)

# Get the last 6 observations from each group
m4_monthly %>%
  panel_tail(id = id, n = 6)
```

parallel_start	<i>Start parallel clusters using parallel package</i>
----------------	---

Description

Start parallel clusters using parallel package

Usage

```
parallel_start(
  ...,
  .method = c("parallel", "spark"),
  .export_vars = NULL,
  .packages = NULL
)

parallel_stop()
```

Arguments

...	Parameters passed to underlying functions (See Details Section)
.method	The method to create the parallel backend. Supports: <ul style="list-style-type: none"> • "parallel" - Uses the parallel and doParallel packages • "spark" - Uses the sparklyr package
.export_vars	Environment variables that can be sent to the workers
.packages	Packages that can be sent to the workers

Parallel (.method = "parallel")

Performs 3 Steps:

1. Makes clusters using `parallel::makeCluster(...)`. The `parallel_start(...)` are passed to `parallel::makeCluster(...)`.
2. Registers clusters using `doParallel::registerDoParallel()`.
3. Adds `.libPaths()` using `parallel::clusterCall()`.

Spark (.method = "spark")

- Important, make sure to create a spark connection using `sparklyr::spark_connect()`.
- Pass the connection object as the first argument. For example, `parallel_start(sc, .method = "spark")`.
- The `parallel_start(...)` are passed to `sparklyr::registerDoSpark(...)`.

Examples

```
# Starts 2 clusters
parallel_start(2)

# Returns to sequential processing
parallel_stop()
```

parse_index

Developer Tools for parsing date and date-time information

Description

These functions are designed to assist developers in extending the `modeltime` package.

Usage

```
parse_index_from_data(data)

parse_period_from_index(data, period)
```

Arguments

<code>data</code>	A data frame
<code>period</code>	A period to calculate from the time index. Numeric values are returned as-is. "auto" guesses a numeric value from the index. A time-based phrase (e.g. "7 days") calculates the number of timestamps that typically occur within the time-based phrase.

Value

- `parse_index_from_data()`: Returns a tibble containing the date or date-time column.
- `parse_period_from_index()`: Returns the numeric period from a tibble containing the index.

Examples

```
library(dplyr)
library(timetk)

predictors <- m4_monthly %>%
  filter(id == "M750") %>%
  select(-value)

index_tbl <- parse_index_from_data(predictors)
index_tbl

period <- parse_period_from_index(index_tbl, period = "1 year")
period
```

plot_modeltime_forecast

Interactive Forecast Visualization

Description

This is a wrapper for `timetk::plot_time_series()` that generates an interactive (plotly) or static (ggplot2) plot with the forecasted data.

Usage

```
plot_modeltime_forecast(
  .data,
  .conf_interval_show = TRUE,
  .conf_interval_fill = "grey20",
  .conf_interval_alpha = 0.2,
  .smooth = FALSE,
  .legend_show = TRUE,
  .legend_max_width = 40,
  .facet_ncol = 1,
  .facet_nrow = 1,
  .facet_scales = "free_y",
  .title = "Forecast Plot",
  .x_lab = "",
  .y_lab = "",
  .color_lab = "Legend",
  .interactive = TRUE,
  .plotly_slider = FALSE,
  .trelliscope = FALSE,
  .trelliscope_params = list(),
  ...
)
```

Arguments

<code>.data</code>	A tibble that is the output of <code>modeltime_forecast()</code>
<code>.conf_interval_show</code>	Logical. Whether or not to include the confidence interval as a ribbon.
<code>.conf_interval_fill</code>	Fill color for the confidence interval
<code>.conf_interval_alpha</code>	Fill opacity for the confidence interval. Range (0, 1).
<code>.smooth</code>	Logical - Whether or not to include a trendline smoother. Uses See <code>smooth_vec()</code> to apply a LOESS smoother.
<code>.legend_show</code>	Logical. Whether or not to show the legend. Can save space with long model descriptions.
<code>.legend_max_width</code>	Numeric. The width of truncation to apply to the legend text.
<code>.facet_ncol</code>	Number of facet columns.
<code>.facet_nrow</code>	Number of facet rows (only used for <code>.trelliscope = TRUE</code>)
<code>.facet_scales</code>	Control facet x & y-axis ranges. Options include "fixed", "free", "free_y", "free_x"
<code>.title</code>	Title for the plot
<code>.x_lab</code>	X-axis label for the plot
<code>.y_lab</code>	Y-axis label for the plot
<code>.color_lab</code>	Legend label if a <code>color_var</code> is used.
<code>.interactive</code>	Returns either a static (ggplot2) visualization or an interactive (plotly) visualization
<code>.plotly_slider</code>	If TRUE, returns a plotly date range slider.
<code>.trelliscope</code>	Returns either a normal plot or a trelliscopejs plot (great for many time series) Must have trelliscopejs installed.
<code>.trelliscope_params</code>	Pass parameters to the <code>trelliscopejs::facet_trelliscope()</code> function as a <code>list()</code> . The only parameters that cannot be passed are: <ul style="list-style-type: none"> • <code>ncol</code>: use <code>.facet_ncol</code> • <code>nrow</code>: use <code>.facet_nrow</code> • <code>scales</code>: use <code>facet_scales</code> • <code>as_plotly</code>: use <code>.interactive</code>
<code>...</code>	Additional arguments passed to <code>timetk::plot_time_series()</code> .

Value

A static ggplot2 plot or an interactive plotly plot containing a forecast

Examples

```
library(dplyr)
library(lubridate)
library(timetk)
library(parsnip)
library(rsample)

# Data
m750 <- m4_monthly %>% filter(id == "M750")

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.9)

# --- MODELS ---

# Model 1: prophet ----
model_fit_prophet <- prophet_reg() %>%
  set_engine(engine = "prophet") %>%
  fit(value ~ date, data = training(splits))

# ---- MODELTIME TABLE ----

models_tbl <- modeltime_table(
  model_fit_prophet
)

# ---- FORECAST ----

models_tbl %>%
  modeltime_calibrate(new_data = testing(splits)) %>%
  modeltime_forecast(
    new_data = testing(splits),
    actual_data = m750
  ) %>%
  plot_modeltime_forecast(.interactive = FALSE)
```

plot_modeltime_residuals

Interactive Residuals Visualization

Description

This is a wrapper for examining residuals using:

- Time Plot: `timetk::plot_time_series()`
- ACF Plot: `timetk::plot_acf_diagnostics()`
- Seasonality Plot: `timetk::plot_seasonal_diagnostics()`

Usage

```
plot_modeltime_residuals(
  .data,
  .type = c("timeplot", "acf", "seasonality"),
  .smooth = FALSE,
  .legend_show = TRUE,
  .legend_max_width = 40,
  .title = "Residuals Plot",
  .x_lab = "",
  .y_lab = "",
  .color_lab = "Legend",
  .interactive = TRUE,
  ...
)
```

Arguments

<code>.data</code>	A tibble that is the output of <code>modeltime_residuals()</code>
<code>.type</code>	One of "timeplot", "acf", or "seasonality". The default is "timeplot".
<code>.smooth</code>	Logical - Whether or not to include a trendline smoother. Uses See <code>smooth_vec()</code> to apply a LOESS smoother.
<code>.legend_show</code>	Logical. Whether or not to show the legend. Can save space with long model descriptions.
<code>.legend_max_width</code>	Numeric. The width of truncation to apply to the legend text.
<code>.title</code>	Title for the plot
<code>.x_lab</code>	X-axis label for the plot
<code>.y_lab</code>	Y-axis label for the plot
<code>.color_lab</code>	Legend label if a <code>color_var</code> is used.
<code>.interactive</code>	Returns either a static (ggplot2) visualization or an interactive (plotly) visualization
<code>...</code>	Additional arguments passed to: <ul style="list-style-type: none"> • Time Plot: <code>timetk::plot_time_series()</code> • ACF Plot: <code>timetk::plot_acf_diagnostics()</code> • Seasonality Plot: <code>timetk::plot_seasonal_diagnostics()</code>

Value

A static ggplot2 plot or an interactive plotly plot containing residuals vs time

Examples

```
library(dplyr)
library(timetk)
library(parsnip)
```

```

library(rsample)

# Data
m750 <- m4_monthly %>% filter(id == "M750")

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.9)

# --- MODELS ---

# Model 1: prophet ----
model_fit_prophet <- prophet_reg() %>%
  set_engine(engine = "prophet") %>%
  fit(value ~ date, data = training(splits))

# ---- MODELTIME TABLE ----

models_tbl <- modeltime_table(
  model_fit_prophet
)

# ---- RESIDUALS ----

residuals_tbl <- models_tbl %>%
  modeltime_calibrate(new_data = testing(splits)) %>%
  modeltime_residuals()

residuals_tbl %>%
  plot_modeltime_residuals(
    .type = "timeplot",
    .interactive = FALSE
  )

```

pluck_modeltime_model *Extract model by model id in a Modeltime Table*

Description

The `pull_modeltime_model()` and `pluck_modeltime_model()` functions are synonyms.

Usage

```

pluck_modeltime_model(object, .model_id)

## S3 method for class 'mdl_time_tbl'
pluck_modeltime_model(object, .model_id)

pull_modeltime_model(object, .model_id)

```

Arguments

object	A Modeltime Table
.model_id	A numeric value matching the .model_id that you want to update

See Also

- [combine_modeltime_tables\(\)](#): Combine 2 or more Modeltime Tables together
- [add_modeltime_model\(\)](#): Adds a new row with a new model to a Modeltime Table
- [drop_modeltime_model\(\)](#): Drop one or more models from a Modeltime Table
- [update_modeltime_description\(\)](#): Updates a description for a model inside a Modeltime Table
- [update_modeltime_model\(\)](#): Updates a model inside a Modeltime Table
- [pull_modeltime_model\(\)](#): Extracts a model from a Modeltime Table

Examples

```
m750_models %>%
  pluck_modeltime_model(2)
```

prep_nested	<i>Prepared Nested Modeltime Data</i>
-------------	---------------------------------------

Description

A set of functions to simplify preparation of nested data for iterative (nested) forecasting with Nested Modeltime Tables.

Usage

```
extend_timeseries(.data, .id_var, .date_var, .length_future, ...)
nest_timeseries(.data, .id_var, .length_future, .length_actual = NULL)
split_nested_timeseries(.data, .length_test, .length_train = NULL, ...)
```

Arguments

.data	A data frame or tibble containing time series data. The data should have: <ul style="list-style-type: none"> • identifier (.id_var): Identifying one or more time series groups • date variable (.date_var): A date or date time column • target variable (.value): A column containing numeric values that is to be forecasted
.id_var	An id column

<code>.date_var</code>	A date or datetime column
<code>.length_future</code>	Varies based on the function: <ul style="list-style-type: none"> • <code>extend_timeseries()</code>: Defines how far into the future to extend the time series by each time series group. • <code>nest_timeseries()</code>: Defines which observations should be split into the <code>.future_data</code>.
<code>...</code>	Additional arguments passed to the helper function. See details.
<code>.length_actual</code>	Can be used to slice the <code>.actual_data</code> to a most recent number of observations.
<code>.length_test</code>	Defines the length of the test split for evaluation.
<code>.length_train</code>	Defines the length of the training split for evaluation.

Details

Preparation of nested time series follows a 3-Step Process:

Step 1: Extend the Time Series:

`extend_timeseries()`: A wrapper for `timetk::future_frame()` that extends a time series group-wise into the future.

- The group column is specified by `.id_var`.
- The date column is specified by `.date_var`.
- The length into the future is specified with `.length_future`.
- The `...` are additional parameters that can be passed to `timetk::future_frame()`

Step 2: Nest the Time Series:

`nest_timeseries()`: A helper for nesting your data into `.actual_data` and `.future_data`.

- The group column is specified by `.id_var`
- The `.length_future` defines the length of the `.future_data`.
- The remaining data is converted to the `.actual_data`.
- The `.length_actual` can be used to slice the `.actual_data` to a most recent number of observations.

The result is a "nested data frame".

Step 3: Split the Actual Data into Train/Test Splits:

`split_nested_timeseries()`: A wrapper for `timetk::time_series_split()` that generates training/testing splits from the `.actual_data` column.

- The `.length_test` is the primary argument that identifies the size of the testing sample. This is typically the same size as the `.future_data`.
- The `.length_train` is an optional size of the training data.
- The `...` (dots) are additional arguments that can be passed to `timetk::time_series_split()`.

Helpers:

`extract_nested_train_split()` and `extract_nested_test_split()` are used to simplify extracting the training and testing data from the actual data. This can be helpful when making preprocessing recipes using the `recipes` package.

Examples

```

library(dplyr)
library(timetk)

nested_data_tbl <- walmart_sales_weekly %>%
  select(id, date = Date, value = Weekly_Sales) %>%

  # Step 1: Extends the time series by id
  extend_timeseries(
    .id_var = id,
    .date_var = date,
    .length_future = 52
  ) %>%

  # Step 2: Nests the time series into .actual_data and .future_data
  nest_timeseries(
    .id_var = id,
    .length_future = 52
  ) %>%

  # Step 3: Adds a column .splits that contains training/testing indices
  split_nested_timeseries(
    .length_test = 52
  )

nested_data_tbl

# Helpers: Getting the Train/Test Sets
extract_nested_train_split(nested_data_tbl, .row_id = 1)

```

prophet_boost

General Interface for Boosted PROPHET Time Series Models

Description

prophet_boost() is a way to generate a *specification* of a Boosted PROPHET model before fitting and allows the model to be created using different packages. Currently the only package is prophet.

Usage

```

prophet_boost(
  mode = "regression",
  growth = NULL,
  changepoint_num = NULL,
  changepoint_range = NULL,
  seasonality_yearly = NULL,
  seasonality_weekly = NULL,

```

```

seasonality_daily = NULL,
season = NULL,
prior_scale_changepoints = NULL,
prior_scale_seasonality = NULL,
prior_scale_holidays = NULL,
logistic_cap = NULL,
logistic_floor = NULL,
mtry = NULL,
trees = NULL,
min_n = NULL,
tree_depth = NULL,
learn_rate = NULL,
loss_reduction = NULL,
sample_size = NULL,
stop_iter = NULL
)

```

Arguments

mode	A single character string for the type of model. The only possible value for this model is "regression".
growth	String 'linear' or 'logistic' to specify a linear or logistic trend.
changepoint_num	Number of potential changepoints to include for modeling trend.
changepoint_range	Adjusts the flexibility of the trend component by limiting to a percentage of data before the end of the time series. 0.80 means that a changepoint cannot exist after the first 80% of the data.
seasonality_yearly	One of "auto", TRUE or FALSE. Toggles on/off a seasonal component that models year-over-year seasonality.
seasonality_weekly	One of "auto", TRUE or FALSE. Toggles on/off a seasonal component that models week-over-week seasonality.
seasonality_daily	One of "auto", TRUE or FALSE. Toggles on/off a seasonal component that models day-over-day seasonality.
season	'additive' (default) or 'multiplicative'.
prior_scale_changepoints	Parameter modulating the flexibility of the automatic changepoint selection. Large values will allow many changepoints, small values will allow few changepoints.
prior_scale_seasonality	Parameter modulating the strength of the seasonality model. Larger values allow the model to fit larger seasonal fluctuations, smaller values dampen the seasonality.

prior_scale_holidays	Parameter modulating the strength of the holiday components model, unless overridden in the holidays input.
logistic_cap	When growth is logistic, the upper-bound for "saturation".
logistic_floor	When growth is logistic, the lower-bound for "saturation".
mtry	A number for the number (or proportion) of predictors that will be randomly sampled at each split when creating the tree models (specific engines only).
trees	An integer for the number of trees contained in the ensemble.
min_n	An integer for the minimum number of data points in a node that is required for the node to be split further.
tree_depth	An integer for the maximum depth of the tree (i.e. number of splits) (specific engines only).
learn_rate	A number for the rate at which the boosting algorithm adapts from iteration-to-iteration (specific engines only). This is sometimes referred to as the shrinkage parameter.
loss_reduction	A number for the reduction in the loss function required to split further (specific engines only).
sample_size	number for the number (or proportion) of data that is exposed to the fitting routine.
stop_iter	The number of iterations without improvement before stopping (xgboost only).

Details

The data given to the function are not saved and are only used to determine the *mode* of the model. For `prophet_boost()`, the mode will always be "regression".

The model can be created using the `fit()` function using the following *engines*:

- "prophet_xgboost" (default) - Connects to `prophet::prophet()` and `xgboost::xgb.train()`

Main Arguments

The main arguments (tuning parameters) for the **PROPHET** model are:

- `growth`: String 'linear' or 'logistic' to specify a linear or logistic trend.
- `changepoint_num`: Number of potential changepoints to include for modeling trend.
- `changepoint_range`: Range changepoints that adjusts how close to the end the last changepoint can be located.
- `season`: 'additive' (default) or 'multiplicative'.
- `prior_scale_changepoints`: Parameter modulating the flexibility of the automatic changepoint selection. Large values will allow many changepoints, small values will allow few changepoints.
- `prior_scale_seasonality`: Parameter modulating the strength of the seasonality model. Larger values allow the model to fit larger seasonal fluctuations, smaller values dampen the seasonality.
- `prior_scale_holidays`: Parameter modulating the strength of the holiday components model, unless overridden in the holidays input.

- `logistic_cap`: When growth is logistic, the upper-bound for "saturation".
- `logistic_floor`: When growth is logistic, the lower-bound for "saturation".

The main arguments (tuning parameters) for the model **XGBoost model** are:

- `mtry`: The number of predictors that will be randomly sampled at each split when creating the tree models.
- `trees`: The number of trees contained in the ensemble.
- `min_n`: The minimum number of data points in a node that are required for the node to be split further.
- `tree_depth`: The maximum depth of the tree (i.e. number of splits).
- `learn_rate`: The rate at which the boosting algorithm adapts from iteration-to-iteration.
- `loss_reduction`: The reduction in the loss function required to split further.
- `sample_size`: The amount of data exposed to the fitting routine.
- `stop_iter`: The number of iterations without improvement before stopping.

These arguments are converted to their specific names at the time that the model is fit.

Other options and argument can be set using `set_engine()` (See Engine Details below).

If parameters need to be modified, `update()` can be used in lieu of recreating the object from scratch.

Engine Details

The standardized parameter names in `modeltime` can be mapped to their original names in each engine:

Model 1: PROPHET:

<code>modeltime</code>	<code>prophet</code>
<code>growth</code>	<code>growth ('linear')</code>
<code>changepoint_num</code>	<code>n.changepoints (25)</code>
<code>changepoint_range</code>	<code>changepoints.range (0.8)</code>
<code>seasonality_yearly</code>	<code>yearly.seasonality ('auto')</code>
<code>seasonality_weekly</code>	<code>weekly.seasonality ('auto')</code>
<code>seasonality_daily</code>	<code>daily.seasonality ('auto')</code>
<code>season</code>	<code>seasonality.mode ('additive')</code>
<code>prior_scale_changepoints</code>	<code>changepoint.prior.scale (0.05)</code>
<code>prior_scale_seasonality</code>	<code>seasonality.prior.scale (10)</code>
<code>prior_scale_holidays</code>	<code>holidays.prior.scale (10)</code>
<code>logistic_cap</code>	<code>df\$cap (NULL)</code>
<code>logistic_floor</code>	<code>df\$floor (NULL)</code>

Model 2: XGBoost:

<code>modeltime</code>	<code>xgboost::xgb.train</code>
<code>tree_depth</code>	<code>max_depth (6)</code>

trees	nrounds (15)
learn_rate	eta (0.3)
mtry	colsample_bynode (1)
min_n	min_child_weight (1)
loss_reduction	gamma (0)
sample_size	subsample (1)
stop_iter	early_stop

Other options can be set using `set_engine()`.

prophet_xgboost

Model 1: PROPHET (`prophet::prophet`):

```
#> function (df = NULL, growth = "linear", changepoints = NULL, n.changepoints = 25,
#>   changepoint.range = 0.8, yearly.seasonality = "auto", weekly.seasonality = "auto",
#>   daily.seasonality = "auto", holidays = NULL, seasonality.mode = "additive",
#>   seasonality.prior.scale = 10, holidays.prior.scale = 10, changepoint.prior.scale = 0.05,
#>   mcmc.samples = 0, interval.width = 0.8, uncertainty.samples = 1000,
#>   fit = TRUE, ...)
```

Parameter Notes:

- `df`: This is supplied via the `parsnip / modeltime fit()` interface (so don't provide this manually). See Fit Details (below).
- `holidays`: A `data.frame` of holidays can be supplied via `set_engine()`
- `uncertainty.samples`: The default is set to 0 because the prophet uncertainty intervals are not used as part of the Modeltime Workflow. You can override this setting if you plan to use prophet's uncertainty tools.

Logistic Growth and Saturation Levels:

- For `growth = "logistic"`, simply add numeric values for `logistic_cap` and/or `logistic_floor`. There is *no need* to add additional columns for "cap" and "floor" to your data frame.

Limitations:

- `prophet::add_seasonality()` is not currently implemented. It's used to specify non-standard seasonalities using fourier series. An alternative is to use `step_fourier()` and supply custom seasonalities as Extra Regressors.

Model 2: XGBoost (`xgboost::xgb.train`):

```
#> function (params = list(), data, nrounds, watchlist = list(), obj = NULL,
#>   feval = NULL, verbose = 1, print_every_n = 1L, early_stopping_rounds = NULL,
#>   maximize = NULL, save_period = NULL, save_name = "xgboost.model", xgb_model = NULL,
#>   callbacks = list(), ...)
```

Parameter Notes:

- XGBoost uses a `params = list()` to capture. Parsnip / Modeltime automatically sends any args provided as `...` inside of `set_engine()` to the `params = list(...)`.

Fit Details

Date and Date-Time Variable

It's a requirement to have a date or date-time variable as a predictor. The `fit()` interface accepts date and date-time features and handles them internally.

- `fit(y ~ date)`

Univariate (No Extra Regressors):

For univariate analysis, you must include a date or date-time feature. Simply use:

- Formula Interface (recommended): `fit(y ~ date)` will ignore `xreg`'s.
- XY Interface: `fit_xy(x = data[, "date"], y = data$y)` will ignore `xreg`'s.

Multivariate (Extra Regressors)

Extra Regressors parameter is populated using the `fit()` or `fit_xy()` function:

- Only factor, ordered factor, and numeric data will be used as `xregs`.
- Date and Date-time variables are not used as `xregs`.
- character data should be converted to factor.

Xreg Example: Suppose you have 3 features:

1. `y` (target)
2. `date` (time stamp),
3. `month.lbl` (labeled month as a ordered factor).

The `month.lbl` is an exogenous regressor that can be passed to the `arima_reg()` using `fit()`:

- `fit(y ~ date + month.lbl)` will pass `month.lbl` on as an exogenous regressor.
- `fit_xy(data[, c("date", "month.lbl")], y = data$y)` will pass `x`, where `x` is a data frame containing `month.lbl` and the date feature. Only `month.lbl` will be used as an exogenous regressor.

Note that date or date-time class values are excluded from `xreg`.

See Also

`fit.model_spec()`, `set_engine()`

Examples

```
library(dplyr)
library(lubridate)
library(parsnip)
library(rsample)
library(timetk)

# Data
m750 <- m4_monthly %>% filter(id == "M750")
m750
```

```

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.8)

# ---- PROPHET ----

# Model Spec
model_spec <- prophet_boost(
  learn_rate = 0.1
) %>%
  set_engine("prophet_xgboost")

# Fit Spec

model_fit <- model_spec %>%
  fit(log(value) ~ date + as.numeric(date) + month(date, label = TRUE),
      data = training(splits))
model_fit

```

prophet_params

Tuning Parameters for Prophet Models

Description

Tuning Parameters for Prophet Models

Usage

```

growth(values = c("linear", "logistic"))

changepoint_num(range = c(0L, 50L), trans = NULL)

changepoint_range(range = c(0.6, 0.9), trans = NULL)

seasonality_yearly(values = c(TRUE, FALSE))

seasonality_weekly(values = c(TRUE, FALSE))

seasonality_daily(values = c(TRUE, FALSE))

prior_scale_changepoints(range = c(-3, 2), trans = log10_trans())

prior_scale_seasonality(range = c(-3, 2), trans = log10_trans())

prior_scale_holidays(range = c(-3, 2), trans = log10_trans())

```

Arguments

values	A character string of possible values.
range	A two-element vector holding the <i>defaults</i> for the smallest and largest possible values, respectively. If a transformation is specified, these values should be in the <i>transformed units</i> .
trans	A trans object from the scales package, such as <code>scales::transform_log10()</code> or <code>scales::transform_reciprocal()</code> . If not provided, the default is used which matches the units used in range. If no transformation, NULL.

Details

The main parameters for Prophet models are:

- growth: The form of the trend: "linear", or "logistic".
- changepoint_num: The maximum number of trend changepoints allowed when modeling the trend
- changepoint_range: The range affects how close the changepoints can go to the end of the time series. The larger the value, the more flexible the trend.
- Yearly, Weekly, and Daily Seasonality:
 - *Yearly*: seasonality_yearly - Useful when seasonal patterns appear year-over-year
 - *Weekly*: seasonality_weekly - Useful when seasonal patterns appear week-over-week (e.g. daily data)
 - *Daily*: seasonality_daily - Useful when seasonal patterns appear day-over-day (e.g. hourly data)
- season:
 - The form of the seasonal term: "additive" or "multiplicative".
 - See [season\(\)](#).
- "Prior Scale": Controls flexibility of
 - *Changepoints*: prior_scale_changepoints
 - *Seasonality*: prior_scale_seasonality
 - *Holidays*: prior_scale_holidays
 - The `log10_trans()` converts priors to a scale from 0.001 to 100, which effectively weights lower values more heavily than larger values.

Examples

```
growth()
```

```
changepoint_num()
```

```
season()
```

```
prior_scale_changepoints()
```

Description

prophet_reg() is a way to generate a *specification* of a PROPHET model before fitting and allows the model to be created using different packages. Currently the only package is prophet.

Usage

```
prophet_reg(
  mode = "regression",
  growth = NULL,
  changepoint_num = NULL,
  changepoint_range = NULL,
  seasonality_yearly = NULL,
  seasonality_weekly = NULL,
  seasonality_daily = NULL,
  season = NULL,
  prior_scale_changepoints = NULL,
  prior_scale_seasonality = NULL,
  prior_scale_holidays = NULL,
  logistic_cap = NULL,
  logistic_floor = NULL
)
```

Arguments

mode	A single character string for the type of model. The only possible value for this model is "regression".
growth	String 'linear' or 'logistic' to specify a linear or logistic trend.
changepoint_num	Number of potential changepoints to include for modeling trend.
changepoint_range	Adjusts the flexibility of the trend component by limiting to a percentage of data before the end of the time series. 0.80 means that a changepoint cannot exist after the first 80% of the data.
seasonality_yearly	One of "auto", TRUE or FALSE. Toggles on/off a seasonal component that models year-over-year seasonality.
seasonality_weekly	One of "auto", TRUE or FALSE. Toggles on/off a seasonal component that models week-over-week seasonality.
seasonality_daily	One of "auto", TRUE or FALSE. Toggles on/off a seasonal component that models day-over-day seasonality.

season	'additive' (default) or 'multiplicative'.
prior_scale_changepoints	Parameter modulating the flexibility of the automatic changepoint selection. Large values will allow many changepoints, small values will allow few changepoints.
prior_scale_seasonality	Parameter modulating the strength of the seasonality model. Larger values allow the model to fit larger seasonal fluctuations, smaller values dampen the seasonality.
prior_scale_holidays	Parameter modulating the strength of the holiday components model, unless overridden in the holidays input.
logistic_cap	When growth is logistic, the upper-bound for "saturation".
logistic_floor	When growth is logistic, the lower-bound for "saturation".

Details

The data given to the function are not saved and are only used to determine the *mode* of the model. For `prophet_reg()`, the mode will always be "regression".

The model can be created using the `fit()` function using the following *engines*:

- "prophet" (default) - Connects to `prophet::prophet()`

Main Arguments

The main arguments (tuning parameters) for the model are:

- `growth`: String 'linear' or 'logistic' to specify a linear or logistic trend.
- `changepoint_num`: Number of potential changepoints to include for modeling trend.
- `changepoint_range`: Range changepoints that adjusts how close to the end the last changepoint can be located.
- `season`: 'additive' (default) or 'multiplicative'.
- `prior_scale_changepoints`: Parameter modulating the flexibility of the automatic changepoint selection. Large values will allow many changepoints, small values will allow few changepoints.
- `prior_scale_seasonality`: Parameter modulating the strength of the seasonality model. Larger values allow the model to fit larger seasonal fluctuations, smaller values dampen the seasonality.
- `prior_scale_holidays`: Parameter modulating the strength of the holiday components model, unless overridden in the holidays input.
- `logistic_cap`: When growth is logistic, the upper-bound for "saturation".
- `logistic_floor`: When growth is logistic, the lower-bound for "saturation".

These arguments are converted to their specific names at the time that the model is fit.

Other options and argument can be set using `set_engine()` (See Engine Details below).

If parameters need to be modified, `update()` can be used in lieu of recreating the object from scratch.

Engine Details

The standardized parameter names in `modeltime` can be mapped to their original names in each engine:

<code>modeltime</code>	<code>prophet</code>
<code>growth</code>	<code>growth ('linear')</code>
<code>changepoint_num</code>	<code>n.changepoints (25)</code>
<code>changepoint_range</code>	<code>changepoints.range (0.8)</code>
<code>seasonality_yearly</code>	<code>yearly.seasonality ('auto')</code>
<code>seasonality_weekly</code>	<code>weekly.seasonality ('auto')</code>
<code>seasonality_daily</code>	<code>daily.seasonality ('auto')</code>
<code>season</code>	<code>seasonality.mode ('additive')</code>
<code>prior_scale_changepoints</code>	<code>changepoint.prior.scale (0.05)</code>
<code>prior_scale_seasonality</code>	<code>seasonality.prior.scale (10)</code>
<code>prior_scale_holidays</code>	<code>holidays.prior.scale (10)</code>
<code>logistic_cap</code>	<code>df\$cap (NULL)</code>
<code>logistic_floor</code>	<code>df\$floor (NULL)</code>

Other options can be set using `set_engine()`.

prophet

The engine uses `prophet::prophet()`.

Function Parameters:

```
#> function (df = NULL, growth = "linear", changepoints = NULL, n.changepoints = 25,
#>   changepoint.range = 0.8, yearly.seasonality = "auto", weekly.seasonality = "auto",
#>   daily.seasonality = "auto", holidays = NULL, seasonality.mode = "additive",
#>   seasonality.prior.scale = 10, holidays.prior.scale = 10, changepoint.prior.scale = 0.05,
#>   mcmc.samples = 0, interval.width = 0.8, uncertainty.samples = 1000,
#>   fit = TRUE, ...)
```

Parameter Notes:

- `df`: This is supplied via the `parsnip / modeltime fit()` interface (so don't provide this manually). See [Fit Details](#) (below).
- `holidays`: A `data.frame` of holidays can be supplied via `set_engine()`
- `uncertainty.samples`: The default is set to 0 because the prophet uncertainty intervals are not used as part of the Modeltime Workflow. You can override this setting if you plan to use prophet's uncertainty tools.

Regressors:

- Regressors are provided via the `fit()` or `recipes` interface, which passes regressors to `prophet::add_regressor()`
- Parameters can be controlled in `set_engine()` via: `regressors.prior.scale`, `regressors.standardize`, and `regressors.mode`
- The regressor prior scale implementation default is `regressors.prior.scale = 1e4`, which deviates from the prophet implementation (defaults to `holidays.prior.scale`)

Logistic Growth and Saturation Levels:

- For growth = "logistic", simply add numeric values for `logistic_cap` and/or `logistic_floor`. There is *no need* to add additional columns for "cap" and "floor" to your data frame.

Limitations:

- `prophet::add_seasonality()` is not currently implemented. It's used to specify non-standard seasonalities using fourier series. An alternative is to use `step_fourier()` and supply custom seasonalities as Extra Regressors.

Fit Details

Date and Date-Time Variable

It's a requirement to have a date or date-time variable as a predictor. The `fit()` interface accepts date and date-time features and handles them internally.

- `fit(y ~ date)`

Univariate (No Extra Regressors):

For univariate analysis, you must include a date or date-time feature. Simply use:

- Formula Interface (recommended): `fit(y ~ date)` will ignore `xreg`'s.
- XY Interface: `fit_xy(x = data[, "date"], y = data$y)` will ignore `xreg`'s.

Multivariate (Extra Regressors)

Extra Regressors parameter is populated using the `fit()` or `fit_xy()` function:

- Only factor, ordered factor, and numeric data will be used as `xregs`.
- Date and Date-time variables are not used as `xregs`
- character data should be converted to factor.

Xreg Example: Suppose you have 3 features:

1. `y` (target)
2. `date` (time stamp),
3. `month.lbl` (labeled month as a ordered factor).

The `month.lbl` is an exogenous regressor that can be passed to the `arima_reg()` using `fit()`:

- `fit(y ~ date + month.lbl)` will pass `month.lbl` on as an exogenous regressor.
- `fit_xy(data[, c("date", "month.lbl")], y = data$y)` will pass `x`, where `x` is a data frame containing `month.lbl` and the date feature. Only `month.lbl` will be used as an exogenous regressor.

Note that date or date-time class values are excluded from `xreg`.

See Also

`fit.model_spec()`, `set_engine()`

Examples

```
library(dplyr)
library(parsnip)
library(rsample)
library(timetk)

# Data
m750 <- m4_monthly %>% filter(id == "M750")
m750

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.8)

# ---- PROPHET ----

# Model Spec
model_spec <- prophet_reg() %>%
  set_engine("prophet")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit
```

pull_modeltime_residuals

Extracts modeltime residuals data from a Modeltime Model

Description

If a modeltime model contains data with residuals information, this function will extract the data frame.

Usage

```
pull_modeltime_residuals(object)
```

Arguments

object A fitted parsnip / modeltime model or workflow

Value

A tibble containing the model timestamp, actual, fitted, and residuals data

pull_parsnip_preprocessor

Pulls the Formula from a Fitted Parsnip Model Object

Description

Pulls the Formula from a Fitted Parsnip Model Object

Usage

```
pull_parsnip_preprocessor(object)
```

Arguments

object A fitted parsnip model `model_fit` object

Value

A formula using `stats::formula()`

recipe_helpers

Developer Tools for processing XREGS (Regressors)

Description

Wrappers for using `recipes::bake` and `recipes::juice` to process data returning data in either data frame or matrix format (Common formats needed for machine learning algorithms).

Usage

```
juice_xreg_recipe(recipe, format = c("tbl", "matrix"))
```

```
bake_xreg_recipe(recipe, new_data, format = c("tbl", "matrix"))
```

Arguments

recipe A prepared recipe

format One of:

- `tbl`: Returns a tibble (`data.frame`)
- `matrix`: Returns a matrix

new_data Data to be processed by a recipe

Value

Data in either the `tbl` (`data.frame`) or `matrix` formats

Examples

```

library(dplyr)
library(timetk)
library(recipes)
library(lubridate)

predictors <- m4_monthly %>%
  filter(id == "M750") %>%
  select(-value) %>%
  mutate(month = month(date), label = TRUE))
predictors

# Create default recipe
xreg_recipe_spec <- create_xreg_recipe(predictors, prepare = TRUE)

# Extracts the preprocessed training data from the recipe (used in your fit function)
juice_xreg_recipe(xreg_recipe_spec)

# Applies the prepared recipe to new data (used in your predict function)
bake_xreg_recipe(xreg_recipe_spec, new_data = predictors)

```

recursive

Create a Recursive Time Series Model from a Parsnip or Workflow Regression Model

Description

Create a Recursive Time Series Model from a Parsnip or Workflow Regression Model

Usage

```
recursive(object, transform, train_tail, id = NULL, chunk_size = 1, ...)
```

Arguments

object	An object of <code>model_fit</code> or a fitted workflow class
transform	A transformation performed on <code>new_data</code> after each step of recursive algorithm. <ul style="list-style-type: none"> • Transformation Function: Must have one argument <code>data</code> (see examples)
train_tail	A tibble with tail of training data set. In most cases it'll be required to create some variables based on dependent variable.
id	(Optional) An identifier that can be provided to perform a panel forecast. A single quoted column name (e.g. <code>id = "id"</code>).
chunk_size	The size of the smallest lag used in <code>transform</code> . If the smallest lag necessary is <code>n</code> , the forecasts can be computed in chunks of <code>n</code> , which can dramatically improve performance. Defaults to 1. Non-integers are coerced to integer, e.g. <code>chunk_size = 3.5</code> will be coerced to integer via <code>as.integer()</code> .
...	Not currently used.

Details

What is a Recursive Model?

A *recursive model* uses predictions to generate new values for independent features. These features are typically lags used in autoregressive models. It's important to understand that a recursive model is only needed when the **Lag Size < Forecast Horizon**.

Why is Recursive needed for Autoregressive Models with Lag Size < Forecast Horizon?

When the lag length is less than the forecast horizon, a problem exists where missing values (NA) are generated in the future data. A solution that `recursive()` implements is to iteratively fill these missing values in with values generated from predictions.

Recursive Process

When producing forecast, the following steps are performed:

1. Computing forecast for first row of new data. The first row cannot contain NA in any required column.
2. Filling i-th place of the dependent variable column with already computed forecast.
3. Computing missing features for next step, based on already calculated prediction. These features are computed with on a tibble object made from binded `train_tail` (i.e. tail of training data set) and `new_data` (which is an argument of predict function).
4. Jumping into point 2., and repeating rest of steps till the for-loop is ended.

Recursion for Panel Data

Panel data is time series data with multiple groups identified by an ID column. The `recursive()` function can be used for Panel Data with the following modifications:

1. Supply an `id` column as a quoted column name
2. Replace `tail()` with `panel_tail()` to use tails for each time series group.

Value

An object with added recursive class

See Also

- `panel_tail()` - Used to generate tails for multiple time series groups.

Examples

```
# Libraries & Setup ----
library(tidymodels)
library(dplyr)
library(tidyr)
library(timetk)
library(slider)

# ---- SINGLE TIME SERIES (NON-PANEL) -----
```

```

m750

FORECAST_HORIZON <- 24

m750_extended <- m750 %>%
  group_by(id) %>%
  future_frame(
    .length_out = FORECAST_HORIZON,
    .bind_data = TRUE
  ) %>%
  ungroup()

# TRANSFORM FUNCTION ----
# - Function runs recursively that updates the forecasted dataset
lag_roll_transformer <- function(data){
  data %>%
    # Lags
    tk_augment_lags(value, .lags = 1:12) %>%
    # Rolling Features
    mutate(rolling_mean_12 = lag(slide_dbl(
      value, .f = mean, .before = 12, .complete = FALSE
    ), 1))
}

# Data Preparation
m750_rolling <- m750_extended %>%
  lag_roll_transformer() %>%
  select(-id)

train_data <- m750_rolling %>%
  drop_na()

future_data <- m750_rolling %>%
  filter(is.na(value))

# Modeling

# Straight-Line Forecast
model_fit_lm <- linear_reg() %>%
  set_engine("lm") %>%
  # Use only date feature as regressor
  fit(value ~ date, data = train_data)

# Autoregressive Forecast
model_fit_lm_recursive <- linear_reg() %>%
  set_engine("lm") %>%
  # Use date plus all lagged features
  fit(value ~ ., data = train_data) %>%
  # Add recursive() w/ transformer and train_tail
  recursive(
    transform = lag_roll_transformer,
    train_tail = tail(train_data, FORECAST_HORIZON)
  )

```

```

model_fit_lm_recursive

# Forecasting
modeltime_table(
  model_fit_lm,
  model_fit_lm_recursive
) %>%
  update_model_description(2, "LM - Lag Roll") %>%
  modeltime_forecast(
    new_data = future_data,
    actual_data = m750
  ) %>%
  plot_modeltime_forecast(
    .interactive = FALSE,
    .conf_interval_show = FALSE
  )

# MULTIPLE TIME SERIES (PANEL DATA) -----

m4_monthly

FORECAST_HORIZON <- 24

m4_extended <- m4_monthly %>%
  group_by(id) %>%
  future_frame(
    .length_out = FORECAST_HORIZON,
    .bind_data = TRUE
  ) %>%
  ungroup()

# TRANSFORM FUNCTION ----
# - NOTE - We create lags by group
lag_transformer_grouped <- function(data){
  data %>%
    group_by(id) %>%
    tk_augment_lags(value, .lags = 1:FORECAST_HORIZON) %>%
    ungroup()
}

m4_lags <- m4_extended %>%
  lag_transformer_grouped()

train_data <- m4_lags %>%
  drop_na()

future_data <- m4_lags %>%
  filter(is.na(value))

# Modeling Autoregressive Panel Data
model_fit_lm_recursive <- linear_reg() %>%
  set_engine("lm") %>%

```

```

fit(value ~ ., data = train_data) %>%
recursive(
  id       = "id", # We add an id = "id" to specify the groups
  transform = lag_transformer_grouped,
  # We use panel_tail() to grab tail by groups
  train_tail = panel_tail(train_data, id, FORECAST_HORIZON)
)

modeltime_table(
  model_fit_lm_recursive
) %>%
modeltime_forecast(
  new_data     = future_data,
  actual_data  = m4_monthly,
  keep_data    = TRUE
) %>%
group_by(id) %>%
plot_modeltime_forecast(
  .interactive = FALSE,
  .conf_interval_show = FALSE
)

```

seasonal_reg	<i>General Interface for Multiple Seasonality Regression Models (TBATS, STLM)</i>
--------------	---

Description

`seasonal_reg()` is a way to generate a *specification* of an Seasonal Decomposition model before fitting and allows the model to be created using different packages. Currently the only package is `forecast`.

Usage

```

seasonal_reg(
  mode = "regression",
  seasonal_period_1 = NULL,
  seasonal_period_2 = NULL,
  seasonal_period_3 = NULL
)

```

Arguments

mode	A single character string for the type of model. The only possible value for this model is "regression".
------	--

seasonal_period_1

(required) The primary seasonal frequency. Uses "auto" by default. A character phrase of "auto" or time-based phrase of "2 weeks" can be used if a date or date-time variable is provided. See Fit Details below.

seasonal_period_2

(optional) A second seasonal frequency. Is NULL by default. A character phrase of "auto" or time-based phrase of "2 weeks" can be used if a date or date-time variable is provided. See Fit Details below.

seasonal_period_3

(optional) A third seasonal frequency. Is NULL by default. A character phrase of "auto" or time-based phrase of "2 weeks" can be used if a date or date-time variable is provided. See Fit Details below.

Details

The data given to the function are not saved and are only used to determine the *mode* of the model. For `seasonal_reg()`, the mode will always be "regression".

The model can be created using the `fit()` function using the following *engines*:

- "tbats" - Connects to `forecast::tbats()`
- "stlm_ets" - Connects to `forecast::stlm()`, `method = "ets"`
- "stlm_arima" - Connects to `forecast::stlm()`, `method = "arima"`

Engine Details

The standardized parameter names in `modeltime` can be mapped to their original names in each engine:

modeltime	forecast::stlm	forecast::tbats
seasonal_period_1, seasonal_period_2, seasonal_period_3	msts(seasonal.periods)	msts(seasonal.periods)

Other options can be set using `set_engine()`.

The engines use `forecast::stlm()`.

Function Parameters:

```
#> function (y, s.window = 7 + 4 * seq(6), robust = FALSE, method = c("ets",
#>   "arima"), modelfunction = NULL, model = NULL, etsmodel = "ZZN", lambda = NULL,
#>   biasadj = FALSE, xreg = NULL, allow.multiplicative.trend = FALSE, x = y,
#>   ...)
```

tbats

- **Method:** Uses `method = "tbats"`, which by default is auto-TBATS.
- **Xregs:** Univariate. Cannot accept Exogenous Regressors (`xregs`). `Xregs` are ignored.

stlm_ets

- **Method:** Uses method = "stlm_ets", which by default is auto-ETS.
- **Xregs:** Univariate. Cannot accept Exogenous Regressors (xregs). Xregs are ignored.

stlm_arima

- **Method:** Uses method = "stlm_arima", which by default is auto-ARIMA.
- **Xregs:** Multivariate. Can accept Exogenous Regressors (xregs).

Fit Details

Date and Date-Time Variable

It's a requirement to have a date or date-time variable as a predictor. The `fit()` interface accepts date and date-time features and handles them internally.

- `fit(y ~ date)`

Seasonal Period Specification

The period can be non-seasonal (`seasonal_period = 1` or `"none"`) or yearly seasonal (e.g. For monthly time stamps, `seasonal_period = 12`, `seasonal_period = "12 months"`, or `seasonal_period = "yearly"`). There are 3 ways to specify:

1. `seasonal_period = "auto"`: A seasonal period is selected based on the periodicity of the data (e.g. 12 if monthly)
2. `seasonal_period = 12`: A numeric frequency. For example, 12 is common for monthly data
3. `seasonal_period = "1 year"`: A time-based phrase. For example, "1 year" would convert to 12 for monthly data.

Univariate (No xregs, Exogenous Regressors):

For univariate analysis, you must include a date or date-time feature. Simply use:

- Formula Interface (recommended): `fit(y ~ date)` will ignore `xreg`'s.
- XY Interface: `fit_xy(x = data[, "date"], y = data$y)` will ignore `xreg`'s.

Multivariate (xregs, Exogenous Regressors)

- The `tbats` engine *cannot* accept Xregs.
- The `stlm_ets` engine *cannot* accept Xregs.
- The `stlm_arima` engine *can* accept Xregs

The `xreg` parameter is populated using the `fit()` or `fit_xy()` function:

- Only factor, ordered factor, and numeric data will be used as xregs.
- Date and Date-time variables are not used as xregs
- character data should be converted to factor.

Xreg Example: Suppose you have 3 features:

1. `y` (target)
2. `date` (time stamp),

3. `month.lbl` (labeled month as a ordered factor).

The `month.lbl` is an exogenous regressor that can be passed to the `seasonal_reg()` using `fit()`:

- `fit(y ~ date + month.lbl)` will pass `month.lbl` on as an exogenous regressor.
- `fit_xy(data[,c("date", "month.lbl")], y = data$y)` will pass `x`, where `x` is a data frame containing `month.lbl` and the date feature. Only `month.lbl` will be used as an exogenous regressor.

Note that date or date-time class values are excluded from `xreg`.

See Also

`fit.model_spec()`, `set_engine()`

Examples

```
library(dplyr)
library(parsnip)
library(rsample)
library(timetk)

# Data
taylor_30_min

# Split Data 80/20
splits <- initial_time_split(taylor_30_min, prop = 0.8)

# ---- STLM ETS ----

# Model Spec
model_spec <- seasonal_reg() %>%
  set_engine("stlm_ets")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit

# ---- STLM ARIMA ----

# Model Spec
model_spec <- seasonal_reg() %>%
  set_engine("stlm_arima")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit
```

`summarize_accuracy_metrics`*Summarize Accuracy Metrics*

Description

This is an internal function used by `modeltime_accuracy()`.

Usage

```
summarize_accuracy_metrics(data, truth, estimate, metric_set)
```

Arguments

<code>data</code>	A <code>data.frame</code> containing the truth and estimate columns.
<code>truth</code>	The column identifier for the true results (that is numeric).
<code>estimate</code>	The column identifier for the predicted results (that is also numeric).
<code>metric_set</code>	A <code>yardstick::metric_set()</code> that is used to summarize one or more forecast accuracy (regression) metrics.

Examples

```
library(dplyr)

predictions_tbl <- tibble(
  group = c("model 1", "model 1", "model 1",
            "model 2", "model 2", "model 2"),
  truth = c(1, 2, 3,
            1, 2, 3),
  estimate = c(1.2, 2.0, 2.5,
              0.9, 1.9, 3.3)
)

predictions_tbl %>%
  group_by(group) %>%
  summarize_accuracy_metrics(
    truth, estimate,
    metric_set = default_forecast_accuracy_metric_set()
  )
```

Interactive Accuracy Tables

Description

Converts results from `modeltime_accuracy()` into either interactive (reactable) or static (gt) tables.

Usage

```
table_modeltime_accuracy(
  .data,
  .round_digits = 2,
  .sortable = TRUE,
  .show_sortable = TRUE,
  .searchable = TRUE,
  .filterable = FALSE,
  .expand_groups = TRUE,
  .title = "Accuracy Table",
  .interactive = TRUE,
  ...
)
```

Arguments

<code>.data</code>	A tibble that is the output of <code>modeltime_accuracy()</code>
<code>.round_digits</code>	Rounds accuracy metrics to a specified number of digits. If NULL, rounding is not performed.
<code>.sortable</code>	Allows sorting by columns. Only applied to reactable tables. Passed to <code>reactable(sortable)</code> .
<code>.show_sortable</code>	Shows sorting. Only applied to reactable tables. Passed to <code>reactable(showSort table)</code> .
<code>.searchable</code>	Adds search input. Only applied to reactable tables. Passed to <code>reactable(searchable)</code> .
<code>.filterable</code>	Adds filters to table columns. Only applied to reactable tables. Passed to <code>reactable(filterable)</code> .
<code>.expand_groups</code>	Expands groups dropdowns. Only applied to reactable tables. Passed to <code>reactable(defaultExpanded)</code> .
<code>.title</code>	A title for static (gt) tables.
<code>.interactive</code>	Return interactive or static tables. If TRUE, returns reactable table. If FALSE, returns static gt table.
<code>...</code>	Additional arguments passed to <code>reactable::reactable()</code> or <code>gt::gt()</code> (depending on <code>.interactive</code> selection).

Details

Groups

The function respects `dplyr::group_by()` groups and thus scales with multiple groups.

Reactable Output

A `reactable()` table is an interactive format that enables live searching and sorting. When `.interactive = TRUE`, a call is made to `reactable::reactable()`.

`table_modeltime_accuracy()` includes several common options like toggles for sorting and searching. Additional arguments can be passed to `reactable::reactable()` via `...`

GT Output

A `gt` table is an HTML-based table that is "static" (e.g. non-searchable, non-sortable). It's commonly used in PDF and Word documents that does not support interactive content.

When `.interactive = FALSE`, a call is made to `gt::gt()`. Arguments can be passed via `...`

Table customization is implemented using a piping workflow (`%>%`). For more information, refer to the [GT Documentation](#).

Value

A static `gt` table or an interactive `reactable` table containing the accuracy information.

Examples

```
library(dplyr)
library(lubridate)
library(timetk)
library(parsnip)
library(rsample)

# Data
m750 <- m4_monthly %>% filter(id == "M750")

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.9)

# --- MODELS ---

# Model 1: prophet ----
model_fit_prophet <- prophet_reg() %>%
  set_engine(engine = "prophet") %>%
  fit(value ~ date, data = training(splits))

# ---- MODELTIME TABLE ----

models_tbl <- modeltime_table(
  model_fit_prophet
)

# ---- ACCURACY ----
```

```
models_tbl %>%
  modeltime_calibrate(new_data = testing(splits)) %>%
  modeltime_accuracy() %>%
  table_modeltime_accuracy()
```

temporal_hierarchy *General Interface for Temporal Hierarchical Forecasting (THIEF) Models*

Description

temporal_hierarchy() is a way to generate a *specification* of an Temporal Hierarchical Forecasting model before fitting and allows the model to be created using different packages. Currently the only package is thief. Note this function requires the thief package to be installed.

Usage

```
temporal_hierarchy(
  mode = "regression",
  seasonal_period = NULL,
  combination_method = NULL,
  use_model = NULL
)
```

Arguments

mode	A single character string for the type of model. The only possible value for this model is "regression".
seasonal_period	A seasonal frequency. Uses "auto" by default. A character phrase of "auto" or time-based phrase of "2 weeks" can be used if a date or date-time variable is provided. See Fit Details below.
combination_method	Combination method of temporal hierarchies, taking one of the following values: <ul style="list-style-type: none"> • "struc" - Structural scaling: weights from temporal hierarchy • "mse" - Variance scaling: weights from in-sample MSE • "ols" - Unscaled OLS combination weights • "bu" - Bottom-up combination – i.e., all aggregate forecasts are ignored. • "shr" - GLS using a shrinkage (to block diagonal) estimate of residuals • "sam" - GLS using sample covariance matrix of residuals
use_model	Model used for forecasting each aggregation level: <ul style="list-style-type: none"> • "ets" - exponential smoothing

- "arima" - arima
- "theta" - theta
- "naive" - random walk forecasts
- "snaive" - seasonal naive forecasts, based on the last year of observed data

Details

Models can be created using the following *engines*:

- "thief" (default) - Connects to thief::thief()

Engine Details

The standardized parameter names in `modeltime` can be mapped to their original names in each engine:

<code>modeltime</code>	<code>thief::thief()</code>
<code>combination_method</code>	<code>comb</code>
<code>use_model</code>	<code>usemodel</code>

Other options can be set using `set_engine()`.

thief (default engine)

The engine uses `thief::thief()`.

Function Parameters:

```
#> function (y, m = frequency(y), h = m * 2, comb = c("struc", "mse", "ols",
#>      "bu", "shr", "sam"), usemodel = c("ets", "arima", "theta", "naive",
#>      "snaive"), forecastfunction = NULL, aggregatelist = NULL, ...)
```

Other options and argument can be set using `set_engine()`.

Parameter Notes:

- `xreg` - This model is not set up to use exogenous regressors. Only univariate models will be fit.

Fit Details

Date and Date-Time Variable

It's a requirement to have a date or date-time variable as a predictor. The `fit()` interface accepts date and date-time features and handles them internally.

- `fit(y ~ date)`

Univariate:

For univariate analysis, you must include a date or date-time feature. Simply use:

- Formula Interface (recommended): `fit(y ~ date)` will ignore `xreg`'s.

- XY Interface: `fit_xy(x = data[, "date"], y = data$y)` will ignore `xreg`'s.

Multivariate (xregs, Exogenous Regressors)

This model is not set up for use with exogenous regressors.

References

- For forecasting with temporal hierarchies see: Athanasopoulos G., Hyndman R.J., Kourentzes N., Petropoulos F. (2017) Forecasting with Temporal Hierarchies. *European Journal of Operational research*, **262**(1), 60-74.
- For combination operators see: Kourentzes N., Barrow B.K., Crone S.F. (2014) Neural network ensemble operators for time series forecasting. *Expert Systems with Applications*, **41**(9), 4235-4244.

See Also

`fit.model_spec()`, `set_engine()`

Examples

```
library(dplyr)
library(parsnip)
library(rsample)
library(timetk)
library(thief)

# Data
m750 <- m4_monthly %>% filter(id == "M750")
m750

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.8)

# ---- HIERARCHICAL ----

# Model Spec - The default parameters are all set
# to "auto" if none are provided
model_spec <- temporal_hierarchy() %>%
  set_engine("thief")

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit
```

`temporal_hierarchy_params`*Tuning Parameters for TEMPORAL HIERARCHICAL Models*

Description

Tuning Parameters for TEMPORAL HIERARCHICAL Models

Usage

```
combination_method(values = c("struc", "mse", "ols", "bu", "shr", "sam"))
```

```
use_model()
```

Arguments

`values` A character string of possible values.

Details

The main parameters for Temporal Hierarchical models are:

- `combination_method`: Combination method of temporal hierarchies.
- `use_model`: Model used for forecasting each aggregation level.

Examples

```
combination_method()
```

```
use_model()
```

`time_series_params`*Tuning Parameters for Time Series (ts-class) Models*

Description

Tuning Parameters for Time Series (ts-class) Models

Usage

```
seasonal_period(values = c("none", "daily", "weekly", "yearly"))
```

Arguments

`values` A time-based phrase

Details

Time series models (e.g. `Arima()` and `ets()`) use `stats::ts()` or `forecast::msts()` to apply seasonality. We can do the same process using the following general time series parameter:

- **period:** The periodic nature of the seasonality.

It's usually best practice to *not* tune this parameter, but rather set to obvious values based on the seasonality of the data:

- **Daily Seasonality:** Often used with **hourly data** (e.g. 24 hourly timestamps per day)
- **Weekly Seasonality:** Often used with **daily data** (e.g. 7 daily timestamps per week)
- **Yearly Seasonality:** Often used with **weekly, monthly, and quarterly data** (e.g. 12 monthly observations per year).

However, in the event that users want to experiment with period tuning, you can do so with `seasonal_period()`.

Examples

```
seasonal_period()
```

```
update_modeltime_model
```

Update the model by model id in a Modeltime Table

Description

Update the model by model id in a Modeltime Table

Usage

```
update_modeltime_model(object, .model_id, .new_model)
```

Arguments

<code>object</code>	A Modeltime Table
<code>.model_id</code>	A numeric value matching the <code>.model_id</code> that you want to update
<code>.new_model</code>	A fitted workflow, <code>model_fit</code> , or <code>mdl_time_ensmble</code> object

See Also

- `combine_modeltime_tables()`: Combine 2 or more Modeltime Tables together
- `add_modeltime_model()`: Adds a new row with a new model to a Modeltime Table
- `drop_modeltime_model()`: Drop one or more models from a Modeltime Table
- `update_modeltime_description()`: Updates a description for a model inside a Modeltime Table
- `update_modeltime_model()`: Updates a model inside a Modeltime Table
- `pull_modeltime_model()`: Extracts a model from a Modeltime Table

Examples

```
library(tidymodels)

model_fit_ets <- exp_smoothing() %>%
  set_engine("ets") %>%
  fit(value ~ date, training(m750_splits))

m750_models %>%
  update_modeltime_model(1, model_fit_ets)
```

update_model_description

Update the model description by model id in a Modeltime Table

Description

The `update_model_description()` and `update_modeltime_description()` functions are synonyms.

Usage

```
update_model_description(object, .model_id, .new_model_desc)

update_modeltime_description(object, .model_id, .new_model_desc)
```

Arguments

<code>object</code>	A Modeltime Table
<code>.model_id</code>	A numeric value matching the <code>.model_id</code> that you want to update
<code>.new_model_desc</code>	Text describing the new model description

See Also

- `combine_modeltime_tables()`: Combine 2 or more Modeltime Tables together
- `add_modeltime_model()`: Adds a new row with a new model to a Modeltime Table
- `drop_modeltime_model()`: Drop one or more models from a Modeltime Table
- `update_modeltime_description()`: Updates a description for a model inside a Modeltime Table
- `update_modeltime_model()`: Updates a model inside a Modeltime Table
- `pull_modeltime_model()`: Extracts a model from a Modeltime Table

Examples

```
m750_models %>%
  update_modeltime_description(2, "PROPHET - No Regressors")
```

 window_reg

General Interface for Window Forecast Models

Description

`window_reg()` is a way to generate a *specification* of a window model before fitting and allows the model to be created using different backends.

Usage

```
window_reg(mode = "regression", id = NULL, window_size = NULL)
```

Arguments

mode	A single character string for the type of model. The only possible value for this model is "regression".
id	An optional quoted column name (e.g. "id") for identifying multiple time series (i.e. panel data).
window_size	A window to apply the window function. By default, the window uses the full data set, which is rarely the best choice.

Details

A time series window regression is derived using `window_reg()`. The model can be created using the `fit()` function using the following *engines*:

- **"window_function" (default)** - Performs a Window Forecast applying a `window_function` (engine parameter) to a window of size defined by `window_size`

Engine Details

function (default engine)

The engine uses `window_function_fit_impl()`. A time series window function applies a `window_function` to a window of the data (last N observations).

- The function can return a scalar (single value) or multiple values that are repeated for each window
- Common use cases:
 - **Moving Average Forecasts:** Forecast forward a 20-day average
 - **Weighted Average Forecasts:** Exponentially weighting the most recent observations
 - **Median Forecasts:** Forecasting forward a 20-day median
 - **Repeating Forecasts:** Simulating a Seasonal Naive Forecast by broadcasting the last 12 observations of a monthly dataset into the future

The key engine parameter is the `window_function`. A function / formula:

- If a function, e.g. `mean`, the function is used with any additional arguments, `...` in `set_engine()`.
- If a formula, e.g. `~ mean(. , na.rm = TRUE)`, it is converted to a function.

This syntax allows you to create very compact anonymous functions.

Fit Details

Date and Date-Time Variable

It's a requirement to have a date or date-time variable as a predictor. The `fit()` interface accepts date and date-time features and handles them internally.

- `fit(y ~ date)`

ID features (Multiple Time Series, Panel Data)

The `id` parameter is populated using the `fit()` or `fit_xy()` function:

ID Example: Suppose you have 3 features:

1. `y` (target)
2. `date` (time stamp),
3. `series_id` (a unique identifier that identifies each time series in your data).

The `series_id` can be passed to the `window_reg()` using `fit()`:

- `window_reg(id = "series_id")` specifies that the `series_id` column should be used to identify each time series.
- `fit(y ~ date + series_id)` will pass `series_id` on to the underlying functions.

Window Function Specification (window_function)

You can specify a function / formula using `purrr` syntax.

- If a function, e.g. `mean`, the function is used with any additional arguments, `...` in `set_engine()`.
- If a formula, e.g. `~ mean(. , na.rm = TRUE)`, it is converted to a function.

This syntax allows you to create very compact anonymous functions.

Window Size Specification (`window_size`)

The period can be non-seasonal (`window_size = 1` or `"none"`) or yearly seasonal (e.g. For monthly time stamps, `window_size = 12`, `window_size = "12 months"`, or `window_size = "yearly"`). There are 3 ways to specify:

1. `window_size = "all"`: A seasonal period is selected based on the periodicity of the data (e.g. 12 if monthly)
2. `window_size = 12`: A numeric frequency. For example, 12 is common for monthly data
3. `window_size = "1 year"`: A time-based phrase. For example, "1 year" would convert to 12 for monthly data.

External Regressors (`Xregs`)

These models are univariate. No `xregs` are used in the modeling process.

See Also

`fit.model_spec()`, `set_engine()`

Examples

```
library(dplyr)
library(parsnip)
library(rsample)
library(timetk)

# Data
m750 <- m4_monthly %>% filter(id == "M750")
m750

# Split Data 80/20
splits <- initial_time_split(m750, prop = 0.8)

# ---- WINDOW FUNCTION ----

# Used to make:
# - Mean/Median forecasts
# - Simple repeating forecasts

# Median Forecast ----

# Model Spec
model_spec <- window_reg(
  window_size = 12
) %>%
# Extra parameters passed as: set_engine(...)
set_engine(
  engine = "window_function",
  window_function = median,
  na.rm = TRUE
)
```

```

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date, data = training(splits))
model_fit

# Predict
# - The 12-month median repeats going forward
predict(model_fit, testing(splits))

# ---- PANEL FORECAST - WINDOW FUNCTION ----

# Weighted Average Forecast
model_spec <- window_reg(
  # Specify the ID column for Panel Data
  id      = "id",
  window_size = 12
) %>%
set_engine(
  engine = "window_function",
  # Create a Weighted Average
  window_function = ~ sum(tail(.x, 3) * c(0.1, 0.3, 0.6)),
)

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date + id, data = training(splits))
model_fit

# Predict: The weighted average (scalar) repeats going forward
predict(model_fit, testing(splits))

# ---- BROADCASTING PANELS (REPEATING) ----

# Simulating a Seasonal Naive Forecast by
# broadcasted model the last 12 observations into the future
model_spec <- window_reg(
  id      = "id",
  window_size = Inf
) %>%
set_engine(
  engine      = "window_function",
  window_function = ~ tail(.x, 12),
)

# Fit Spec
model_fit <- model_spec %>%
  fit(log(value) ~ date + id, data = training(splits))
model_fit

# Predict: The sequence is broadcasted (repeated) during prediction
predict(model_fit, testing(splits))

```


Index

- * **datasets**
 - m750, 41
 - m750_models, 42
 - m750_splits, 42
 - m750_training_resamples, 43
- adam_params, 3
- adam_reg, 6
- add_modeltime_model, 11
- add_modeltime_model(), 12, 24, 30, 83, 115, 116
- arima_boost, 12
- arima_params, 18
- arima_reg, 19
- as_modeltime_table(modeltime_table), 65
- bake_xreg_recipe(recipe_helpers), 98
- changepoint_num(prophet_params), 91
- changepoint_range(prophet_params), 91
- combination_method(temporal_hierarchy_params), 113
- combine_modeltime_tables, 23
- combine_modeltime_tables(), 12, 24, 30, 83, 115, 116
- control_fit_workflowset(control_modeltime), 25
- control_fit_workflowset(), 51
- control_modeltime, 25
- control_nested_fit(control_modeltime), 25
- control_nested_fit(), 57
- control_nested_forecast(control_modeltime), 25
- control_nested_forecast(), 58
- control_nested_refit(control_modeltime), 25
- control_nested_refit(), 59
- control_refit(control_modeltime), 25
- control_refit(), 60, 61
- create_model_grid, 27
- create_xreg_recipe, 28
- damping(exp_smoothing_params), 37
- damping_smooth(exp_smoothing_params), 37
- default_forecast_accuracy_metric_set(metric_sets), 45
- default_forecast_accuracy_metric_set(), 47
- dials::epochs(), 71
- dials::grid_regular(), 28
- dials::hidden_units(), 71
- dials::penalty(), 71
- distribution(adam_params), 3
- drop_modeltime_model, 30
- drop_modeltime_model(), 12, 24, 30, 83, 115, 116
- error(exp_smoothing_params), 37
- ets_model(adam_params), 3
- exp_smoothing, 31
- exp_smoothing_params, 37
- extend_timeseries(prepare_nested), 83
- extend_timeseries(), 57
- extended_forecast_accuracy_metric_set(metric_sets), 45
- extract_nested_best_model_report(log_extractors), 40
- extract_nested_best_model_report(), 59
- extract_nested_error_report(log_extractors), 40
- extract_nested_error_report(), 56, 59
- extract_nested_future_forecast(log_extractors), 40
- extract_nested_future_forecast(), 58, 59
- extract_nested_modeltime_table(log_extractors), 40

- extract_nested_test_accuracy
(log_extractors), 40
- extract_nested_test_accuracy(), 56
- extract_nested_test_forecast
(log_extractors), 40
- extract_nested_test_forecast(), 56, 58, 59
- extract_nested_test_split
(log_extractors), 40
- extract_nested_test_split(), 84
- extract_nested_train_split
(log_extractors), 40
- extract_nested_train_split(), 84

- forecast::Arima(), 14, 20, 21
- forecast::auto.arima(), 9, 14, 20, 21
- forecast::croston(), 32, 33
- forecast::ets(), 32
- forecast::msts(), 114
- forecast::nnetar(), 73
- forecast::thetaf(), 32, 33

- get_arima_description, 38
- get_model_description, 39
- get_tbats_description, 40
- growth(prophet_params), 91
- gt::gt(), 108, 109

- information_criteria(adam_params), 3

- juice_xreg_recipe(recipe_helpers), 98

- log_extractors, 40
- loss(adam_params), 3

- m750, 41
- m750_models, 42
- m750_splits, 42
- m750_training_resamples, 43
- maape, 44
- maape(), 45
- maape_vec, 44
- metric_sets, 45
- modeltime_accuracy, 46
- modeltime_accuracy(), 45, 49, 108
- modeltime_calibrate, 48
- modeltime_calibrate(), 24, 53, 54
- modeltime_fit_workflowset, 50
- modeltime_fit_workflowset(), 25, 28
- modeltime_forecast, 52
- modeltime_forecast(), 49, 79
- modeltime_nested_fit, 56
- modeltime_nested_fit(), 25
- modeltime_nested_forecast, 57
- modeltime_nested_forecast(), 25
- modeltime_nested_refit, 59
- modeltime_nested_refit(), 25
- modeltime_nested_select_best, 59
- modeltime_refit, 60
- modeltime_refit(), 24, 25, 53
- modeltime_residuals, 62
- modeltime_residuals(), 81
- modeltime_residuals_test, 63
- modeltime_table, 65
- modeltime_table(), 48

- naive_fit_impl(), 68
- naive_reg, 67
- nest_timeseries(prepare_nested), 83
- nest_timeseries(), 57
- new_modeltime_bridge, 70
- nnetar_params, 71
- nnetar_reg, 72
- non_seasonal_ar(arima_params), 18
- non_seasonal_ar(), 71
- non_seasonal_differences
(arima_params), 18
- non_seasonal_ma(arima_params), 18
- num_networks(nnetar_params), 71

- outliers_treatment(adam_params), 3

- panel_tail, 75
- panel_tail(), 100
- parallel_start, 76
- parallel_start(), 26
- parallel_stop(parallel_start), 76
- parse_index, 77
- parse_index_from_data(parse_index), 77
- parse_period_from_index(parse_index), 77

- plot_modeltime_forecast, 78
- plot_modeltime_forecast(), 53
- plot_modeltime_residuals, 80
- pluck_modeltime_model, 82
- prepare_nested, 83
- prior_scale_changepoints
(prophet_params), 91

- prior_scale_holidays (prophet_params), 91
- prior_scale_seasonality (prophet_params), 91
- probability_model (adam_params), 3
- prophet::prophet(), 87, 94, 95
- prophet_boost, 85
- prophet_params, 91
- prophet_reg, 93
- pull_modeltime_model (pluck_modeltime_model), 82
- pull_modeltime_model(), 12, 24, 30, 83, 115, 116
- pull_modeltime_residuals, 97
- pull_parsnip_preprocessor, 98
- reactable::reactable(), 108, 109
- recipe_helpers, 98
- recursive, 99
- recursive(), 76
- regressors_treatment (adam_params), 3
- season (exp_smoothing_params), 37
- season(), 92
- seasonal_ar (arima_params), 18
- seasonal_ar(), 71
- seasonal_differences (arima_params), 18
- seasonal_ma (arima_params), 18
- seasonal_period (time_series_params), 113
- seasonal_reg, 103
- seasonality_daily (prophet_params), 91
- seasonality_weekly (prophet_params), 91
- seasonality_yearly (prophet_params), 91
- select_order (adam_params), 3
- smooth::adam(), 8, 9
- smooth::auto.adam(), 8
- smooth::es(), 32, 33
- smooth_level (exp_smoothing_params), 37
- smooth_seasonal (exp_smoothing_params), 37
- smooth_trend (exp_smoothing_params), 37
- smooth_vec(), 79, 81
- snaive_fit_impl(), 68
- split_nested_timeseries (prep_nested), 83
- split_nested_timeseries(), 57
- stats::Box.test(), 64
- stats::shapiro.test(), 64
- stats::ts(), 114
- summarize_accuracy_metrics, 107
- table_modeltime_accuracy, 108
- tail(), 100
- temporal_hierarchy, 110
- temporal_hierarchy_params, 113
- time_series_params, 113
- timetk::future_frame(), 84
- timetk::plot_time_series(), 79
- timetk::time_series_split(), 84
- trend (exp_smoothing_params), 37
- trend_smooth (exp_smoothing_params), 37
- update_model_description, 115
- update_modeltime_description (update_model_description), 115
- update_modeltime_description(), 12, 24, 30, 83, 115, 116
- update_modeltime_model, 114
- update_modeltime_model(), 12, 24, 30, 83, 115, 116
- use_constant (adam_params), 3
- use_model (temporal_hierarchy_params), 113
- window_function_fit_impl(), 117
- window_reg, 116
- workflowsets::workflow_set(), 28
- xgboost::xgb.train, 14
- xgboost::xgb.train(), 87
- yardstick::metric_tweak(), 45