

Package ‘MSeasyTkGUI’

August 16, 2012

Type Package

Title MSeasy Tcl/Tk Graphical User Interface

Version 5.3.1

Date 2012-08-16

Author Yann Guitton

Maintainer Yann Guitton <yann.guitton@gmail.com>

Depends R (>= 2.12.0), MSeasy(>= 5.3), tcltk

Suggests xcms

Description A Tcl/Tk GUI for some basic functions in the MSeasy package

License GPL-2

URL <http://sites.google.com/site/rpackagemseasy/>

LazyLoad yes

R topics documented:

MSeasyTkGUI-package	2
MSeasyTkGUI	2
MSeasyTkGUI-internal	3
Index	4

MSeasyTkGUI-package	<i>MSeasyTkGUI</i>
---------------------	--------------------

Description

MSeasyTkGUI is a user interface for MSeasy manly based on code from ade4TkGUI

Details

Package:	MSeasyTkGUI
Type:	Package
Version:	5.3.1
Date:	2012-08-16
License:	GPL-2
LazyLoad:	yes

Author(s)

Yann Guitton Maintainer: Yann Guitton <yann.guitton@gmail.com>

References

ade4TkGUI was used as source code for MSeasyTkGUI

MSeasyTkGUI	<i>Tcl/Tk GUI for the MSeasy package</i>
-------------	--

Description

A Tcl/Tk GUI for some basic functions in the MSeasy package. It was created on the basis of the ade4TkGUI package by Jean Thioulouse <jthioulouse@biomserv.univ-lyon1.fr>, Stephane Dray <dray@biomserv.univ-lyon1.fr>

Usage

MSeasyTkGUI()

Details

Right-click on MSeasy function buttons to get help on functions. You can also click on the questionhead icon in the dialog windows, this will displays the R help for the corresponding function.

In all dialog windows, entries can either be filled with a "set , choose . . ." button, or typed directly in the entry field. The "set" button displays a listbox with a list of available objects in the global environment. The "Choose file" button displays a browser.

Buttons

The first row of buttons (- MSeasy -) is used to format MS data (Step 1- ...) prior to the clustering (Step 2- ...), either from a tab-delimited text file exported from Excel (User made file), or from raw MS data files (CDF, Agilent or ASCII files; Step 3- ... will give you access to export functions (to ARISTO format or NIST). right-click on the button to get help and for details on MS data format).

The second block of buttons (- Demonstration -) gives access to MSeasy test datasets (DataTest or DataClust) by Load an MSeasy dataset or to predefined examples of the MSeasy functions (like MS.DataCreation, MS.clust..

Menu bar

The menu bar at the top of the window can be used to launch all the MSeasy functions. All theses menus are tear-off.

The Menu can be used to compile or cluster MS data as the buttons described above, and to quit R :

- Help allows to read MSeasy help files.
- Quit R opens a dialog window to ask if the environment should be saved before quitting R.

Author(s)

Yann Guitton <yann.guitton@gmail.com>

Examples

```
## Not run:  
## Start the GUI  
MSeasyTkGUI()  
  
## End(Not run)
```

MSeasyTkGUI-internal *Internal functions for the MSeasyTkGUI package.*

Description

Internal functions for the MSeasyTkGUI package

Details

These are not to be called by the user.

Index

*Topic **MSeasy**

MSeasyTkGUI, [2](#)

MSeasyTkGUI-internal, [3](#)

*Topic **package**

MSeasyTkGUI-package, [2](#)

choosedf (MSeasyTkGUI-internal), [3](#)

choosepackage (MSeasyTkGUI-internal), [3](#)

dialog.MS.aristo

(MSeasyTkGUI-internal), [3](#)

dialog.MS.clust (MSeasyTkGUI-internal),
[3](#)

dialog.MS.DataCreation.Agilent

(MSeasyTkGUI-internal), [3](#)

dialog.MS.DataCreation.ASCII

(MSeasyTkGUI-internal), [3](#)

dialog.MS.DataCreation.CDF

(MSeasyTkGUI-internal), [3](#)

dialog.MS.DataCreation.user

(MSeasyTkGUI-internal), [3](#)

dialog.MS.demon (MSeasyTkGUI-internal),
[3](#)

dialog.MS.msp (MSeasyTkGUI-internal), [3](#)

dialog.MS.nist (MSeasyTkGUI-internal), [3](#)

dialog.MS.step1 (MSeasyTkGUI-internal),
[3](#)

dialog.MS.step2 (MSeasyTkGUI-internal),
[3](#)

dialog.MS.step3 (MSeasyTkGUI-internal),
[3](#)

dialog.MS.test.clust

(MSeasyTkGUI-internal), [3](#)

MSeasyTkGUI, [2](#)

MSeasyTkGUI-internal, [3](#)

MSeasyTkGUI-package, [2](#)